

12. “They looked at me like I am a virus”- how survivors cope with COVID-19 stigma during the early stage of pandemic

by Budi Aji

Submission date: 24-May-2023 11:50AM (UTC+0700)

Submission ID: 2100597959

File name: cope_with_COVID-19_stigma_during_the_early_stage_of_pandemic.pdf (461.07K)

Word count: 5980

Character count: 33123

“They looked at me like I am a virus”: how survivors cope with COVID-19 stigma during the early stage of pandemic

Sulistiyawati Sulistiyawati¹, Rokhmayanti Rokhmayanti¹, Budi Aji², Siwi Pramata Mars Wijayanti²,
Wahyuni Sukes¹, Surahma Asti Mulasari¹

¹Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

²Department of Public Health, Faculty of Health Sciences, Jenderal Soedirman University, Purwokerto, Indonesia

Article Info

Article history:

Received Apr 12, 2022

Revised Nov 2, 2022

Accepted Nov 15, 2022

Keywords:

Coping strategy
COVID-19
Pandemic
Stigma
Unpleasant impacts

ABSTRACT

COVID-19 has shocked everyone globally, with fears of contracting the disease and other socio-economic impacts. The noticeable impact at the beginning of the COVID-19 pandemic was the emergence of mental health disorders in the community, especially for patients, namely the stigma labeled on them. This study aimed to explore the COVID-19 survivors' experience since they were declared positive and isolated, including the stigma they faced in the early stage of the pandemic, using a phenomenology approach. Eight informants selected through purposive sampling were contacted via in-depth online interviews during September-December 2020. All interviews were recorded, transcribed, and analyzed using thematic analysis. During the investigation, this research found two themes: encountering unpleasant impacts when contracting COVID-19 and coping strategies related to the impact. The negative stigma affected the informants' psychology and economics. Most informants took a religious/belief method to cope with the adversity, such as surrendering to God, and some reported ignoring the stigma. After one year of the pandemic, the stigma has dramatically reduced. However, continuous education in the community is needed to prevent stigmatization of COVID-19 survivors since the pandemic continues and scientific development in fighting this disease is ongoing. This research provides lessons learned to the community and related parties that mental health must also be a concern beyond the rapid response to disease control in a health emergency.

This is an open access article under the CC BY-SA license.



Corresponding Author:

Sulistiyawati Sulistiyawati

Faculty of Public Health, Universitas Ahmad Dahlan

Campus 3, Prof. Dr Soepomo Street, Janturan, Umbulharjo, Yogyakarta, Indonesia

Email: sulistiyawati.suyanto@ikm.uad.ac.id

1. INTRODUCTION

History records that the world has faced several severe pandemics. Nevertheless, it was still unprepared to deal with the current coronavirus disease 2019 (COVID-19) pandemic [1]. SARS-CoV-2 is the virus causing the COVID-19 illness discovered in China and then spread worldwide. It was subsequently declared a pandemic [2]. By April 2021, more than 130 million people worldwide had been infected with COVID-19, while more than 2.8 million people had died. At that time, Indonesia contributed approximately 1% to global cases and deaths [3]. The disease has a broad impact on health and the social structure of human life, such as adapting and changing behavior to prevent disease transmission. Another frightening impact of this pandemic is the social stigmatization of COVID-19 survivors and health workers treating COVID-19 patients [4], [5].

Stigma marks someone due to a social judgment that tends to a negative opinion and a desire to avoid or exclude those people being stigmatized. Stigma often occurs in health and is attached to individuals with an acute disease, for example, human immunodeficiency virus (HIV)-acquired immune deficiency syndrome (AIDS), mental health, and obesity. Today, the survivors of COVID-19, as well as health workers, have fallen victim to stigmatization. Some stigmatization incidents occur in different settings; for example, doctors and nurses could not use public transport [5]. While in India, during the COVID-19 crisis, stigmatization has occurred based on religion, occupation, race, and economic class [6]; in Indonesia, COVID-19 stigma is attached to survivors and health workers. For survivors, being stigmatized mainly affects their social relationships with others, such as feeling outcast due to being infected with COVID-19 [7]. At the same time, some healthcare workers have lost their rights to normal life [8]. The impact of stigmatization on a person can also be manifold, such as housing, income, education, social relationships, behavior, healthcare, and health [9]. Furthermore, stigma affects the individual, and associative stigma affects their family and/or those associated with them [10], [11]. However, studies exploring COVID-19 stigmatization at an individual level are still limited; most research has studied stigmatization in health workers.

According to Pryor and Reeder [12] there are four types of stigma: public stigma, self-stigma, structural stigma, and stigma by association. These are interrelated and can result in a negative outcome. How individuals cope with stigma can be divided into problem-focused and emotion-focused coping [12]. Stigma is considered dangerous for health systems because it is a fundamental inequality in health as it affects people's behavior towards health-seeking and public trust in the government. This means that it influences the public's response to the health program run by the government. There is mounting evidence regarding several diseases such as HIV-AIDS, obesity and mental health, stigma, and effects on individuals and society [13]–[15]. However, during the COVID-19 pandemic, information regarding stigma at the grassroots level remains limited, while the process of preventing and controlling COVID-19 must be carried out immediately. Therefore, studies on how the public stigma of COVID-19 affects the individual and how an individual with COVID-19 copes with the illness will enhance the understanding of the situation and, ultimately, how the health system should react.

During the early COVID-19 pandemic, Indonesia recorded relatively high morbidity and mortality. At the same time, the flow of information through the internet and social media cannot be controlled, which causes misinformation and disinformation related to this COVID-19. All of this triggers excessive fear from the public so that the stigmatization of COVID-19 fighters appears. This study aimed to explore COVID-19 survivors' experiences since they were declared positive and isolated, including the stigma they faced. We also captured how survivors cope with all adversities during the illness. This study contributes to providing lessons learned to the community and related parties that in a health emergency, mental health must also be a concern beyond the rapid response to disease control itself.

2. RESEARCH METHOD

2.1. Study design and participants

Our research employed a phenomenological approach to qualitatively analyze. It explored the experience of COVID-19 survivors facing social stigma, the impact on their lives, and how they coped with that situation. We emphasized personal experience and feelings to elaborate a pattern from which we can learn from their experiences.

Eight informants participated in this study and resided in two provinces: the Special Region of Yogyakarta and West Java. All of them were selected using purposive sampling. We approached informants personally through our social network because, at that time, the personal identity of a COVID-19 survivor was credentialed (not accessible to the public), and not all survivors we met were willing to be interviewed for fear of being stigmatized. The inclusion criteria for informants were: i) people who were diagnosed with COVID-19, ii) stating they were recovered when the interview was conducted, and iii) giving their consent to join our study. We determined to stop interviewing survivors who matched our inclusion criteria when our data were saturated.

2.2. Online interview

Interview guidelines were developed by the research group using relevant literature and in-depth discussion among the members. The interview guide consisted of some questions: i) Tell your story of being diagnosed to recover from COVID-19; ii) Tell your feelings after being diagnosed with COVID-19, and iii) Tell us how did you cope with that? iv) Who gave you support while in quarantine? v) Did you feel you were treated differently during your illness and afterward? vi) Did you suffer an economic loss because of your illness? Did your work suffer? How did you cope with that?

2.3. Data collection

Data collection was conducted from September to December 2020, meaning our informants had contracted COVID-19 before that period. We approached several COVID-19 survivors by stating the interests and objectives of this research. We then made an appointment for an online interview for the patients who agreed to participate. At that time, meeting in person was difficult due to human movement and social distancing. With the informants' permission, the interviews were recorded for analysis purposes. The interviews were conducted for an average of 45 to 60 minutes per informant. Oral informed consent was obtained from the informants at the beginning of the interview. The informants could withdraw from the research at any time if they wished.

2.4. Data analysis

Interview recordings were transcribed and analyzed using thematic analysis with a deductive approach [16]. Four people (authors number 1, 3, 5, and 6) independently looked for and obtained the transcriptions' meaning patterns to generate initial codes using the quirkos data analysis software. The first author then combined all the coding and searched for initial themes. In the next step, the themes were reviewed by all the authors through continuous discussion to agree on the theme name. Finally, we described and reported the analysis.

2.5. Ethical approval

The study was approved by the Ethical Review Board of Ahmad Dahlan University, Yogyakarta, Indonesia (ethical approval code: 012008029).

3. RESULTS AND DISCUSSION

We recruited two males and six females aged 23-65 with a mean age of 35.87 ± 12.89 . Five informants are married with children living in the same house, one informant is married with children who do not live in the same house, and two are single. Regarding occupation, three informants work in the government office (receive a monthly salary). One informant works at a private company (gets a monthly stipend), one informant was an entrepreneur in the traditional market (earns daily income), and three informants do not work. Concerning the isolation place: three informants were isolated at the government shelter, one informant was isolated in the hospital, one informant was isolated at home, one informant in a boarding house, and two informants underwent isolation at home, then in hospital as shown in Table 1. Two themes emerged from the analysis presented in Figure 1.

Table 1. Informant characteristics

ID	Sex	Education	Age	Occupation	Isolation place (duration)
A	Female	Diploma	42	Government office (Earns a monthly salary)	Government shelter (9 days)
B	Female	Diploma	27	Unemployed	Hospital (5 days)
C	Male	Senior high school	34	Government office (Earns a monthly salary)	Government shelter (8 days)
D	Female	Bachelor	28	Private company (Earns a monthly salary)	Home and hospital (16 days)
E	Male	Bachelor	42	Government office (Earns a monthly salary)	Home (3 days)
F	Female	Illiterate	65	Entrepreneur (Earns daily income)	Home and government shelter (23 days)
G	Female	Diploma	23	Unemployed	Government shelter (3 days)
H	Female	Ongoing bachelor education	26	Unemployed	Boarding house (22 days)

3.1. Theme 1: Encounter unpleasant impacts when diagnosed with COVID-19 and being isolated

This theme represents all feelings and events after the survivor had been diagnosed positive for COVID-19 and had to be isolated. All informants (n=8) dealt with various psychological experiences after testing positive for COVID-19 and having to be quarantined until they were declared negative/recovered. Informants experienced multiple forms of stigmatization from their surroundings. Being isolated and continuously stigmatized raised their negative emotions, such as feeling shocked after being diagnosed with COVID-19, feeling like it was a dream, and being surprised because they had applied health protocols so far (n=2). They were sad because they had to be away from family (n=3), feeling down and anxious about the possibility of death (n=2). Feeling insecure (n=2), this feeling arises after the quarantine had finished and they had to return to the community, fear (n=3), fear of transmission to the family and people around. They

"They looked at me like i am a virus": how survivors cope with COVID-19 stigma ... (Sulistiyawati)

were imprisoned (n=2), feeling like they were being punished alone, unable to go anywhere. Three informants stated they felt excluded by feeling people's attitudes, such as being rejected in their daily lives (n=4), and even at a further stage, experienced expulsion. Another form of stigma experienced is being shunned (n=7); this happened when people who had been close to them did not get in contact when the survivor was isolated—even via private chat. Three subthemes construct this theme:

i) Being stigmatized by society: excluded, rejected, and shunned

After being tested positive for COVID-19, the survivors experienced various unpleasant treatments, such as feeling neglected, rejected, and ostracized by the surrounding community, which hurt them. In times of isolation, many people stay away, even avoid communication and talk unpleasantly behind their backs.

"But we don't dare (to speak) because we're afraid people will say something else about me. That way, it's just that it's more painful than the disease itself." (C, Male 34 yrs, isolated at government shelter)

"I'm still grateful (for not being kicked out of my house). My friend had to move from the boarding house because everyone looked at her like a virus. You can't even throw the trash out from the room." (D, Female 28 yrs, isolated at government shelter)

Worse, when they are declared cured of COVID-19, they are still hostile, shunned, and refuse to carry out their everyday activities, such as shopping at the shop next to their house; the reason that people will be afraid of his presence.

"When I arrived home from the shelter, they asked whether I ran away from the hospital. It is such a rude question for me. When I went to the vegetable storehouse, the seller said that if I shopped in their storehouse, everyone would be afraid of getting infected by me. So, the seller not accept my presence on their storehouse" (G, Female 23 yrs, isolated at government shelter)

In addition, other family members also experienced unpleasant treatment from the community, even though they had been declared cured.

"My son was not allowed to play with the neighbors; they asked my son to go home. Then my son cried and went home." (E, Male 42 yrs, isolated at home)




Figure 1. Summary of analysis using an inductive approach

- ii) Dealing with various psychological experiences: shock, sadness, anxiety, insecurity, fear, and feeling imprisoned

Being infected with COVID-19 makes sufferers feel shocked, sad, and anxious. Moreover, they think they are imprisoned because they cannot carry out routine activities and must be isolated. One informant said he was in shock and stigmatized as the source of the virus.

"I was down at that time; they looked at me like a virus and dangerous thing. I am also worried because, logically (being hospitalized) means that we are in a virus house because it treats sick people. And now, there are people with corona, with different symptoms; some are severe." (D, Female 28 yrs, Bachelor)

Another informant said he was unfortunate because he had to be separated from his family, even though he was worried about the COVID-19 situation.

"Sad because you must leave your family, be isolated, and continue to be anxious. The anxiety is whether COVID-19 can be cured or not. There are only two possibilities for COVID-19: alive or dead because the mortality rate shows so." (A, Female 42 yrs, Diploma)

- iii). Experiencing economic challenges: income decreasing and expenditure increasing

During isolation, COVID-19 sufferers cannot have economic activities, so they cannot get their primary income, mainly for informants who did not receive regular monthly salaries. On the other hand, during the isolation, the need increased because there were purchases of multivitamins and other supporting foods as well as routine needs that must be met.

"There is a decrease of about 60% in income because my husband is self-employed. On the other hand, there is an increase in expenditure of about 30% from normal, not because of drugs but for food nutritional intake to speed up the recovery." (D, Female 28 yrs, works at government office)

Informants working in the formal sector that receive regular income also reported a slight decrease in income.

"My husband works in a private hospital, so it seems that his income is affected because he didn't go to work for several days. But yes, only a little." (A, Female 42 yrs, works at government office)

3.2. Theme 2: Coping strategies to overcome the unpleasant situation

The second theme is the coping strategies used to overcome the worst situation, representing how they coped with their problems during quarantine (isolation). An interesting finding was how informants handled the situation they faced during the illness and isolation. Two out of the eight informants said they overcame decreased income and increased expenditure by using savings for economic issues. One other informant stated that they borrowed money from others. Meanwhile, five of the eight informants expressed that they were helped by their support system-for example, logistical assistance from their employer. On the other hand, four informants said they chose to surrender what happened to God. To overcome the stigma, informants ignored it (n=2). Two subthemes were developed for this theme:

- i) Coping with economic difficulties by taking out savings or a loan

As mentioned before, during the isolation, COVID-19 survivors experienced a decrease in income and an increase in expenses, so they had to find a way out to deal with it. For those who have savings, they will withdraw their money.

"I have unpredicted money; usually, I keep it somewhere in my room. So yesterday, I took it during my recovery." (G, Female 23 yrs, unemployed)

However, for those who do not have reserve funds, they must borrow to meet their needs:

"I meet daily needs by borrowing from anyone. I buy food from a peddler but pay later. I have the principle as long as I'm still alive, I can still pay my debt." (F, Female 65 yrs, entrepreneur)

"They looked at me like i am a virus": how survivors cope with COVID-19 stigma ... (Sulistyawati)

ii) Dealing with stigma by ignoring it and surrendering to God

The stigmatization of people with COVID-19-even when they are declared cured-leaves survivors with no choice nonetheless to face it.

"It's sad (what they do to me), but I just ignore it; maybe they don't know about COVID-19. The important thing is I don't interact closely with them. I surrendered (with COVID-19), but I thought this was already the way, and there must be a lesson. With the name of God, "Kun Faya Kun," if God wants it, it will happen, and we have only to pray." (A, Female 42 yrs, Diploma)

iii) Surrendering and considering this a life trial from God was also stated by another informant

"I surrender and believe in God, pray and pray. I have given up because I don't know what else to do; maybe this is a life test for my family." (B, Female 27 yrs, Diploma)

This is one of the first studies to explore the stigma associated with COVID-19 survivors and their coping strategies in Indonesia. We found that the survivors dealt with several social stigmatizations that affected their psychology and economics in the sample. The survivors' coping strategies during the period of isolation included turning to religion through surrendering to God and ignoring people's opinions. The survivors borrowed money from others and drew on their savings to cope with the economic adversity.

We reveal the psychological experiences of the COVID-19 survivors who were infected at the onset of the disease (2020) in Indonesia. In-depth interviews with the recovered survivors reported many horrible psychological experiences during their illness and isolation, including being excluded, rejected, and ignored by their community/neighbors. Thus, in line with the WHO statement, stigma is more hazardous than the disease itself [17]. The stigmatization of certain conditions is not new in public health. Mental health has always received a negative stigma from the community, dissuading sufferers from seeking treatment [18]–[21]. If the social stigma labels of COVID-19 patients continue, it will hinder general prevention efforts of this disease; COVID-19 patients refuse to seek treatment and mask the disease symptoms for fear of being stigmatized by the surrounding community [22], [23].

Our informant stated that COVID-19 stigma harassment influence societal psychological and mental behavior, following the previous research [17]. The experiences of the COVID-19 survivors and the news in the media about the COVID-19 stigma scare the public. Indonesia's situation has worsened: people with symptoms do not want to be tested for fear of being stigmatized [24], while local communities refuse COVID-19 corpses because of excessive fear [25]. Consequently, when people are diagnosed with COVID-19, they feel shocked, sad, anxious, and insecure; they are terrified by the stigma. These feelings reflect their panic and unreadiness to accept the reality-being infected with COVID-19, being isolated, and being stigmatized by society. What has happened in Indonesia is not unique the same panic has been witnessed in the Philippines in response to COVID-19. The panic phenomenon in the community during the COVID-19 pandemic is a form of anxiety due to misperceptions and difficulty finding solutions [26]. This is understandable because, at the onset of the disease, there was a lack of information about COVID-19. Meanwhile, there was a rapid flow of information through social media, including false information/hoaxes that generated panic among people [27], [28]. In Indonesia, as we found in our previous research, there is insufficient knowledge in society about such issues as air transmission and COVID-19 symptoms [29], which affect the general attitude towards and the prevention of the disease, including how COVID-19 survivors should be treated.

Most COVID-19 survivors coped with social stigmatization using emotion-focused coping [12] by denying or ignoring what people said. The survivors also accepted their situation as God's predestination (Allah); they adopted an attitude of surrender. This situation captures the role of religion/spiritual belief in determining a person's attitude. Previous research states that more religious people have better mental health when facing illness or health problems than less religious people [30]. This evidence opens another possibility for education-as the primary pathway to reducing stigma-through religious leaders cooperating with the relevant health authorities. The spiritual leader model has been implemented in health problems, such as the diabetes campaign in Mexico and increased vaccination acceptance amongst minority groups in the Netherlands [31], [32]. In Indonesia, the government, through the Indonesian COVID-19 task force, has developed some measures to tackle the COVID-19 stigma: i) presenting better communication regarding the risks, ii) encouraging the media to spread complete and correct information about the transmission of the virus to avoid misinformation and misinterpretation that could affect society's behavior regarding COVID-19 prevention and control, and iii) fostering the media to present balanced information, not only about the number of cases but also regarding the prevention and control efforts in an attempt by the government to avert people's fears [33], [34].

"They looked at me like i am a virus": how survivors cope with COVID-19 stigma ... (Sulistiyawati)





- and young adults in Uganda: A cross-sectional study," *Global Public Health*, vol. 0, no. 0, pp. 1–12, 2021.
- [14] J. C. Sapag et al., "Stigma towards mental illness and substance use issues in primary health care: Challenges and opportunities Latin America," *Global Public Health*, vol. 13, no. 10, pp. 1468–1480, Oct. 2018, doi: 10.1080/17441692.2017.1356347.
- [15] R. M. Putz and C. A. Heuer, "Obesity stigma: Important considerations for public health," *American Journal of Public Health*, vol. 100, no. 6, pp. 1019–1028, Jun. 2010, doi: 10.2105/AJPH.2009.159491.
- [16] V. Braun and V. Clarke, "Using thematic analysis in psychology," *Qualitative Research in Psychology*, vol. 3, pp. 77–101, 2006, doi: 10.1111/j.1460-2466.1978.tb01621.x.
- [17] A. S. Abdelhafiz and M. Alorabi, "Social stigma: The hidden threat of COVID-19," *Frontiers in Public Health*, vol. 8, Aug. 2020, doi: 10.3389/fpubh.2020.00429.
- [18] C. Henderson, S. Evans-Lacko, and G. Thornicroft, "Mental illness stigma, help seeking, and public health programs," *American Journal of Public Health*, vol. 103, no. 5, pp. 777–780, May 2013, doi: 10.2105/AJPH.2012.301056.
- [19] L. J. Barney, K. M. Griffiths, A. F. Jorm, and H. Christensen, "Stigma about depression and its impact on help-seeking intentions," *Australian and New Zealand Journal of Psychiatry*, vol. 40, no. 1, pp. 51–54, Jan. 2006, doi: 10.1111/j.1440-2244.2006.01741.x.
- [20] A. Zartaloudi and M. Madianos, "Stigma related to help-seeking from a mental health professional," *Health Science Journal*, vol. 4, no. 2, pp. 77–83, 2010.
- [21] G. Thornicroft, "Stigma and discrimination limit access to mental health care," *Epidemiologia e Psichiatria Sociale*, vol. 17, no. 2, pp. 14–19, Mar. 2008, doi: 10.1017/S1121189X00002621.
- [22] M. Rewerska-Juško and K. Rejda, "Social stigma of patients suffering from COVID-19: challenges for health care system," *Healthcare (Switzerland)*, vol. 10, no. 2, p. 292, Feb. 2022, doi: 10.3390/healthcare10020292.
- [23] Y. Y. Pratama, M. Rosada, and E. Arlinda, "Why Is health protocol still needed even though people are getting vaccinated?," *Epidemiology and Society Health Review (ESHR)*, vol. 4, no. 1, pp. 36–37, 2022, doi: 10.26555/eshr.v4i1.5221.
- [24] A. Matulesky, "Social stigma toward COVID-19 patients in Indonesia," *American Psychological Association*, 2020.
- [25] W. Sulistyadi, S. Hayu, and N. Harmani, "Handling of public stigma on covid-19 in Indonesian society," *Kesmas*, vol. 15, no. 2, pp. 70–76, Jul. 2020, doi: 10.21109/KESMAS.V15I2.3909.
- [26] C. J. C. Nicomedes and R. M. A. Avila, "Analysis on the panic during COVID-19 pandemic through an online form," *Journal of Affective Disorders*, vol. 276, pp. 14–22, Nov. 2020, doi: 10.1016/j.jad.2020.06.046.
- [27] C. M. Pulido, B. Villarejo-Carballido, G. Redondo-Sama, and A. Gómez, "COVID-19 infodemic: More retweets for science-based information on coronavirus than for false information," *International Sociology*, 2020, doi: 10.1177/0268580920914751.
- [28] P. Christina, "Social media used to spread, create COVID-19 falsehoods – Harvard Gazette," *The Harvard Gazette*, 2020, <http://10.news.harvard.edu/gazette/story/2020/05/social-media-used-to-spread-create-covid-19-falsehoods/>. (accessed Apr 3, 2022).
- [29] S. Sulistyawati et al., "Knowledge, attitudes, practices and information needs during the covid-19 pandemic in indonesia," *Risk Management and Healthcare Policy*, vol. 14, pp. 163–175, 2021, doi: 10.2147/RMHP.S288579.
- [30] H. G. Koenig, "Religion, spirituality, and health: The research and clinical implications," *ISRN Psychiatry*, vol. 2012, pp. 1–33, 2012, doi: 10.5402/2012/278730.
- [31] W. L. M. Ruijs, J. L. A. Hautvast, S. Kerrar, K. Van Der Velden, and M. E. J. L. Hulscher, "The role of religious leaders in promoting acceptance of vaccination within a minority group: A qualitative study," *BMC Public Health*, vol. 13, no. 1, p. 511, Dec. 2013, doi: 10.1186/1471-2458-13-511.
- [32] M. Rivera-Hernandez, "The Role of Religious Leaders in Health Promotion for Older Mexicans with Diabetes," *Journal of Religion and Health*, vol. 54, no. 1, pp. 303–315, Feb. 2015, doi: 10.1007/s10943-014-9829-z.
- [33] Tim administrator situs Kawal COVID 19, "Preventing and dealing with social stigma around COVID-19 (in Indonesia: Mencegah dan menangani stigma sosial seputar COVID-19)," *Kawal COVID19.id*, 2020.
- [34] N. K. Widiastuti, "Let's Stop the Negative Stigma related to Covid-19 (Mari Hentikan Stigma Negatif terkait Covid-19) - Dinas Kesehatan Provinsi Bali," *Bali Provincial Health Office*, 2020. <https://www.diskes.baliprov.go.id/mari-hentikan-stigma-negatif-terkait-covid-19/>.
- [35] K. Lukiyanto and M. Wijayaningtyas, "Gotong royong social capital to overcome micro and small enterprises' capital difficulties," *Heliyon*, vol. 6, no. 9, p. e04879, Sep. 2020, doi: 10.1016/j.heliyon.2020.e04879.
- [36] L. Satlita, U. Dewi, and A. Suyanto, "Strengthening social capital in implementing Smart Amarto movement To alleviate poverty in Yogyakarta city," *Journal of Social Studies (JSS)*, vol. 13, no. 1, pp. 70–81, Sep. 2017, doi: 10.21831/jss.v13i1.16975.
- [37] Supriyanta and O. Angraini, "Social Capital Recapitalization and Triple Helix-Based Creative Economy Development in Yogyakarta New Normal Era (in Indonesia: Rekapitalisasi Modal Sosial Dan Pengembangan Ekonomi Kreatif Berbasis Triple Helix Di Yogyakarta Era Normal Baru)," in *Transformasi Indonesia 2021: Inovasi dan Strategi Pemulihan Ekonomi Pascapandemi COVID-19*, 2021, pp. 174–187.
- [38] S. F. Ahmada, F. D. Marsetyo, and R. A. Putri, "Jogja Food Solidarity as an Alternative Actor in Providing Welfare in the Crisis of the COVID-19 Pandemic (In Indonesia: Solidaritas Pangan Jogja sebagai Aktor Alternatif Penyedia Kesejahteraan di Masa Krisis Pandemi COVID-19)," *Journal of Social Development Studies*, vol. 1, no. 2, pp. 1–13, 2020, doi: 10.22146/jds.524.
- [39] D. Haryadi and D. N. Malitasari, "Solidarity during COVID-19 pandemic (a case study on the social action of Yogyakarta food solidarity and the interfaith network for COVID-19 response)," *Jurnal Partisipatoris*, vol. 2, no. 2, pp. 58–74, Sep. 2020, doi: 10.22219/jp.v2i2.12849.

BIOGRAPHIES OF AUTHORS







Sulistyawati is a public health scientist working on health system research, implementation research focusing on infectious disease, and health program evaluation. She can be contacted at email: sulistyawati.suyanto@ikm.uad.ac.id.



Rokhmayanti     is an epidemiologist working on epidemiology, surveillance Epidemiology (NCD, Emerging, Re-Emerging and New Emerging Disease), and zoonosis. She can be contacted at email: rokhmayanti@ikm.uad.ac.id.







Budi Aji     is public health by training. He attained his bachelor's from the Faculty of Public Health at Diponegoro University-Semarang. He did his master's degree at the Graduate Institute of Health Care administration at Asia University-Taiwan. He graduated from the Ph.D. program at the Institute of Public Health, University of Heidelberg-Germany. He has been a lecturer and researcher at the School of Public Health, Faculty of Medicine and Health Sciences, Jenderal Soedirman University-Purwokerto since 2002. As a researcher, He is currently focusing his projects on health policy, health economics, global health, health equity, and climate change. Along with his duties at the School of Public Health, he attended seminars and met with public health leaders at different functions and events. All these activities confirmed his growing interest in public health, health policy, health economics, global health, and climate change, particularly in developing countries. These are his most vital interests because he believes they are fundamental to his country, Indonesia. He can be contacted at email: budi.aji57@gmail.com.







Siwi Pramata Mars Wijanti     is a public health scientist working on entomology and epidemiology. She can be contacted at email: siwimars@gmail.com.



Tri Wahyuni Sukesi     is a public health scientist working on environmental health and dengue. She can be contacted at email: yunisukesi.fkmuad@gmail.com.



Surahma Asti Mulasari     is a public health scientist working on environmental health and dengue. She can be contacted at email: surahma.mulasari@ikm.uad.ac.id.

12. "They looked at me like I am a virus"- how survivors cope with COVID-19 stigma during the early stage of pandemic

ORIGINALITY REPORT

12%
SIMILARITY INDEX

0%
INTERNET SOURCES

12%
PUBLICATIONS

0%
STUDENT PAPERS

PRIMARY SOURCES

1	Ernawati Umar, Ahmad Darajat, Ilma Fiddyanti, Lili Amaliah. "Related factors to fear and stigma of COVID-19", International Journal of Public Health Science (IJPHS), 2022 Publication	2%
2	Rini Mustikasari Kurnia Pratama, Diane Marlin, Silvia Mariana. "Mental well-being among COVID-19 patients in isolation house", International Journal of Public Health Science (IJPHS), 2023 Publication	1%
3	Isaac Iyinoluwa Olufadewa, Miracle Ayomikun Adesina, Blessing Oladokun, Ararso Baru et al. "'I Was Scared I Might Die Alone': A Qualitative Study on the Physiological and Psychological Experience of COVID-19 Survivors and the Quality of Care Received at Health Facilities", International Journal of Travel Medicine and Global Health, 2020 Publication	1%

4

Duy Hoang Trinh, Shannon McKinn, Anh Thuy Nguyen, Greg J. Fox, Anh Thu Nguyen, Sarah Bernays. "Uneven stigma loads: Community interpretations of public health policies, 'evidence' and inequities in shaping Covid-19 stigma in Vietnam", SSM - Population Health, 2022

Publication

<1 %

5

Prasojo Pribadi, Lolita Lolita, Rayi Citra Ayu Pangestuti, Heni Lutfiyati, Silvia Mareti, Azis Ikhsanudin. "Knowledge and quality of life among Indonesian students during the COVID-19 pandemic", International Journal of Public Health Science (IJPHS), 2021

Publication

<1 %

6

L. Lazowski, M. Koller, H. Stuart, R. Milev. "Stigma and Discrimination in People Suffering with a Mood Disorder: A Cross-Sectional Study", Depression Research and Treatment, 2012

Publication

<1 %

7

Zulaikha Abdul Razak, Noorzilawati Binti Sahak. "An exploratory factor analysis and reliability analysis among Malaysian elderly", International Journal of Public Health Science (IJPHS), 2023

Publication

<1 %

8

Moufakkir, Omar. "The stigmatized tourist",
Annals of Tourism Research, 2015.

Publication

<1 %

9

Hidayati Maghfiroh, Siti Zubaidah, Susriyati Mahanal, Hendra Susanto. "Definition and conceptual model of genetics literacy: a systematic literature review", International Journal of Public Health Science (IJPHS), 2023

Publication

<1 %

10

Akhmadi Akhmadi, Eli Amaliyah. "Women empowerment and its relationship with wealth index and COVID-19 prevention", International Journal of Public Health Science (IJPHS), 2022

Publication

<1 %

11

Albert Whata, Charles Chimedza. "Deep Learning for SARS COV-2 Genome Sequences", IEEE Access, 2021

Publication

<1 %

12

Andrea Sciandra. "COVID-19 Outbreak through Tweeters' Words: Monitoring Italian Social Media Communication about COVID-19 with Text Mining and Word Embeddings", 2020 IEEE Symposium on Computers and Communications (ISCC), 2020

Publication

<1 %

13

Roy Rillera Marzo, Kuldeep Singh Shekhawat, Shekhar Chauhan, Ratna Patel et al. "Sleep Disorder During the Third Wave of COVID-19 Pandemic among Malaysian Adults", Research Square Platform LLC, 2021

Publication

<1 %

14

Anita Joeliantina, Oedojo Soedirham, Mangestuti Agil, M. Bagus Qomaruddin, Kusnanto Kusnanto. "A literature review of complementary and alternative medicine used among diabetes mellitus patients", International Journal of Public Health Science (IJPHS), 2019

Publication

<1 %

15

Goundappa K. Balasubramani, Mary Patricia Nowalk. "Epidemiology of SARS-CoV-2 and COVID-19", Elsevier BV, 2024

Publication

<1 %

16

Gretchen J. Domek, Sean T. O'Leary, Sheana Bull, Michael Bronsert et al. "Measuring vaccine hesitancy: Field testing the WHO SAGE Working Group on Vaccine Hesitancy survey tool in Guatemala", Vaccine, 2018

Publication

<1 %

17

Linjiang Guo, Yang Li, Dongfang Sheng. "Modeling and Simulating Online Panic in an Epidemic Complexity System: An Agent-Based Approach", Complexity, 2021

<1 %

- 18 Muhammad Ricky Pratama, Agung Supriyadi, Nurhalina Sari. "Assessment of precautionary measures against COVID-19 in Indonesian workplaces", International Journal of Public Health Science (IJPHS), 2021

Publication

- 19 Muhammad Thesa Ghozali, Bagus Hidayaturrohim, Izdiyar Dinah Amalia Islamy. "Improving patient knowledge on rational use of antibiotics using educational videos", International Journal of Public Health Science (IJPHS), 2023

Publication

- 20 Aya Mostafa, Walaa Sabry, Nayera S. Mostafa. "COVID-19-related stigmatization among a sample of Egyptian healthcare workers", PLOS ONE, 2020

Publication

- 21 Kumari Tanu Dhiman, Sharad Chauhan. "Identification of AI based techniques for identification of Covid-19 on chest Xray images", AIP Publishing, 2022

Publication

- 22 Monica-Diana Podar, Alexandra-Maria Frețian, Zeynep Demir, Oliver Razum, Yudit Namer. "How schools in Germany shape and impact the lives of adolescent refugees in terms of

23

Lisa Reynolds, Gary Latchford, Alistair J. A. Duff, Miles Denton, Tim Lee, Daniel Peckham. "Decision Making about Risk of Infection by Young Adults with CF", Pulmonary Medicine, 2013

Publication

24

Triyana Harlia Putri, Djoko Priyono. "It's Demographic Associated with Social Stigma of the Person with Covid-19", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2021

Publication

25

Joko Subando, Badrun Kartowagiran, Sudji Munadi. "Development of curriculum design evaluation instruments in strengthening Al-Irsyad ideology in Indonesia", International Journal of Evaluation and Research in Education (IJERE), 2021

Publication

26

Ronald W. Damant, Liam Rourke, Ying Cui, Grace Y. Lam et al. "Reliability and validity of the post COVID-19 condition stigma questionnaire: A prospective cohort study", eClinicalMedicine, 2023

Publication

<1 %

<1 %

<1 %

<1 %

27

Aly Lamuri, Hamzah Shatri, Jahja Umar, Mondastri K. Sudaryo et al. "Burnout dimension profiles among healthcare workers in Indonesia", Heliyon, 2023

Publication

<1 %

28

Lana Unwanah, Sitti Djannah, Dyah Suryani, Yanasta Yudo Pratama, Annisa Tristifanny, Andita Rahmanda, Hamza AbuHilail.

"Correlation Between Education and Age to the Perception of COVID-19 Vaccination", Epidemiology and Society Health Review (ESHR), 2022

Publication

<1 %

29

McClure Brenchley, Kimberly J., and Diane M. Quinn. "Weight-based rejection sensitivity: Scale development and implications for well-being", Body Image, 2016.

Publication

<1 %

30

Margaret Alexis L. Oquias, Angie M. Ceniza-Canillo, Riane Nichelle Daeve I. Acharon. "An Identification and Analysis of Fake News about COVID-19 Vaccines in the Philippines by Using a Classification Model", 2022 IEEE 7th International Conference on Information Technology and Digital Applications (ICITDA), 2022

Publication

<1 %

- | | | |
|----|---|------|
| 31 | Abdulqadir J. Nashwan, Glenn Ford D. Valdez, Sadeq AL-Fayyadh, Hani Al-Najjar et al. "Stigma towards health care providers taking care of COVID-19 patients: A multi-country study", Heliyon, 2022
Publication | <1 % |
| 32 | Anita Jensen. "Mental health recovery and arts engagement", The Journal of Mental Health Training, Education and Practice, 2018
Publication | <1 % |
| 33 | Perigrinus Sebong, Dwi Handono Sulistio, Yodi Mahendradhata. "Sustainability Capacity of HIV/AIDS Programmes in Yogyakarta, Indonesia", International Journal of Public Health Science (IJPHS), 2017
Publication | <1 % |
| 34 | Singha Tulyakul, Amonwan Werathummo, Hareesol Khun-inkeeree, Witsanu Rotsuwan, Ratchaneekorn Reudhabibadh. "The motivation and teaching strategies in pre-service physical education teachers", Journal of Education and Learning (EduLearn), 2022
Publication | <1 % |
| 35 | Yixuan Wang, Shuqiang Chen, Yuqi Wang. "Toward Four Basic Systems of Trauma-Informed Practice for COVID-19-Affected Communities in China: Framework Analysis | <1 % |

from Social Workers' Perspectives", Journal of Social Service Research, 2022

Publication

36

Kukuh Lukiyanto, Maranatha Wijayaningtyas. "Gotong Royong as social capital to overcome micro and small enterprises' capital difficulties", Heliyon, 2020

Publication

<1 %

37

Nida Naushad, Laura B. Dunn, Ricardo F. Muñoz, Yan Leykin. "Depression increases subjective stigma of chronic pain", Journal of Affective Disorders, 2018

Publication

<1 %

38

Kukuh Lukiyanto, Anang Ramadhan Feri Pratama, Ifa Khoiria Ningrum. "The Challenges of Applying Ergonomics to Small Medium Enterprises", E3S Web of Conferences, 2023

Publication

<1 %

Exclude quotes

On

Exclude matches

Off

Exclude bibliography

Off