



<https://cigrjournal.org/index.php/Ejournal/about/editorialTeam>

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS CIGR WEBSITE AUTHOR GUIDE

Home > About the Journal > Editorial Team

Editorial Team

Editors

[Fengmin Zhao, China](#)
[Prof. Zhao Fengmin](#)

Section Editors

[Section Editor Fedro S. Zazueta Ranahan-ITS](#), University of Florida, United States
[Section editor Remigio Berruto-MESE](#), University of Turin, Institute of Agricultural Technology, Italy
[Section Editor Panagiotis Panagakis](#), Associate Professor Agricultural University of Athens, Greece
[Section Editor Patrizia Busato-ITS](#), University of Turin, Italy
[Section Editor José Manuel Monteiro Gonçalves - LWE](#), Linking Landscape, Environment, Agriculture and Food, University of Lisbon; College of Agriculture of Polytechnic of Coimbra, Portugal
[Section Editor Andre Aarnink](#), Wageningen University and Research, Netherlands
[Section Editor Dr. Hamid Reza Gazor- PTPE](#), (PhD) Associate professor Agricultural Engineering Research Institute Agricultural Research, Education and Extension Organization (AREEO) Ministry of agriculture. Iran, Iran, Islamic Republic of
[Section Editor Patrizia Tassinari-FBC](#), University of Bologna - Dept. of Agricultural Sciences - Agricultural Engineering Division, Italy
[Section Editor Mohammed Reza Alizade-PTPE, EEPP](#), Associate Professor (Agricultural Machinery Engineering), Department of Agricultural Engineering, Rice Research Institute of Iran, Agricultural Research, Education and Extension Organization (AREEO), Rasht, Iran., Iran, Islamic Republic of
[Section Editor Abd El-Rahman Abd El-Raouf Ahmed-PTPE, LWE, EEPP, IT](#), Agricultural Engineering Research Institute, Egypt
[Fengmin Zhao, China](#)
[Section Editor Álvaro Ramírez-Gómez-FBC](#), Universidad Politécnica de Madrid, Spain, Spain
[Section Editor Safa Majeed-EIA](#), Lincoln University, New Zealand
[Section Editor Sunil K Mathanker-EEPP](#), University of Puerto Rico at Mayaguez, United States
[Section Editor Osama Taha Bahnas-PTPE, EEPP](#), Agric. Eng. Res. Inst., Agric. Res. Center, Egypt, Egypt
[Section Editor Murad Canakci-EEPP, MESE](#), Akdeniz University, Turkey
[Section Editor Lijun Li-EIA, EEPP](#), University of Illinois at Urbana-Champaign, United States
[Section Editor Donghong LIU-PTPE](#), Professor/Doctoral Supervisor/Executive director, Zhejiang University, China
[Dr Ashish M Mohite-PTPE](#), Amity University , Noida, U.P, India, India
[Section Editor Wafaa Mohamed Haggag-AFBSC](#), National Research Centre, Egypt

Layout Editors

[Wang Zhanping](#), Chinese Academy of Agricultural Engineering, China
[Yao Haiyan](#)

Copyeditors

[Section Editor Fedro S. Zazueta Ranahan-ITS](#), University of Florida, United States
[Dr. Yingkuan Wang](#), CSAE/CAAE, China
[Jin Wang](#), Chinese Academy of Agricultural Machinery Sciences, China
[Ma, Lingyan Iris Zhang](#), China National Agricultural Development Group Corporation, China
[Guanze He](#), China
[Yazhe Wang](#), China

OPEN JOURNAL SYSTEMS

[Journal Help](#)

USER

Username

Password

☐ Remember me

JOURNAL CONTENT

Search

Search Scope

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

FONT SIZE

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

HOSTED BY

PKP|PS

Part of the
[PKP Publishing Services Network](#)

PKP Vol. 23 No. 1 (2021): CIGR Journal | Agricultural Engineering International: CIGR Journal

https://cigrjournal.org/index.php/Ejournal/issue/view/99

Register Login

Current Archives Announcements About

Search

Home / Archives / Vol. 23 No. 1 (2021): CIGR Journal

Vol. 23 No. 1 (2021): CIGR Journal

Published: 2021-03-28

Open Journal Systems

Information

For Readers

For Authors

For Librarians

PKP|PS

Part of the
PKP Publishing Services Network

1. Land and Water Engineering

Evaluation of friction head loss as a function of media filter performance via different underdrain types and media specifications
Mohamed Gamal Zaki 5-11
[PDF](#)

Effect of different levels of water deficit on yield and amount of osmotic regulator in tetraploid and hexaploid wheat genotypes
Farhad JAHN, Said Khomari 12-18
[XML](#) [PDF](#)

Effect of Soil Type and Operational Speed on Performance of Some Selected Agricultural Field Machinery in South East Nigeria
Okechukwu Osumu 19-27
[PDF](#)

PKP Vol. 23 No. 1 (2021): CIGR Journal | Agricultural Engineering International: CIGR Journal

https://cigrjournal.org/index.php/Ejournal/issue/view/99

Effect of root zone cooling and evaporative cooling in greenhouse on the growth and yield of potato seed by aeroponics in tropical lowlands
Eni Sumarni, Afik Hardanto, Poppy Arsil 28-35
[PDF](#)

Calibration and validation of the aquacrop model for the culture lettuce (lactuca sativa L.) under fertilization levels in pluvial condition
mawhoub Amirouche 36-46
[PDF](#)

EFFECT OF ALTERNATE PARTIAL ROOT ZONE DRIP IRRIGATION AND MULCHING ON ZUCCHINI
Hisham Mohamed Imam 47-56
[PDF](#)

Assessing evapotranspiration rate and sesame (Sesamum indicum) crop water use under different water table depths
Shahzad Hussain Dahri, Munir Ahmed Mangrio, Muhammad Saffar Mirjat, Saeed Ahmed Dahri, Zaheer Ahmed Aqlani, Jazib Hussain Jakhrani, Ghulam Mehdi Aghani 57-67
[PDF](#)

Production of drip irrigated squash (Cucurbita Pepo, L.) under different levels of irrigation and uniformity
Moataz Kamal Elnemr, Adel Helal Elmetwalli 68-74
[PDF](#)

The Water Deficit of Evapotranspiration Covers on Potash Tailing Piles Using CropWat
Carolina Bilibio, Oliver Hensel 75-91
[PDF](#)

Effects of fertigation components on emitter clogging and soil infiltration rate
Harby Mostafa, Ahmed Moursy, Moamed El-Ansary, Maysa Hatata 92-99
[PDF](#)

<https://cigrjournal.org/index.php/Ejournal/issue/view/99>**EFFECT OF VARYING WATER APPLICATIONS ON GROWTH, YIELD AND WATER USE EFFICIENCY OF OKRA (*Abelmoschus Esculentus*) UNDER DRIP IRRIGATION IN AKURE**

oluwadunsin seun ajayi

100-108

**II-Farm Buildings and Construction****Long term study of declining animal usage in Indian agriculture**

Atul kumar Shrivastava, N K Khandelwal, R K Dubey, prabhat kumar guru

109-114

**III-Equipment Engineering for Plant Production****COMPARATIVE EVALUATION OF MESH SIEVE PERFORMANCE OF A WET CEREAL SLURRY SIEVING MACHINE**

Cosmas Anyanwu, Charity Ibelegbu, Chinyere Ugwu, Valentine Okonkwo, Chigbo Mgbemene

115-127

**Investigation of different mechanical weeding methods performance for weed control efficiency, mechanical injuries and yield in three bean varieties**

Abolfazl Hedayatpour, Mustafa Goodarzi, Marefat Mostafavirad

128-137

**Design, fabrication and assessment of direct seeder in Benin Republic**

Ephrème Dossavi DAYOU

138-147



<https://cigrjournal.org/index.php/Ejournal/issue/view/99>

IV-Energy in Agriculture		
Energy Analysis of Three Rice Cultivar using different Production Methods, case study: Iran		148-158
Adel Vahedi	PDF	
Waste shells of Chicken and Guinea fowl eggs as catalysts for the production biodiesel		159-167
Olatunde Ajani Oyelaran	PDF	
V-Management, Ergonomics and Systems Engineering		
Agricultural Engineering Profession; The Perspective of Employers of Labour in Ilorin, Nigeria		168-175
Oyetayo Olukorede Oyeboade, Ayodele Olarewaju Ogunlela	PDF	
VI-Postharvest Technology and Process Engineering		
Establishment of Oil Palm Seedlings Using Treated Oil Palm Decanter Cake (OPDC) as Bio-Organic Media		176-182
Mohammad Muaz Hashim	PDF	
Kinetic modeling of quality changes of tomato during storage		183-193
Mai AL-Dairi, Pankaj B Pathare	PDF	

<https://cigrjournal.org/index.php/Ejournal/issue/view/99>

Kinetic modeling of quality changes of tomato during storage		183-193
Mai AL-Dairi, Pankaj B Pathare	PDF	
NaOH-impregnated oyster shell as a solid base catalyst for transesterification of soybean oil		194-202
Han Jin, Praveen Kolar, Sapan Paneti, Jason Osborne, Jay J Chang	PDF	
Determination of some engineering properties, proximate composition and phytochemical properties of African star apple (Chrysophyllum albidum)		203-210
John Iba	PDF	
Effect of moisture and temperature on thermal conductivity of pigeon pea seeds		217-224
Oyeleke John Iagwu	PDF	
Effect of moisture content on soybean properties: comparative study of varieties		225-234
Rabi Kabir Ahmad, Nalado David Dangore, Hajara Kabir Ahmad	PDF	
Effects of different autoclaving parameters on the nutritional compositions of raw milk samples		235-243
SUNMONU MUSILU OLUTHOLA, ODEWOLE MICHAEL, MAIOGUN, OBIKUN ALIU OLUMIDE, OLA FUNMILAYO OPEYIN, HAMID TAYE MUSLIM	PDF	
Evaluation of thin layer drying kinetics of tene root (Colocasia esculenta L.)		244-251
Jennatul Ferdousi Nipa	PDF	

Effect of local design machine , clearance and grain moisture on corn shelling

salih kadhim Alwan

252-256

**Effect of Tannase (*Aspergillus ficcum*) on physicochemical properties of clarified Jamun juice**

Payel Ghosh, Nikhil Swaraj, Rama Chandra Pradhan

257-265

**Acoustic impulse response of young coconut (*Cocos nucifera* L.) fruits in relation to maturity**

Delfin C. Suministrado

266-273



VII-Information Systems

SOIL EC MAPPING SYSTEM USING VERIS 3100 AT YOUNG OIL PALM AREA AT UITM JASIN MALACCA MALAYSIA

mohammad hudzari haji razali

274-283



Lampiran Informasi ISSN dan Indexing Scopus dan Q3 Scimago Journal

← → ↻ 🔒 scopus.com/home.uri

Welcome to Scopus Preview

[What is Scopus](#) ↗ [Blog](#) ↗

[in](#) [twitter](#) [f](#) [youtube](#)

Check access

Check if you have access through your sign in credentials or via your institution.

[Check Scopus access](#)

Check out your free author profile!

Did you know Scopus offers free profiles to all indexed authors? Review yours, claim it, and update it — all for free!

[View your author profile](#) >

Scopus content

[Content coverage guide](#) 📄

[Scopus source list](#) 📄

[Book title list](#) 📄

[Scopus discontinued sources list](#) 📄

Looking for free journal rankings and metrics?

Scopus offers free metrics to non-subscribers.

[View journal rankings](#) >

Search for an author profile

Author ID:

ORCID:

[Search](#)

Journal

Journal ID:

[Search](#)

	A	B	C	D	E	F	G	H
	Sourcerecord ID	Source Title (Medline-sourced journals are indicated in Green)	Print-ISSN	E-ISSN	Active or Inactive	Coverage	Titles discontinued by Scopus due to quality issues	Article language source (three-letter ISO language code)
1								
1580	18700156722	Agribusiness	07424477	15206297	Active	2085-ongoing		ENG
1581	16669	Agricell Report	0738145X		Inactive	2000-2003		
1582	14972	Agricultura Tecnica	03652807	07176333	Inactive	2006-2007, 1981-1982, 1978		
1583	4000151615	Agriculturae Conspectus Scientificus	13317768	13317776	Active	2005-ongoing		ENG, SCR
1584	53581	Agricultural Administration	0309586X		Inactive	1974-1986		
1585	92919	Agricultural Administration & Extension	02697475		Inactive	1987-1988		
1586	32966	Agricultural and Biological Chemistry	00021369		Inactive	1972-1991, 1969		
1587	21100976164	Agricultural and Environmental Letters		24719625	Active	2016-ongoing		ENG
1588	21100817122	Agricultural and Food Economics		21937532	Active	2013-ongoing		ENG
1589	96395	Agricultural and Food Science	14596067		Active	2004-ongoing		ENG
1590	14996	Agricultural and Food Science in Finland	12390992	14573806	Inactive	1996-2003		
1591	19105	Agricultural and Forest Entomology	14619555	14619563	Active	1999-ongoing		ENG
1592	12067	Agricultural and Forest Meteorology	01681923		Active	1984-ongoing		ENG
1593	21101051084	Agricultural and Resource Economics		2414584X	Active	2021-ongoing		ENG
1594	71598	Agricultural and Resource Economics Review	10682805	23722614	Active	2004-ongoing		ENG
1595	21100197336	Agricultural Commodities	18395619		Inactive	2011-2018		ENG
1596	73771	Agricultural Economics	01695150		Active	1986-ongoing		ENG
1597	21100778828	Agricultural Economics (Czech Republic)	0139570X	18059295	Active	2007-ongoing		ENG
1598	39658	Agricultural Economics Research	00021423		Inactive	1978-1988		
1599	21000195312	Agricultural Economics Review	11092580		Active	2019-ongoing, 2011-2017		ENG
1600	21101043234	Agricultural Engineering	20831587	24495999	Active	2021-ongoing		ENG
1601	35684	Agricultural engineering	00021458		Inactive	1983-1993, 1969-1981		
1602	21100199343	Agricultural Engineering International: CIGR Journal	16821130		Active	2011-ongoing		ENG
1603	69005	Agricultural Finance Review	00021466	20416326	Active	2000-ongoing, 1980		ENG
1604	15014	Agricultural History	00021482		Active	1978-ongoing, 1975		ENG
1605	15015	Agricultural History Review	00021490		Active	1978-ongoing		ENG
1606	110317	Agricultural Meteorology	00021571		Inactive	1964-1984		
1607	21100469366	Agricultural Research	2249720X	22497218	Active	2016-ongoing		ENG
1608	21100851994	Agricultural Research in the Arid Areas	10007601		Active	2017-ongoing		CHI
1609	21101044883	Agricultural Research Journal	23951435	2395146X	Active	2020-ongoing		ENG

Lampiran terindeks Q3 (Scimago Journal).

<https://www.scimagojr.com/journalsearch.php?q=21100199343&tip=sid&clean=0>

A¹¹ 40

Agricultural Engineering International: CIGR Journal

COUNTRY

Japan

 Universities and research institutions in Japan

 Media Ranking in Japan

SUBJECT AREA AND CATEGORY

Agricultural and Biological Sciences
└ Agronomy and Crop Science

Energy
└ Energy (miscellaneous)

Engineering
└ Automotive Engineering
└ Industrial and Manufacturing Engineering


PUBLISHER


International Commission of Agricultural and Biosystems Engineering

H-INDEX

22

Quartiles





Effect of root zone cooling

by Eni Sumarni

Submission date: 06-Dec-2022 08:53PM (UTC+0700)

Submission ID: 1973179024

File name: Effect_of_root_zone_cooling.pdf (399.07K)

Word count: 4882

Character count: 24821

Effect of root zone cooling and evaporative cooling in greenhouse on the growth and yield of potato seed by aeroponics in tropical lowlands

Eni Sumarni^{1*}, Afik Hardanto¹, Poppy Arsil²

(1. Lab. of Bio-Environment and Control Engineering. Agricultural Technology Department, Faculty of Agriculture, Jenderal Soedirman University, Purwokerto, Jl. Dr. Suparno, Karangwangkal, Postal Code. 53123

2. Lab of Information Management and Agroindustrial System. Agricultural Technology Department, Faculty of Agriculture, Jenderal Soedirman University, Purwokerto, Jl. Dr. Suparno, Karangwangkal, Postal Code 53123)

Abstract: The purpose of this research was to determine the effects of evaporative cooling and air conditioner (AC) on the growth and yield of aeroponic potato plants in the lowlands planted with the application of root zone cooling. Nutrients were used at an electrical conductivity (EC) of 1-2 mS cm⁻¹ and pH of nutritional solutions was 6. Two types of cooling measures were applied: evaporative cooling and air conditioning (AC) with a target temperature of 25°C. Two potato varieties (genotype 007 and granola) were used. The design used was a completely randomized with separate plot design. The main plot is the type of cooling (evaporative cooling and AC) and potato variety as the subplot. Growth data were analyzed by the F test followed by the DMRT test at the 5% level of significance. From the results of this research, we concluded that the evaporative cooling system could provide a decrease in air temperature in lowland greenhouses. However, the optimal humidity and temperature for the growth and development of aeroponic potato plants in the lowlands were not achieved when the air temperature in the greenhouse was high. The cooling by AC creates a more even temperature and humidity compared with the evaporative cooling. The humidity level inside a greenhouse that is not exposed to evaporative cooling (far from the plant area) reaches 42%. The difference in air humidity achieved with two different cooling type methods reached 2% at 13.00 hour and 6% at 16.00 hour. The application of cooling above the plant with AC resulted in a higher number of tubers and higher tuber weight compared with evaporative cooling. The average number of tubers produced from the application of AC was 19.3 crop bulbs, and the average tuber weight was 10.4 grams per tuber, while the application of evaporative cooling resulted in an average of 9.4 crop bulbs and an average tuber weight of 6.3 grams per tuber.

Keywords: aeroponics, potato seed, lowland, evaporative cooling, greenhouse, root zone cooling.

Citation: Sumarni, E., A. Hardanto, and P. Arsil. 2021. Effect of root zone cooling and evaporative cooling in greenhouse on the growth and yield of potato seed by aeroponics in tropical lowlands. *Agricultural Engineering International: CIGR Journal*, 23 (1):28-35.

1 Introduction

Received date: 2019-10-29 Accepted date: 2020-03-03

*Corresponding author: Eni Sumarni, Associate Professor, Departement of Agricultural Technology, Jenderal Soedirman University, Purwokerto. Jl. dr. Suparno. Karangwangkal. Postal Code. 53123. Email: amy0565@gmail.com. Tel:+6281391396079, Fax: (+62281) 638791.

Potato seed production technology can produce a large number of healthy seed tubers through aeroponic technology. Potato seeds in the form of tubers can also facilitate planting. Research on an aeroponic system for potato seeds in humid tropical lowlands was carried out by modifying the restricted climate in the root zone by cooling (root zone cooling), so that the optimal temperature of the root section for the formation and

growth of potato seeds could be maintained (Sumarni et al., 2013a, 2013b, 2019). The temperature in the lowland greenhouse can reach 40 °C at the point of maximum solar radiation during the day. Air temperature control in the root zone (root zone cooling) can improve the growth of broccoli (Perez, 2009), increase photosynthesis and lettuce productivity (Jie, 1998), and increase the rate of root growth and nutrient uptake in tomato plants (Kawasaki et al., 2013) and potato plants in the lowlands (Sumarni et al., 2019). Therefore, climate zone cooling was carried out to maintain the temperature at the root of the plant (Sumarni et al., 2019).

Some results of previous research showed that evaporative cooling could reduce heat stress in the greenhouse and area around the canopy (Fuchs, 1993; Fuchs et al., 2006; Helmy et al., 2013). The adoption of evaporative cooling in a greenhouse can reduce temperatures by 4°C-5°C. Hence, research on the development of potato seed production in lowlands with the application of an aeroponic system of root zone cooling and evaporative cooling is important for improving the condition of the top of the plant.

Specific environmental conditions are required for the optimal growth of good-quality potatoes. Extreme environmental conditions, for example, temperature or humidity that is too high/too low, can cause a decrease in plant growth and tuber yield. A high air temperature above the plant canopy (leaves) encourages vegetative growth and stimulates stem extension (Tadesse et al., 2001). High temperatures greater than 25°C -30°C tend to increase stem length and branching but reduce leaf size and leaf area. Decreasing the size of potato leaves by reducing the temperature can also change the permeability of cell membranes or reduce the conductance of stomata and have a negative impact on the supply of CO₂ for photosynthetic assimilation. An increase in air temperature to greater than 20°C can negatively affect crop production in greenhouses located in tropical and subtropical countries (Damasceno et al., 2017).

Efforts to cool the air temperature above the plants can be done by providing cold air or cold water flow and also evaporative cooling. Evaporative cooling (EC) is a

process used to reduce the air temperature through evaporation of water into an airflow. Air humidity is important because it has an influence on the rate of water loss from plants. Evaporative cooling can be carried out directly or indirectly (Jain, 2007; Al-Juwayhel et al., 2004). The process of air cooling by spraying or spouting water into the air directly is a type of direct evaporative cooling (Yunianto, 2018). Evaporative cooling can reduce the air temperature over plants by 4°C -5°C (Helmy et al., 2013). Air cooling using an air conditioner (AC) is an attempt to cool the air until it reaches the desired temperature and humidity of a specific location (Arismunandar and Heizo, 1991). However, energy consumption for temperature reduction up to 26°C reaches 902 kJ, whereas with evaporative cooling is only 389 kJ (Yunianto, 2018).

Thus, studies on the effects of the combination of root zone cooling and evaporative cooling on the growth and development of aeroponic potato plants in wet tropical lowlands are needed to improve the condition of the leaves and stems of potato plants and increase the production of aeroponic potato seeds in the lowlands. The purpose of this research is to determine the effect of evaporative cooling and cold air (AC) on the growth and yield of aeroponic potato plants in lowlands planted with the application of root zone cooling.

2 Materials and methods

This aeroponic potato seed production study combined the application of root zone cooling was used in previous studies (Sumarni et al., 2019) with evaporative cooling and air conditioner (AC) to the top of the plant. The temperature of the root cooling zone used was 10°C-15°C (Sumarni et al., 2013a, 2019).

Table 1 Nutritional formula for aeroponic potato seed production (Otazu, 2010)

Nutrient	Concentration
KNO ₃	5.40 me L ⁻¹
NH ₄ NO ₃	4.4 me L ⁻¹
Ca superphosphate	2.60 me L ⁻¹
MgSO ₄	1.00 me L ⁻¹
Fe (EDTA-Fe 6%)	8 mgL ⁻¹
B (boric acid)	1 mgL ⁻¹
Micro (Fertilon*)	12 mgL ⁻¹

The evaporative cooling temperature obtained by the spraying cold water and AC was 25°C. The electrical

conductivity (EC) of the fertilizer solution used was $1\text{--}2\text{ mS cm}^{-1}$, and pH of nutritional solutions was set at 6.0. The nutritional formula used was following Otazu (2010) (Table 1).

The following treatments were applied:

1. Cooling to the top of plant (C) type: 1. Evap (evaporative cooling by cold water spray), 2. AC (cold air conditioner)
2. Potato variety (V): V_1 (genotype 007), V_2 (granola).

Evaporative cooling was applied to the top of the plant by administering bursts of cold water (Evap) and cold air using an AC. The evaporative cooling and AC were placed 80 cm above the styrofoam surface (Figures 1 and 2). The greenhouse used in each application of cooling was 5 m wide and 4 m long. The cooling with cold air from the AC was 840 W. Aeroponic planting of potato seeds with evaporative cooling and AC were carried out in the same greenhouse separated by a wall that is made impermeable (closed from the intake air).




Figure 1 Layout of the apparatus for evaporative cooling with cold-water bursts (Figure aeroponics system (Sumarni et al., 2019))




Figure 2 Layout of the apparatus cooling above a plant by AC (Figure aeroponics system (Sumarni et al., 2019))

The plant growth parameters observed included plant height, number of leaves, number of tubers, and tuber weights. The design used was a split-plot, randomized complete design with cooling top the plant as the main plot and potato variety (G) as the subplot. The experiment was replicated five times. Growth data were analyzed by the F test followed by the DMRT test at the 5% level of significance. The microclimate in the root and leaf area,

including temperature, humidity, and light, was measured and observed to obtain climate information on the research area.

3 Results and discussion

3.1 Air temperature and relative humidity in the greenhouse

Air temperature and relative humidity (RH) are

environmental factors that influence the growth and initiation of potato tubers. The average temperature and RH in a lowland greenhouse reach their peaks during the day around 13:00. In the present study, the average temperature inside the greenhouse at that time reached 41.8°C and the RH reached 42% (Figure 3). The average temperature and relative humidity (RH) of each replication is presented in Figure 5 and 7. These conditions are considered extreme for the growth of aeroponic potato plant in the lowlands, because potato plants require a temperature of 15-20°C for optimal growth.




Figure 3 Average air temperature and relative humidity in the greenhouse




Figure 4 Effect of evaporative cooling and AC on the air temperature around potato plants

Therefore, research on an effective and efficient evaporative cooling system is needed in order to assist the aeroponic potato plant in optimizing its growth. The high temperature of the air inside the greenhouse, in addition to its position in the lowlands, can also be triggered by poor ventilation in the greenhouse. In this study, we also attempted to control the temperature and RH of the air

over the plant by evaporative cooling in the form of cold-water and AC, in order to maintain optimal conditions for potato plants. The effect of providing evaporative cooling on the temperature around the plant is presented in Figures 4 and 5. The evaporative cooling nozzle is placed at a height of 80 cm above the styrofoam surface, thereby reducing the unfavorable impact on plant height growth. But it can be considered laying nozzle higher (100 cm) or can be raised and lowered according to plant conditions.




Figure 5 Effect of evaporative cooling and AC on the air temperature each replication




Figure 6 Air humidity in the distribution of cooling the top of the plant

The distribution of evaporative cooling and AC in this research provided a decrease in temperature ranging from 1°C to 4°C. Cooling the top of plant with an AC machine, through direct contact between air and water vapor, affects heat and mass transfer between air and water vapor. The distribution of evaporative cooling creates an air RH level around the plant of 54% during the daytime,

whereas AC create 52% RH. A burst of cold air with AC creates even more heat and RH than the evaporative spray of cold water. The RH inside a greenhouse that is not exposed to evaporative cooling (far from the plant area) reaches 42%. The difference in RH between the two methods of evaporative cooling reached 2% at 13.00 and 6% at 16.00. At the time of evaporative cooling generate higher RH around the plant than AC (Figure 6) and each of replications in Figure 7.




Figure 7 Air humidity in the distribution of cooling the top of the plant each replication

In other studies, evaporative cooling system was able to reduce the temperature, and this condition depends on the type of air flow towards the flow of water bursts (Kachwaha, 1998). Evaporative cooling system can reduce the energy used by 25% to 60% compared with an AC, because the cooling system only moves the water from the fan. Other studies also reported that the use of evaporative cooling in direct contact systems for cooling the room could reduce the ambient temperature to 6°C, from 32°C to 26°C.

However, the comfort standard of the space cannot be achieved due to an increase in RH from 65% to 89% (Yunianto, 2018). From the results of evaporative cooling research for the production of aeroponic potato plants in the lowlands, it can be said that the evaporative cooling system with direct cold water bursts and AC can provide a decrease in air temperature in the lowland greenhouse. Optimum RH and temperature for the growth and development of aeroponic potato plants in the lowlands were not achieved when the air temperature in the greenhouse was high. The distribution of evaporative cooling creates a RH of 87% (20:00) when the air temperature in the greenhouse is not yet high.

3.2 Plant growth

The result of statistical analysis of the variables plant height growth, number of leaves, number of tubers, and tuber weights demonstrated that cooling the top of plant gave different results for these variables. The variety of conditions tested gave different results for plant height, number of leaves and tuber weight; while for tuber weight the conditions tested did not affect the outcome.

Evaporative cooling with bursts of cold water resulted in greater plant height at 21 and 56 days after planting (DAP) (30.5 cm and 68.9 cm, respectively). Cooling the top of plant with AC resulted in a plant height of 28.9 cm at 21 days after planting and 50.9 cm at 56 days after planting. The number of leaves at 56 days after planting was greater with AC versus evaporative cooling. Evaporative cooling with bursts of cold water treatment showed 41.1 leaves while with AC 20.8 leaves were observed (Table 2).

3.3 Plant height and number of leaves

Table 2 Effect of the type of evaporative cooling on aeroponic potato seed production on average plant height and number of leaves

Treatment	Plant Height (cm)		Number of Leaves (sheet)	
	21 DAP	56 DAP	21 DAP	56 DAP
Evaporative cooling	30.5 a	68.9a	11.1 a	20.8 b
AC	28.9 b	50.9b	8.7 b	41.1 a

Note: Numbers followed by the same letter in the same column show no significant difference based on DMRT at the level of $\alpha = 5\%$.

Results suggest that evaporative cooling with bursts of cold air is more effective than AC under various temperature and RH conditions in the greenhouse. The use of an air conditioner at a height of 80 cm above the plant provides a continuous source of evaporative cooling. Cooling by AC at the top of the plant combined with root zone cooling provides slower plant growth but a greater number of leaves than evaporative cooling with bursts of cold water. However, it should be kept in mind that heat from solar radiation entering the greenhouse raises the air temperature to an extreme level, necessitating a well-designed greenhouse ventilation system and proper placement of the hot air exhaust, in order to support the performance of AC. This is in accordance with previous studies finding that cooling air can reach 85% efficiency, considering the difference between the initial temperature before cooling and the

coldest temperature that can be achieved for a variety of outdoor temperature and humidity conditions (Walker and Duncan, 1914).

Evaporative cooling with bursts of cold water results in a greater plant height but a smaller number of leaves compared with AC. Evaporative cooling with cold-water bursts uses a nozzle to spray water in the form of mist over the surface of the plant. Drops of water that fall onto the surface of the plant will contribute to the cooling effect of evaporation. The nozzle used has a capacity of 2.2 L h^{-1} . The problem is that falling water droplets are not in the form of fine grains, and the performance of evaporative cooling with bursts of water depends on the pressure of the working pump. In this study, evaporative cooling was carried out in 10-min bursts of cold water sprayed every 15 min. The timing of this administration still causes some plants to change leaf and stem colors and requires an increase in fungal disease control (Figure 6). Thus, further studies are needed to determine the optimal timing of evaporative cooling with bursts of cold water in the production of aeroponic potato seeds in wet tropical lowlands in order to reduce the onset of disease due to the drop in air temperature and rising air humidity (RH). RH that is suitable for potato plant growth is 80-90% (Sunarjono, 2007).



Figure 6 Condition of the top of the plant in evaporative cooling with bursts of cold water

The potato plant variety used in aeroponic potato seed production in lowlands affected the outcome. The granola variety yielded higher plants and more leaves up to 56 days after planting. The plant height and leaf number in the granola variety at 56 days after planting were 50.5 cm and 32.5 sheets, respectively, while genotype 007 gave a plant height of 38.9 cm and 29.4 sheets at 56 days after

planting (Table 3). From these results, it can be seen that granola is more adapted to being planted in the lowlands with the application of evaporative cooling. Granola is the most important potato variety grown in Indonesia. Granola is a variety that is widely cultivated by farmers in Indonesia and is used for fresh and processed consumption, such as chips. Granola has advantages high resistance to drought (De Putter et al., 2014). Genotype 007 is a new genotype produced by potato breeders in the Batur plateau, Banjarnegara, Indonesia, so its adaptability has not been good in the lowlands.

Table 3 Effect of potato seed variety on the production of aeroponic potato seeds on the average height of plants and number of leaves

Treatment	Height of Plant (cm)		Number of Leaves (sheet)	
	21 DAP	56 DAP	21 DAP	56 DAP
Genotype 007	8.7 b	38.9 b	15.4 b	29.4 b
Granola	10.9 a	50.5 a	10.8 a	32.5 a

Note: Numbers followed by the same letter in the same column show no significant difference based on DMRT at the level $\alpha = 5\%$

3.4 Number and weight of bulbs

Application of evaporative cooling with bursts of cold air gives the highest number of tubers and tuber weights compared with evaporative cooling with bursts of cold water. The average number of tubers produced by the application of evaporative cooling was 19.3 crop bulbs, and the tuber weight was $10.4 \text{ g tuber}^{-1}$, while the application of evaporative cooling with cold-water bursts gave an average tuber number of 9.4 plants and tuber weights of 6.3 g tuber^{-1} (Table 4).

Table 4 Effect of evaporative cooling treatment type on aeroponic potato seed production on the average number of tubers and tuber weights

Treatment	Number of Tubers (bulbs)	Tuber Weight
		(g)
Evaporative cooling	9.4 b	6.3 b
AC	19.3 a	10.4 a

Note: Numbers followed by the same letter in the same column show no significant difference based on DMRT at the level $\alpha = 5\%$

Cooling with AC combined with root zone cooling at the root area gave a higher number and weight of tubers compared with evaporative cooling combined with root zone cooling. This is presumably because evaporative cooling can reduce air temperatures in the greenhouse, but increases its relative humidity. This is for some plants undesirable because it can cause fungal and fungal infections and decreased transpiration (Mutwiwa et al.,

2007). These results are in accordance with those of previous studies, in which cooling of cucumber growth chambers with a fan combined with irrigation was able to prevent excess heat and minimize nutrient loss (Nikolaou et al., 2019).

In this research, the sprayer nozzles were placed 1 m apart and installed at a height of 80 cm above the surface of the aeroponic potato plant box. The main obstacle to the application of evaporative cooling with a cold-water spray system through the nozzle is that the distribution of water droplets needed to cool the upper surface of the plant was not achieved. The next obstacle is that particles in the water carried during the spraying process can accumulate on the surface of the plant and cause mold or discoloration on the leaves. This is in accordance with previous studies that reported on the disadvantages of direct spraying of cold water as a method of cooling.

Regarding the difficulty of achieving high efficiency, the pump pressure required to create a fine mist is also a concern in this application. A burst of cold water released through nozzles in the form of a fine mist can achieve a temperature reduction sufficient to increase the growth and quality of the plant (Walker and Duncan, 1914; Both, 2008).

The potato variety used in this research had an effect on the number of tubers, but not the tuber weights. The granola variety produced more tubers per plant than genotype 007, an average of 17.5 vs. 11.2, respectively. The tuber weights of the granola variety and genotype 007 ranged from 5.9 grams to 6.8 grams tuber⁻¹ (Table 5).

Table 5 Effect of potato seed variety on aeroponic potato seed production on average tuber number and weight

Treatment	Number of Tubers	
	(bulbs)	Tuber Weight (g)
Genotype 007	11.2 b	5.9
Granola	17.5 a	6.8

Note: Numbers followed by the same letter in the same column show no significant difference based on DMRT at the level $\alpha = 5\%$

4 Conclusion

From the results of evaporative cooling research for the production of aeroponic potato plants in the lowlands, it can be said that an evaporative cooling and cooling the

top of plant by AC can provide a decrease in air temperature in the lowland greenhouse. However, the optimal relative humidity and temperature for the growth and development of aeroponic potato plants in the lowlands were not achieved when the air temperature in the greenhouse was high. Cooling by AC creates a even more temperature and humidity than the evaporative cooling. The relative humidity level inside the greenhouse that was not exposed to cold-water bursts (far from the plant area) reached 42%. The difference in air relative humidity in the application of two different cooling methods reached 2% at 13:00 and 6% at 16:00. At the time of evaporative cooling, bursts of cold water generate higher relative humidity around the plant than AC. This result suggests that the distribution of AC is more effective than that of evaporative cooling with bursts of cold water under various temperature and relative humidity conditions outside the greenhouse. The application of AC yields higher tuber numbers and weights compared with evaporative cooling. The average number of tubers produced with the application of cooling by AC was 19.3 crop bulbs, and the average tuber weight was 104 grams tuber⁻¹, while the application of evaporative cooling with cold-water bursts gave an average tuber number of 9.4 plants and an average tuber weight 6.3 grams tuber⁻¹. Thus, from this study, the use of air conditioners to reduce air temperatures distributed to plants combined with root zone cooling are better than evaporative cooling. Thus, further research on the application of evaporative cooling by varying the distance between nozzles, the height of evaporative cooling above the plant, and the resulting mist grain, in order to increase its efficiency, is needed.

Acknowledgments

The authors thank Kemenristekdikti for an Applied Research Grant with Contract Number: P / 1817 / UN23 / 14 / PN / 2019, which funded this research.

References

- Al-Juwayhel, F., H. El-Dessouky, H. Ettouney, and M. Al-Qattan. 2004. Experimental evaluation of one, two, and three stage

- evaporative cooling systems. *Heat Transfer Engineering*, 25(6): 72-86.
- Arismunandar, W., and S. Heizo. 1991. *Penyegaran Udara*. ed 4th. Jakarta: Pradnya Paramita.
- Both, A. J. 2008. Greenhouse Evaporative Cooling. Available at: <http://aesop.rutgers.edu/~horteng>. Accessed on 17 September 2018.
- Damasceno, F. A., L. B. Mendes, T. Y. Junior, J. L. Oliveira, and J. A. O. Saraz. 2017. Assessment of evaporative cooling efficiency in greenhouses equipped with wetted porous plates. *Revista DYNA*, 84(203):118-125.
- De Putter, H., N. Gunadi, R. W. Uka, and H. Schepers. 2014. Economics and Agronomics Of Atlantic and Granola Potato Cultivation in The Dry Season of 2013 in West Java. *VegimPact* Internal Report 10:1-43. Available at: www.vegIMPACT.com. Accessed on 20 Augustus 2017
- Fuchs, M. 1993. Transpiration and foliage temperature in a greenhouse. In: Proceedings of ISHS international workshop on cooling systems for Greenhouses. pp. 122-132.
- Fuchs, M., Y. Cohen, Y. Li, and A. Grava. 2006. Evaporative cooling pad attenuates osmotic stress in closed-loop irrigated greenhouse roses. *Scientia Horticulturae*, 111(1): 56-62.
- Helmy, M. A., M. A. Eltawil, R. R. Abo-shieshaa, and N. M. El-Zan. 2013. Enhancing the evaporative cooling performance of fan-pad system using alternative pad materials and water film over the greenhouse roof. *CIGR Journal*, 15(2): 173-187.
- Jain, D. 2007. Development and testing of two-stage evaporative cooler. *Building and Environment*, 42(7): 2549-2554.
- Jie, H. 1998. Growth and photosynthetic responses of three aeroponically grown lettuce cultivars (*Lactuca sativa* L.) to different root zone temperatures and growth irradiances under tropical aerial conditions. *Journal of Horticultural Science and Biotechnology*, 73(2): 173-180.
- Kawasaki, Y., S. Matsuo, K. Suzuki, Y. Kanayama, and K. Kanahama. 2013. Root-zone cooling at high air temperatures enhances physiological activities and internal structures of roots in young tomato plants. *Journal-Japanese Society for Horticultural Science*, 82(4): 322-327.
- Kachwaha, S., P. L. Dhar, and S. R. Kale. 1998. Experiment studies and numerical of evaporative cooling of air with a water spray II. Horizontal counter flow. *International Journal of Heat and Mass Transfer*, 41(2): 465-474.
- Mutwiwa, U. N., J. F. Max, and H. J. Tantau. 2007. Effect of greenhouse cooling method on the growth and yield of tomato in the tropics. In *Conference on International Agricultural Research for Development*. University of Kassel-Witzenhausen and University of Göttingen, 9-11 October.
- Nikolaou, G., D. Neocleous, N. Katsoulas, and C. Kittas. 2019. Effects of cooling systems on greenhouse microclimate and cucumber growth under mediterranean climatic conditions. *Agronomy*, 9(300): 1-15.
- Otazu, V. 2010. *Manual on Quality Seed Potato Production Using Aeroponics*. Lima, Peru: International Potato Center (CIP).
- Perez, J. C. D. 2009. Root zone temperature, plant growth and yield of broccoli [*Brassica oleracea* (Plenck) var. *italica*] as affected by plastic film mulches. *Scientia Horticulturae*, 123: 156-163.
- Sumarni, E., H. Suhardiyanto, K. B. Seminar, and S. K. Saptomo. 2013a. Aplikasi pendinginan zona perakaran (*root zone cooling*) pada produksi benih kentang menggunakan sistem aeroponik. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 41(2): 154-159.
- Sumarni, E., H. Suhardiyanto, K. B. Seminar, and S. K. Saptomo. 2013b. Seed potato production using aeroponics system with zone cooling in wet tropical lowlands. *ISHS Acta Horticulturae 1011*, 141-145.
- Sumarni, E., N. Farid, Darjanto, Ardiansyah and L. Soesanto. 2019. Effect of electrical conductivity (EC) in the nutrition solution on aeroponic potato seed production with application of root zone cooling in tropical lowland, Indonesia. *CIGR Journal*, 21(2): 70-78.
- Sunarjono. 2007. *Petunjuk Praktis Budidaya Kentang*. Agromedia Pustaka: Jakarta.
- Tadesse M., W. J. M. Lommen, and P. C. Struik. 2001. Effects of temperature pre-treatment of transplants from *in vitro* produced potato plantlets on transplant growth and yield in the field. *Potato Research*, 44(2):173-185.
- Walker, J. N., and G. A. Duncan. 1914. *Cooling Greenhouse*. Kentucky: University of Kentucky.
- Yunianto, B. 2018. Pemanfaatan *evaporative cooling* untuk meningkatkan kenyamanan ruang. *Rotasi*, 20(1): 29-32.

Effect of root zone cooling

ORIGINALITY REPORT

13%
SIMILARITY INDEX

12%
INTERNET SOURCES

9%
PUBLICATIONS

5%
STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)


4%
★ www.jurnal.lppm.unsoed.ac.id
Internet Source

Exclude quotes On
Exclude bibliography On

Exclude matches < 1%

Bukti Korespondensi Agricultural Engineering International : CIGR Journal : Vol. 23, No. 1 : 28-35 (2021)

Effect of root zone cooling and evaporative cooling in greenhouse on the growth and yield of potato seed by aeroponics in tropical lowlands



[CIGR Journal] Effect of root zone cooling and evaporative cooling in greenhouse on the growth and yield of potato seed by aeroponics in tropical lowlands Kotak Masuk x

Prof. Zhao Fengmin
Dear authors, Your submission #8129 is about to do copyediting. I would greatly appreciate if you could inform me whether you have published your manuscript in

Prof. Zhao Fengmin
Dear authors, Your submission #8129 is about to do copyediting. I would greatly appreciate if you could inform me whether you have published your manuscript in

Eni Sumarni <arny0565@gmail.com>
kepada Fengmin

Dear Editor,

Thank you for the support from the CIGR journal.
I say that the manuscript with ID number 6129 is original and has never been published in any other journal.
Thank you

yours sincerely
Eni Sumarni

https://mail.google.com/mail/u/1/?dispatcher_command=master_lookup#inbox/FMfcgxwLsKBwPmwjdIRqxzmRfcFNQSWV

Gmail Telusuri email

227 dari 2.067

[CIGR Journal] Please proof your paper 6129 Kotak Masuk x

cigrjournal
Dear authors, Please respond as you receive the e-mail. I attach the final copyedited version to this mail for your final proofreading, please make the necessary

Rab, 3 Feb 2021, 14:14

Eni Sumarni
Dear Editors, I attach the revised paper 6129. Thanks for the support from the CIGR journal Yours sincerely

Jum, 5 Feb 2021, 22:48

cigrjournal@aliyun.com
Dear, Your email is received and we'll handle it soon. Best regards, CIGR Journal

Jum, 5 Feb 2021, 22:50

cigrjournal
Pls revise your figure as the Figure style. Sent At: 2021 Feb. 5 (Fri.) 23:50 Recipient: cigrjournal <cigrjournal@aliyun.com> Subject: Re: [CIGR Journal] Please proo

Min, 7 Feb 2021, 20:51

Eni Sumarni
Dear Editors, I attach the revised paper 6129 for the figure style. Thanks for the support from the CIGR journal Yours sincerely

Sel, 9 Feb 2021, 19:11

cigrjournal@aliyun.com
Dear, Your email is received and we'll handle it soon. Best regards, CIGR Journal

Sel, 9 Feb 2021, 19:12

cigrjournal
Dear author, There is a issues we need to work which may slow your jobs but to make your jobs fast and published in seven working days, it will be done by the a

Kam, 15 Apr 2021, 10:31

Eni Sumarni
Dear Editors, Our article has been published in CIGR in volume 23 No.1 (2021). article title: Effect of root zone cooling and evaporative cooling in greenhouse

Sen, 21 Feb 2022, 14:33

