

Series: [Advances in Biological Sciences Research](#)

# Proceedings of the International Conference on Tropical Agrifood, Feed and Fuel (ICTAFF 2021)

## Bibliographic information:

Title	Proceedings of the International Conference on Tropical Agrifood, Feed and Fuel (ICTAFF 2021)
Editors	Suhardi, S.Pt.,MP, Ph.D Apdila Safitri, S.Pt., M.Si Arif Ismanto, S.Pt., M.Sc Prof. Frederick Masangkay, Ph.D
Part of series	<a href="#">ABSR</a>
Volume	17
ISSN	2468-5747
ISBN	978-94-6239-510-7

## Indexing

All articles in these proceedings are submitted for indexation in **CPCI**, **CNKI** and **Google Scholar**. Optionally, we also submit to **Compendex** and **Scopus**. Note that in case you need information about the indexation of these proceedings, please check with the organizers of the conference as we cannot reply to messages received from participants.

## Free Access

In order to increase the visibility of this conference and of the papers from its participants, this conference has chosen to sponsor the online publication of the conference papers.

HOME
PREFACE
ARTICLES
AUTHORS
SESSIONS
ORGANIZERS
PUBLISHING INFORMATION

Therefore, all conference papers can be read and downloaded **for free**; no subscription or other payment is required.

## Copyright

The copyright of all articles published in these proceedings remains with the **Authors**, i.e. Authors retain full ownership of their article. Permitted third-party reuse of the open access articles is defined by the applicable **Creative Commons (CC)** end-user license which is accepted by the Authors upon submission of their paper. All articles in these proceedings are published under the **CC BY-NC 4.0** license, meaning that end users can freely **share** an article (i.e. copy and redistribute the material in any medium or format) and **adapt** it (i.e. remix, transform and build upon the material) on the condition that proper **attribution** is given (i.e. appropriate credit, a link to the applicable license and an indication if any changes were made; all in such a way that does not suggest that the licensor endorses the user or the use) and the material is only used for **non-commercial** purposes. For more information, please refer to the [OA licensing and copyright](#) section in the Springer Nature [Open Access Policies for books](#).

## DOIs

Each article that is published in these proceedings is assigned a **Digital Object Identifier** (DOI). DOIs are standardized digital identities which can be used to cite and link to electronic content. A DOI is guaranteed to never change, so can be used as a persistent identifier to permanently link to an electronic article no matter where it is stored. More information on how to cite and use DOIs can be found [here](#).

## Permanent Archiving

Atlantis Press is committed to the **permanent availability** and **preservation** of scholarly research and to ensure **accessibility** to this research by converting and upgrading digital file formats to comply with new technology standards. Besides maintaining its own digital archive, Atlantis Press therefore collaborates with the [National Library of the Netherlands](#) which permanently archives all Atlantis Press content in their “**e-Depot**”. All proceedings are uploaded to this e-Depot after publication to guarantee permanent archiving of the articles.

## Print Copies

In case you wish to have **printed copies** of these proceedings you can order these directly from our partner [Curran Associates](#).

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books.

We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open

Access and generate millions of downloads every month.

SESSIONS

For more information, please contact us at: [contact@atlantis-press.com](mailto:contact@atlantis-press.com)

PUBLISHING INFORMATION

- ▶ PROCEEDINGS
- ▶ JOURNALS
- ▶ BOOKS
- ▶ POLICIES
- ▶ MANAGE COOKIES/DO NOT SELL MY INFO
- ▶ ABOUT
- ▶ NEWS
- ▶ CONTACT
- ▶ SEARCH

[HOME](#)[PREFACE](#)[ARTICLES](#)[AUTHORS](#)[SESSIONS](#)[ORGANIZERS](#)[PUBLISHING INFORMATION](#)Series: [Advances in Biological Sciences Research](#)

# Proceedings of the International Conference on Tropical Agrifood, Feed and Fuel (ICTAFF 2021)

## Chairman

**Prof. Dr. H. Rusdiansyah, M.Si**

Dean of Agriculture Faculty, Mulawarman University, Indonesia

## Steering Committee

**Prof. Dr. Bernatal Saragih, M.Si**

Mulawarman University, Indonesia

**Prof. Temple Grandin**

Colorado State University, United States of America

**Prof. Monchai Duangjinda**

Khon Kaen University, Thailand

**Prof. Dr.Sc. Agr. Ir. Suyadi, MS,IPU,ASEAN.Eng.**

Brawijaya University, Indonesia

## Organizing Committee

**Ari Wibowo, S.Pt., MSi., Ph.D**

Mulawarman University, Indonesia

**drh. Fikri Ardhani, S.Kh., M.Sc**

Mulawarman University, Indonesia

**Dinar Anindyasari, S.Pt., M.Si**

Mulawarman University, Indonesia

### **Scientific Committee**

**Dr. Ir. Taufan Purwokusumaning Daru, MP**

Mulawarman University, Indonesia

**Asst. Prof.Giovanni De Jesus Milanez Ph.D**

Royal and Pontifical University of Santo Tomas, Philippines

**Dr. Ir. H. Ibrahim, MP**

Mulawarman University, Indonesia

**Sugiharto, S.Pt., M.Sc., Ph.D**

Diponegoro University, Indonesia

**Dr. Hamdi Mayulu, S.Pt., M.Si**

Mulawarman University, Indonesia

**Dr. Muh. Ichsan Haris, S.Pt., MP**

Mulawarman University, Indonesia

**Ir. Julinda R. Manullang, MP**

Mulawarman University, Indonesia

**Prof. Manat Chaijan**

Walailak University, Thailand

**Servis Simanjuntak, S.Pt., M.Si**

Mulawarman University, Indonesia

**Drh. Khoiru Indana, SKH., M.Si**  
Mulawarman University, Indonesia

**Surya Nurrahmatullah, S.Pt., M.Si**  
Mulawarman University, Indonesia

## Editors

**Suhardi, S.Pt.,MP, Ph.D**  
Mulawarman University, Indonesia

**Apdila Safitri, S.Pt., M.Si**  
Mulawarman University, Indonesia

**Arif Ismanto, S.Pt., M.Sc**  
Mulawarman University, Indonesia

**Prof. Frederick Masangkay, Ph.D**  
Far Eastern University, Philippines

## Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: [contact@atlantis-press.com](mailto:contact@atlantis-press.com)

- ▶ PROCEEDINGS
- ▶ JOURNALS
- ▶ BOOKS
- ▶ POLICIES
- ▶ ABOUT
- ▶ NEWS
- ▶ CONTACT
- ▶ SEARCH
- ▶ MANAGE COOKIES/DO NOT SELL MY INFO

Series: [Advances in Biological Sciences Research](#)

# Proceedings of the International Conference on Tropical Agrifood, Feed and Fuel (ICTAFF 2021)

## Session: Animal Science

9 articles

### Proceedings Article

## Potential of Agricultural By-Product as Ruminant Feed in North Aceh District

Y. Yusriani, N. Usrina, M. Sabri

North Aceh District is one of the districts that produces ruminants and has great potential in the agricultural sector which will produce by-product so that it can be used as animal feed. The study was conducted from January to December 2018 in North Aceh district, Aceh Goverment. This study is a descriptive...

[+ Article details](#)

[+ Download article \(PDF\)](#)

### Proceedings Article

## Constant 12 and Hahslm 472319 as Universe Creation Code on Tortoise Shell in Covid Economic Era

RM Aziz

The purpose of this study is to analyze the meaning contained in the morphology of the tortoise carapace and plastron using an Islamic approach in the Covid pandemic situation and the simultaneous economic and social crisis. The objects in this study include tortoises, the sociological impacts of the...

HOME
PREFACE
ARTICLES
AUTHORS
SESSIONS
ANIMAL SCIENCE
AGROECOTECHNOLOGY
AGRICULTURAL PRODUCT TECHNOLOGY
BIOSCIENCE
AGRIBUSSINESS
ORGANIZERS
PUBLISHING INFORMATION

- + Article details
- + Download article (PDF)

Proceedings Article

Cases of Subclinical Mastitis in Dairy Cattle, Microbiological Quality and Residues of Antibiotic Cow’s Milk: A Case Study in Tanggamus District

Veronica Wanniatie, Arif Qisthon, Purnama Edy Santosa, Dian Cahya Hadi, Oktora Luhur Handika, Ammar Naupal Shodiq, Dedy Yuliawan

The aim of this study was to determine cases subclinical mastitis in dairy cattle, microbiological quality and residues of antibiotic cow’s milk from dairy farm in Tanggamus District. This research was conducted in January 2020 in Tanggamus District, Lampung Province. The milk samples used in this study...

- + Article details
- + Download article (PDF)

Proceedings Article

The Bioinformatics Analysis in the Whole Genome mtDNA Sequence of Chickens (*Gallus gallus*)

Suhardi Suhardi, Widya Pintaka Bayu Putra, Rofik Rofik, Servis Simanjuntak, Khoiru Indana, Ari Wibowo

Chicken is important livestock in the world that is kept for egg and meat productions. This study was aimed to perform a bioinformatics analysis in the whole genome mtDNA (16,979 bp) of many chicken breeds. Total 84 whole-genome mtDNA sequences were used in this study and obtained from the reference...

- + Article details
- + Download article (PDF)

Proceedings Article

Effort to Reduce Fat and Cholesterol of Quail Eggs Using Citronella Oil in Feed

Elly Tugiyanti, Soegeng Herijanto



HOME
PREFACE
ARTICLES
AUTHORS
SESSIONS
ANIMAL SCIENCE
AGROECOTECHNOLOGY
AGRICULTURAL PRODUCT TECHNOLOGY
BIOSCIENCE
AGRIBUSSINESS
ORGANIZERS
PUBLISHING INFORMATION

The purpose of this study was to determine the effect of citronella oil supplementation in feed on fat and cholesterol levels of quail eggs (*Coturnix coturnix japonica*). The materials used were 100 female quail *Coturnix-coturnix japonica*, quail commercial feed, commercial citronella oil. The design used...

- + Article details
- + Download article (PDF)

Proceedings Article

Semen Quality of Etawah Crossbreed Bucks Fed with Urea Moringa Molasses Multinutrient Block Supplemented with Native Grass Basal Feed  
Nursyam Andi Syarifuddin, Muhammad Rizal, Muhammad Riyadhi, Anis Wahdi

Moringa leaves contain high and complete nutrients, so they can be used as a making block for multinutrient blocks to improve semen quality. This study aimed to evaluate the effect of using moringa leaf flour in a multinutrient block on the semen quality of Etawah crossbreed (EC) bucks fed by the native...

- + Article details
- + Download article (PDF)

Proceedings Article

The Effect of Addition Lempahong (*Baccaurea lanceolata*) Fruit Extract on pH, Organoleptic, and Antioxidants of the Making Yoghurt  
Arif Ismanto, Lulu Khizanatusani, Muh. Ichsan Haris, Khoiru Indana, Ari Wibowo

Yogurt is a dairy product made through a bacterial fermentation process. The addition of lempahong fruit (*Baccaurea lanceolata*) which contains antioxidant compounds, is expected to add the unique taste of lempahong fruit and as a source of antioxidants as a functional processed animal product. This research...

- + Article details
- + Download article (PDF)

Proceedings Article

HOME
PREFACE
ARTICLES
AUTHORS
SESSIONS
ANIMAL SCIENCE
AGROECOTECHNOLOGY
AGRICULTURAL PRODUCT TECHNOLOGY
BIOSCIENCE
AGRIBUSSINESS
ORGANIZERS
PUBLISHING INFORMATION

# Analysis of Peranakan Etawah Goat Breed Production Efficiency in North Samarinda Sub-District

Surya Nur Rahmatullah, Rudi Saputro, Muhammad Erwan Suriaatmaja

The sustainability of meat supply has to support by animal production efficiency, understanding the technical efficiency of the Peranakan Etawah goat farming is essential. The current study assessed the technical efficiency of Peranakan Etawah goat production in the North Samarinda Sub-District. A purposive...

- + Article details
- + Download article (PDF)

## Proceedings Article

### The Impact of Pre-Slaughter and Slaughter Procedure on Animal Welfare and Behavior Changes in Cattle at Local Abattoir in Samarinda-Indonesia

Ari Wibowo, Fikri Ardhani, Apdila Safitri, Suhardi Suhardi, Via Inestika, Dinar Anindyasari, Khoiru Indana

The aim of this research was to address the impact of pre-slaughter handling and slaughtering process on animal welfare and changes of cattle behavior at local abattoir in Samarinda-Indonesia. To investigate the influence of pre-slaughter and slaughter procedures on stress levels and cattle behavioral...

- + Article details
- + Download article (PDF)

## Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: [contact@atlantis-press.com](mailto:contact@atlantis-press.com)

- ▶ PROCEEDINGS
- ▶ JOURNALS
- ▶ BOOKS
- ▶ POLICIES
- ▶ ABOUT
- ▶ NEWS
- ▶ CONTACT
- ▶ SEARCH
- ▶ MANAGE COOKIES/DO NOT SELL MY INFO

PREFACE

---

ARTICLES

---

AUTHORS

---

SESSIONS

ANIMAL SCIENCE

AGROECOTECHNOLOGY

AGRICULTURAL PRODUCT  
TECHNOLOGY

BIOSCIENCE

AGRIBUSSINESS

---

ORGANIZERS

---

PUBLISHING INFORMATION

---

# Indexing Databases

## INDEXING DATABASES

Atlantis Press has affiliations with the following indexing databases:

### Web of Science

*Trust the difference*

### Web of Science

Clarivate Analytics' *Web of Science* is an online subscription-based citation indexing service which gives access to multiple databases that reference cross-disciplinary research and which allows for comprehensive citation search and in-depth exploration of specialized sub-fields within a scientific discipline. It consists of 6 core databases, a number of specialist collections, as well as regional databases and currently contains more than 160 million records and over 1.7 billion cited references. A select number of Atlantis Press journals and proceedings is indexed in Web of Science databases such as the *Science Citation Index Expanded* (SCIE), the *Emerging Sources Citation Index* (ESCI) and the *Conference Proceedings Citation Index* (CPCI).

### Scopus®

### Scopus

Elsevier's *Scopus* is the world's largest abstract and citation database of peer-reviewed scientific journals, books and conference proceedings which covers research topics across all scientific, technical and medical disciplines. The database currently contains more than 75 million records and over 1.4 billion cited references, while it also offers various smart tools and metrics to track, analyze and visualize research. At present a select number of Atlantis Press journals and proceedings is indexed in Scopus and a number of applications are in progress.

### MEDLINE

### MEDLINE

*MEDLINE* is the *U.S. National Library of Medicine* premier bibliographic database that contains more than 25 million references to journal articles in life sciences with a concentration on biomedicine. The subject scope of MEDLINE is biomedicine and health, broadly defined to encompass those areas of the life sciences, behavioral sciences, chemical sciences and bioengineering needed by health professionals and others engaged in basic

research and clinical care, public health, health policy development or related educational activities. MEDLINE also covers life sciences vital to biomedical practitioners, researchers and educators, including aspects of biology, environmental science, marine biology, plant and animal science as well as biophysics and chemistry. A select number of Atlantis Press journals in health and medical sciences is indexed in MEDLINE.

---



### PubMed Central (PMC)

*PubMed Central* (PMC) is a free full-text digital archive of biomedical and life sciences journal literature which has been developed and operated by the **National Center for Biotechnology Information** (NCBI), a division of the **U.S. National Library of Medicine** (NLM) at the **U.S. National Institutes of Health** (NIH). As of today, PMC contains more than 5.9 million full-text articles spanning several centuries of biomedical and life science research (late 1700s to present). Participation by publishers in PMC is voluntary, although participating journals must meet certain scientific and technical standards and content must be deposited as per the NIH Public Access Policy. A select number of Atlantis Press journals in health and medical sciences is indexed in PMC.

---



### Directory of Open Access Journals (DOAJ)

The *Directory of Open Access Journals* (DOAJ) is a community-curated online directory of open access journals which aims to be the starting point of all information searches for quality, peer-reviewed, open access material. DOAJ's mission is to increase the visibility, accessibility, reputation, usage and impact of quality, peer-reviewed, open access scholarly research journals globally, regardless of discipline, geography or language. At present, the directory contains more than 14,000 open access journals from 133 countries and more than 4.6 million open access articles covering all areas of science, technology, medicine, social science and humanities. All Atlantis Press journals are indexed in DOAJ.

---



### Ei Compendex

Elsevier's *Ei Compendex* (Engineering Index - COMPuterized ENgineering inDEX) on **Engineering Village** is the broadest and most complete engineering literature database in the world. It provides a holistic and global view of peer-reviewed and indexed publications with over 20 million records from 77 countries across 190 engineering disciplines. A select number of Atlantis Press journals (i.e. within relevant subject areas) is indexed in Ei Compendex.

*PubMed* is a free search engine which provides access to references and abstracts from biomedical and life sciences literature and which has been developed and maintained by the **National Center for Biotechnology Information** (NCBI), a division of the **U.S. National Library of Medicine** (NLM) at the **U.S. National Institutes of Health** (NIH). PubMed comprises more than 30 million citations and abstracts, primarily from **MEDLINE** but also from **PubMed Central** (PMC) and other life science journals and books, covering the fields of biomedicine and health and portions of the life sciences, behavioral sciences, chemical sciences and bioengineering. Many PubMed records also contain links to full-text articles, some of which are freely available (often in PMC). A select number of Atlantis Press journals in health and medical sciences is indexed in PubMed.

---

**Portico**

*Portico* is a community-supported digital preservation archive that safeguards permanent access to e-journals, e-books and digital collections for researchers, scholars and students. The Portico digital preservation service is part of **ITHAKA**, a not-for-profit organization which aims to "help the academic community use digital technologies to preserve the scholarly record and to advance research and teaching in sustainable ways". The Portico archive currently contains more than 88 million journal articles, more than 1 million books and more than 4 million other digital collection items from a total number of 663 participating publishers. To comply with NLM requirements (for indexation in **MEDLINE** and **PMC**) a select number of Atlantis Press journals is preserved in the Portico archive.

---

**China National Knowledge Infrastructure (CNKI)**

The *China National Knowledge Infrastructure* (CNKI) is a key national information construction project launched by **Tsinghua University** and supported by the PRC Ministry of Education, PRC Ministry of Science and Technology, PRC Ministry of Propaganda and the PRC General Administration of Press and Publication. It is dedicated to the mass digitization of China knowledge resources as well as creating the platform for global dissemination and value-added services (CNKI was designated as the second agent of DOIs in mainland China by the **International DOI Foundation** in 2013). It comprises the China Integrated Knowledge Resources Database which contains over 90% of China knowledge resources. Most of the Atlantis Press proceedings and journals content is indexed in CNKI.

*Wanfang Data* is an affiliate of the Chinese Ministry of Science & Technology which provides access to a wide range of database resources serving as a gateway to Chinese culture, medicine, business, science, engineering, etc. The Wanfang Data electronic resources comprise more than 43 million journal articles, close to 5 million dissertations and theses, more than 4 million conference papers and a broad collection of Chinese statistical data, patents, etc. Most of the Atlantis Press proceedings and journals content is indexed in Wanfang.

---

**dblp computer science bibliography**

The *dblp computer science bibliography* is an online reference for bibliographic information on major computer science publications. Starting at the University of Trier in 1993 and owned by the Leibniz-Zentrum für Informatik since 2018, it evolved from a small experimental web server into a popular open-data service for the computer science community. The dblp mission is to support computer science researchers by providing free access to high-quality bibliographic metadata and links to electronic editions of publications. The dblp currently indexes more than 5.1 million publications, published by over 2.5 million authors. All Atlantis Press journals in fields related to computer science are indexed in the dblp.

---

**Ulrichsweb**

ProQuest's *Ulrichsweb* is the standard online library directory and database for journals, magazines, newspapers and other periodicals. As such, it is regarded as the global authority for serials knowledge and analysis which comprises more than 383,000 serials from over 90,000 publishers covering 977 subject areas and 200 different languages. Records include searchable TOCs, ISSN, title, publisher, online availability, subject area, language, list prices and more. All Atlantis Press serial publications are indexed in Ulrichsweb.

---

**Google Scholar**

*Google Scholar* is a freely accessible web search engine that indexes the full text or metadata of scholarly literature across an array of publishing formats and disciplines. The Google Scholar index includes most peer-reviewed online academic journals and books, conference papers, theses and dissertations, preprints, abstracts, technical reports, and other scholarly literature, including court opinions and patents. It is estimated to contain more than 160 million documents and continues to cover

approximately 90% of all articles published in English. All content published on the Atlantis Press platform is indexed in Google Scholar.

---

## Atlantis Press

Atlantis Press – now part of Springer Nature – is a professional publisher of scientific, technical & medical (STM) proceedings, journals and books. We offer world-class services, fast turnaround times and personalised communication. The proceedings and journals on our platform are Open Access and generate millions of downloads every month.

For more information, please contact us at: [contact@atlantis-press.com](mailto:contact@atlantis-press.com)

► PROCEEDINGS

► JOURNALS

► BOOKS

► POLICIES

► MANAGE COOKIES/DO NOT SELL MY INFO

► ABOUT

► NEWS

► CONTACT

► SEARCH

---

[Home](#) [Privacy Policy](#) [Terms of use](#)



Copyright © 2006-2023 Atlantis Press – now part of Springer Nature



# Effort to Reduce Fat and Cholesterol of Quail Eggs Using Citronella Oil in Feed

Elly Tugiyanti<sup>1,\*</sup>, and Soegeng Herijanto<sup>2</sup>

<sup>1</sup>Departemen of Animal Production, Faculty of Animal Science, University of Jenderal Soedirman

<sup>2</sup>Departemen of Animal Production, Faculty of Animal Science, University of Wijaya Kusuma

\*Corresponding author. Email: [elly.tugiyanti@unsoed.ac.id](mailto:elly.tugiyanti@unsoed.ac.id)

## ABSTRACT

The purpose of this study was to determine the effect of citronella oil supplementation in feed on fat and cholesterol levels of quail eggs (*Coturnix coturnix japonica*). The materials used were 100 female quail *Coturnix-coturnix japonica*, quail commercial feed, commercial citronella oil. The design used was Completely Randomized Design (CRD) with four treatments and five replications. The treatments included citronella oil supplementation 0.3%, 0.6%, 0.9% per kg feed. The experimental research was carried out for 8 weeks. The data obtained were analyzed for variance (ANOVA) and Duncan's Multiple Range Test (DMRT). Analysis of variance showed that the treatment of citronella oil supplementation in the feed had no effect ( $P>0.05$ ) on egg protein but significantly ( $P<0.05$ ) on cholesterol and had a very significant effect ( $P<0.01$ ) on egg fat content.- In conclusion, giving citronella oil as much as 0.6% per kg of feed can reduce fat and cholesterol in quail eggs.

**Keywords:** Egg quality, Female quail, Egg fat, Egg cholesterol .

## 1. INTRODUCTION

The current problem is that the productivity of quail eggs is not optimal, one of the causes is low feed efficiency [1]. This adversely affects the quail growth and results in low body weight gain. On the other hand Quail eggs are considered as healthy nutritious food. The growth and production of quail can be optimally if the metabolic process is good. Metabolic results are supported by the amount of feed consumed and the optimization of feed use.

The food consumed has better digestibility with the presence of essential oils in the feed, so that the nutrients in the feed are easily absorbed. Lemongrass essential oil contains antiseptic and antibacterial properties so that it can kill pathogenic bacteria in the digestive tract [2,3]. [4] explained that the content of citronellal, geraniol, and citronellol in Citronella oil can inhibit bacterial activity.

State that Citronella oil shows great potential as an antibacterial agent that can suppress the activity of bacteria[5,6]. Putriningtyas[7]) in her study reported that citronella leaf essential oil from Tawangmangu was able to produce an inhibitory zone against *S. aureus* and *E. coli*. That essential oils can reduce the population of pathogenic bacteria that can damage the villi, and

increase the population of lactic acid bacteria which can increase the density of the villi, so that the number of villi increases, and nutrients can be absorbed completely [8].

Reported that supplements an herbal essential oil mixture on the diet can overcome coccidiosis broiler chickens[9]. The study results by [10] so that the essential oil found in lemongrass can increase body weight gain and function as an anti-bacterial, especially in the digestive tract, thereby increasing growth livestock.

Citronella oil extract is able to increase broiler body weight gain [11]. The highest weight gain was achieved in broilers who consumed rations with Citronella oil extract 0.5%, which was 1.160 g and tended to decrease in Citronella oil extract treatment, and the smallest body weight was obtained in broiler chickens that were given control rations which only reached 986 g. These results are contradictory with the finding of [12] that broilers fed diets treated with various levels of lemongrass oil (LGO) consumed significantly more amount of feed compared to the broilers fed control, but which was statistically non significant.

Supplementation of lemongrass leaf meal powder at the various levels in the broiler chick's diet substantially decreased serum cholesterol, triglyceride and increased the glucose, total protein level and improved the LDL/HDL ratio[13].

The results of these studies already knew that Citronella oil is able to inhibit the growth of bacteria, thus the livestock will easily digest their food and thus the growth and consumption of feed in livestock will increase periodically. Undoubtedly, based on the ability of Citronella oil as an antimicrobial and able to increase growth in poultry, it is necessary to have study the influence of Citronella to reduce egg cholesterol and egg fat of quail.

## 2. MATERIALS AND METHODS

### 2.1. Quails

As much as one hundred female quails (*Coturnix coturnix japonica*) (age 2 weeks) were used in the study. Quails were fed with four treatments in completely randomized design (CRD). Quail was housed in wire cages with dimensions of 35x25x25 cm (width, length, height). The experiment diets and water were given ad libitum for all groups. Quails were randomized to four diet treatments. Each treatment had five replicated of five female quails (*Coturnix coturnix japonica*).

### 2.2. Research Design

In four treatments, one was given 0% Citronella oil per kg of feed (T1) as the control diet, and the other diets were supplemented with the level of Citronella oil, namely, 0.3% Citronella oil per kg of feed (T2) per kg of feed, 0.6% Citronella oil per kg of feed (T3), and 0.9% Citronella oil per kg of feed (T4). The parameter measured were egg protein, cholesterol and egg fat content. The data obtained were analyzed for variance (ANOVA) and Duncan's Multiple Range Test (DMRT).

### 2.3. Collection of Egg

When the quails have been producing for four weeks, the eggs were then collected and analyzed for protein, fat and cholesterol content. Each cage unit was taken 5 eggs, so the number of eggs observed was 100 eggs. The method used to analyze egg cholesterol was the Liebermann Burchard method [14], while the method for protein analysis uses the Kjeldhal method (Rosaini et al., 2015) and the method for fat analysis uses the Soxhlet method [15].

### 2.4. Diet Experiment

The study used commercially diet available in packs produced by New Hope Indonesia. The ingredient composition and nutrient content of the diets for

experimental are presented in Table 1. The citronella oil extract used is available in the market in packaging produced by Agroatsiri.

**Table 1.** Nutrient content of the diets

Nutriens	Percentages (%)
Water content (max)	13.0
Protein	22 – 24
Fat (min)	5.0
Crude Fiber (max)	5.0
Ash (max)	7.0
Calcium (min)	0.9
Phosphor (min)	0.6
Metabolic energy (kkal/kg)	2900

References: PT. New Hope Indonesia

## 3. RESULTS AND DISCUSSION

The average mean of egg protein, egg cholesterol and egg fat content of female quail (*Coturnix coturnix japonica*) as influenced of dietary inclusion of citronella oil are presented in Table 2.

The statistical analysis on egg protein parameters had no significant difference ( $P>0.05$ ) among the dietary treatment. Shown in Table 2 that the average the levels of egg protein in T1 as control ( $11.22\pm0.93$  mg/dl) was lowest as compared to the other treatments i.e. T2 ( $12.37\pm1.11$  mg/dl), T3 ( $11.34\pm1.17$  mg/dl) and T4 ( $11.71\pm1.07$  mg/dl), respectively. It is indicated that the optimum beneficial effect of citronella oil supplementation as an herbal feed additive up to 0.9% per kg of feed of can be increasing the level of egg protein.

The trend of average the levels of egg cholesterol of quail is given in Table 2. The egg cholesterol was lowest in T3 ( $362.19\pm11.19$  mg/dl), followed by T4 ( $363.68\pm5.21$  mg/dl), T2 ( $378.53\pm14.89$  mg/dl) and highest value in T1 as control group ( $382.15\pm9.87$  mg/dl).

Analysis of variance showed that the treatment of citronella oil supplementation in the feed had significantly effect ( $P<0.05$ ) on egg cholesterol. Duncan's Multiple Range Test (DMRT) indicated that T3 and T4 significantly different ( $P<0.05$ ) to T1, it is showed that the beneficial effect of citronella oil supplementation as an herbal feed additive as much 0.6% Citronella oil per kg of feed of can be reduce the level of egg cholesterol.

Similar observations by [16] who report that combination of probiotics with ginger were inoculated in laying quail diet can decrease total cholesterol levels in serum and yolk (107.05 mg/dl and 10.6 mg/g) respectively compared to control group (158 mg/dl and 14.1 mg/dl). Parade et al. (2019) that the cholesterol and high density lipoprotein (HDL) serum of the broiler

chickens was quantitatively lowest in experimental chickens receiving lemongrass leaf meal 1.5 per cent level as compared to control group without lemongrass leaf meal. Besides that low density lipoprotein (LDL) serum of the broiler was quantitatively highest in chickens receiving lemongrass leaf meal 1.5 per cent level as compared to control group without lemongrass leaf meal. The other study by [17] also reported that quail egg cholesterol decreased significantly in the 400 ppm niacin treatment, and continued to decrease the greater

0.5% and 1 % supplemented with ginger root powder (66.33 mg/dl and 58.33 mg/dl) compared to control group (94.33 mg/dl).

That study is contradictory with the finding of [18] who reported that the use of turmeric powder with a level of 54 mg/bird/day does not affect feed consumption and egg cholesterol levels quail produced at the age of 4 months, but the use of turmeric powder with a level of 54 mg/bird/day when became sexual maturity has an impact on increasing levels of quail egg cholesterol. As well the study by [19] report that serum cholesterol levels were not affected by the fenugreek seed powder as phytochemical feed additives in broiler diet.

Another study found that *Cymbopogon citratus* leaf meal has impact on poultry body weight. [13] that *Cymbopogon citratus* leaf meal in poultry diets resulted in significantly ( $P<0.05$ ) higher body weight compared to

**Table 2.** The egg protein, cholesterol and egg fat content of quail (*Coturnix coturnix japonica*)

Treatment	Egg protein (mg/dl) <sup>ns</sup>	Egg Cholesterol (mg/dl)	Egg fat (mg/dl)
T1	11.22±0.93	382.15± 9.87 <sup>a</sup>	23.95±0.41 <sup>c</sup>
T2	12.37±1.11	378.53±14.89	19.53±0.42 <sup>d</sup>
T3	11.34±1.17	362.19±11.19 <sup>b</sup>	17.42±0.81 <sup>e</sup>
T4	11.71±1.07	363.68± 5.21 <sup>b</sup>	17.40±0.44 <sup>e</sup>

<sup>ns</sup> non significant; <sup>ab</sup> significant different ( $P<0.05$ ); <sup>(cd)(ce)(de)</sup> very significant different ( $P<0.01$ )

control diet at the end of 6th week. In contradictory to the finding of [20] who report that the quail (unsex) diet supplemented with 3% Lemmon grass leaf meal showed a significantly lower final body weight compared to the control ( $p<0.05$ ). This was similar with [21] who reported that reduced body weight in broilers fed with 2% Lemmon grass leaf supplemented. The other study by [22] report that the lemongrass oil did not affect significantly on body weight gain during experiment period from initial to end of the experiment (36 days).

Our experiment showed that egg fat of quail treated with various levels of citronella oil quantitatively more lower compared to the control group as showed in Table 2. The egg fat was lowest in T4 (17.40±0.44 mg/dl), followed by T3 (17.42±0.81 mg/dl), T2 (19.53±0.42 mg/dl) and highest value in T1 as control group (23.95±0.41 mg/dl).

the niacin level. The further explanation is that the addition of niacin in the feed significantly reduce HDL and increase LDL. The function of LDL is to send cholesterol to the coronary vessel tissue which can cause calcium accumulation in the coronary blood vessels, while function HDL is absorbing cholesterol deposits in the tissue and then send it to the liver and then break down into bile acids. The study by [23] that serum cholesterol of unsexed broiler were significantly lower ( $P<0.05$ ) in

Analysis of variance showed that the treatment of citronella oil supplementation in the feed had very significant effect ( $P<0.01$ ) on egg fat. Duncan's Multiple Range Test (DMRT) indicated that T1 very significantly different ( $P<0.01$ ) to T2, T3 and T4. Other wise T2 significantly different ( $P<0.01$ ) to T3 and T4, but T3 had non different to T4. So this trend showed that the beneficial effect of citronella oil supplementation as an herbal feed additive as much 0.3% per kg of feed of can be reduce the level of egg fat.

These findings were in agreed with those of [16] found that the use of niacin as much as 1000 ppm in feed was able to reduce triglyceride serum levels from 155.52 become 100.19 (mg/dl) in female quails. These results contradictory with the finding by [12] who report that triglyceride serum of broiler with supplemented 1.5% level of lemongrass leaf meal (147.50 mg/dl) was

significantly different ( $P<0.05$ ) than other three groups i.e. supplemented 1.0% (140.25 mg/dl), supplemented 0.5% (136.75 mg/dl) and control group (130.50 mg/dl). Similar the study by Zomrawi et al. (2012) that serum triglyceride of unsexed broiler were significantly lower ( $P<0.05$ ) for control group (44 mg/dl) and 0.5% supplemented with ginger root powder (25.67 mg/dl) compared to other treatments i.e. 1.5% supplemented (99.33 mg/dl) and 1.0% supplemented (62.33 mg/dl)

#### 4. CONCLUSION

From this research it can be concluded that giving citronella oil as much as 0.6% per kg of feed can reduce fat and cholesterol in quail eggs.

## REFERENCES

- [1] Primacitra, Y.D., O. Sjoifjan, dan M.H. Natsir. 2014. Pengaruh Penambahan Probiotik (*Lactobacillus* Sp.) dalam Pakan terhadap Energi Metabolis, Kecernaan Protein dan Aktivitas Enzim Burung Puyuh. *J. Ternak Tropika*, vol. 15, no. 1, pp. 74-79
- [2] Behura, S., dan V.K. Srivastav. 2004. Essential oil of leave of curcuma species. *Journal of Essential Oil Research*. 16(2): 109-110
- [3] Puspawati, N.M., I.W. Suirta, dan S. Bahri. 2016. Isolasi, Identifikasi, Serta Uji Aktivitas Antibakteri Pada Minyak Atsiri Sereh Wangi (*Cymbopogon winterianus* Jowitt). *Jurnal Kimia*. 10 (2) : 219-227.
- [4] Luangnarumitchai S., Lamlertthong, S., and Tiyaaboonchai, W. 2007. Antimicrobial activity of essential oils against five strains of *Propionibacterium acnes*. *Mahidol University Journal of Pharmaceutical Sciences*. 34: 60-64.
- [5] Ibrahim, Hayam M., Ferial M. Abu Salem. (2013). Effect of Adding Lemongrass and Lime Peel Extracts on Chicken Patties Quality. *Journal of Applied Sciences Research*. 9(8). 5036.
- [6] Paramartha D.A. 2015. Kajian Aktivitas Antibakteri Minyak Daun Sereh (*Cymbopogon citratus*) pada Adonan Sate Lilit Ikan Laut. *Jurnal Media Ilmiah Teknologi Pangan (Scientific Journal of Food Technology)*. 2 (1). 029-040.
- [7] Calsamiglia S., M. Busquet, P.W Cardozo, L. Catillejos, and A. Ferret. 2007. Invited Review: essential oils as modifiers of rumen microbial fermentation. *J Dairy Sci*. 90:2580- 2595
- [8] Sjoifjan, O., D.N. Adli, M.H. Natsir, dan A. Kusumaningtyaswati. 2020. Pengaruh Kombinasi Tepung Kunyit (*Curcuma domestica* VAL.) dan Probiotik Terhadap Penampilan Usus Ayam Pedaging. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*. 2(2) : 19-24.
- [9] Bozkurt M., N. Aysul , K. Küçükyılmaz , S. Aypak , G. Ege , A. U. Çatli, H. Akşit, F. Çöven, K. Seyrek, and M. Çınar. 2014. Efficacy of in-feed preparations of an anticoccidial, multienzyme, prebiotic, probiotic, and herbal essential oil mixture in healthy and *Eimeria* spp.-infected broilers. *Poultry Science* 93 :389–399
- [10] Lee K. W., Everts, H. and Beyne, A. C. 2004. Essentials oils in broiler nutrition. *International Journal of Poultry Science*. 3 (12): 738 – 752
- [11] Rumokoy L., Charles Kaunang, and W. Toar. 2017. Efek ekstrak minyak citronela *Cymbopogon nardus* L. terhadap proporsi frekuensi kontak fisik *Musca domestica* L. (Diptera: Muscidae) pada ransum dan performa broiler. *Indonesian Journal of Entomology*. 14 (2): 89–96.
- [12] Tiwari M. R., Jha P. K., Sah B., Kunwar G. and Jha A. K. 2018. Performance of Lemongrass (*Cymbopogon citrates*) Oil as Growth Promoter in Broiler. *Bang. J. Anim. Sci.*, 47(2): 85-91.
- [13] Parade A. K., B. M. Thombre, R. A. Patil, P. V. Padghan, S. S. Shinde and P. B. Meshram. 2019. Inclusion of Lemongrass (*Cymbopogon citratus*) Leaf Meal as a Natural Feed Additive for Evaluation Serum Lipid Profile of Broilers. *Int. J. Curr. Microbiol. App. Sci*. 8(10): 1835-1841.
- [14] Adu, J.K., Cedric D. K. A, Naomi K., Emmanuel O., Stella A.G.P., Bernice K.O. 2019. Validation of a Simple and Robust Liebermann–Burchard Colorimetric Method for the Assay of Cholesterol in Selected Milk Products in Ghana", *Int.J. Food Science*, 2019, Article ID 9045938, 7 pages. <https://doi.org/10.1155/2019/9045938>
- [15] Aminullah, Mardiah, Muhammad Reza Riandi, Arum Puspito Argani, Gustini Syahbirin, and Tetty Kemala. 2018. The Effect of Types of Fat Extraction Methods on Total Lipids of Chicken and Pork Fat. *Journal of Halal Agroindustry* 4 (1): 094– 100
- [16] Khalifa M I and Noseer E A. 2019 Cholesterol quality of edible eggs produced by quail fed diets containing probiotic and/or ginger (*Zingiber officinale*). *Livestock Research for Rural Development*. Volume 31, Article #165. Retrieved August 1, 2021, from <http://www.lrrd.org/lrrd31/10/mrwa31165.html>
- [17] Aviati, V., S.M. Mardiaty and T.R. Saraswati, 2014. Kadar Kolesterol Telur Puyuh Setelah Pemberian Tepung Kunyit Dalam Pakan. *Buletin Anatomi dan Fisiologi*. 22(1): 58-64
- [18] Fenita Y and T Suteky. 2006. Pengaruh Pemberian Niacin Terhadap Kadar Kolesterol Telur dan Perlemakan Serum Darah Puyuh (*Cortunix cortunix japonica*). *Jurnal Sain Peternakan Indonesia*. 1(2): 45-48.
- [19] Weerasingha A. S. and N.S.B.M. Atapattu. 2013. Effect of Fenugreek (*Trigonella foenumgraecum* L.) Seed powder on Growth Performance,

- Visceral Organ Weight, Serum Cholesterol Levels and the Nitrogen Retention of Broiler Chicken. *Tropical Agricultural Reserch*. 24(3):289-295.
- [20] Sariözkan S, Y Konca, GüçlüBk, E Aktuğ, M Kaliber, Ş Özkan and ST Ay (2016). The effect of dietary supplementation of lemongrass (*Cymbopogon citratus*) on performance, carcass
- [21] Thayalini, K., Shanmugavelu, S., Saminathan, P.M., Siti Masidayu, M.S., Nor Idayusni, Y., Zainuddin, H., Nurul Akmal, C.A. and Wong, H.K. 2016. Effects of *Cymbopogon citratus* leaf and *Zingiber officinale* rhizome supplementation on growth performance, ileal morphology and lactic acid concentration in broilers. *Mal. J. Anim. Sci.* 14:43-49
- [22] Tiwari M. R., Jha P. K., Sah B., Kunwar G. and Jha A. K. 2018. Performance of Lemongrass (*Cymbopogon citratus*) Oil as Growth Promoter in Broiler. *Bang. J. Anim. Sci.*, 47(2): 85-91.
- [23] Zomrawi W. B., KH. A. Abdel Atti, B. M. Dousa and A. G. Mahala. 2012. The Effect of Ginger Root Powder (*Zingiber Officinale*) Supplementation on Broiler Chicks Performance, Blood and Serum Constituents. *Online Journal Anim. and Feed Reserch*. Vol. 1(6): 457-