

7. Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethene Terephthalate Using the Accelerated Shelf-Life Method

Jurnal Internasional bereputasi

Nama Jurnal : International Journal of Advanced Science in Engineering and
Technology

Vol 11 no 1, Januari 2021

1. Cover
2. Editor
3. Daftar isi
4. Artikel
5. Indexing (Q3, SJR 0,251)
6. Bukti koresponden
7. Turnitin

International Journal on Advanced Science Engineering Information Technology

Available online at
<http://ijaseit.insightsociety.org>

Advanced Science Image processing Image retrieval microprocessor
Back Projection fuzzy Engineering alumina Gait analysis Biomimic
Mobile Agent Interpolation Soft Tissue hydrothermal stability Outlier filter
Sampling Theorem Magnetic field porous structure acidity Wireless
Parsimony Database Server Robot Operation Image extraction titania
Graphical User Interface Virus Compensation Life Cycle Cost
Current shaping Phylogenetic Analysis Sensor Networks Energy Saving
Metamorphic Virus neural network Predictive Tools Energy Optimization
parallel port Obfuscation Techniques Admixture Router Image matching
Power factor catalyst Construction Delay Support Vector Machine Regression Analysis
breast phantom Effects of Delay Current harmonics Surveillance
Information Technology soybean

[HOME](#) [ARCHIVES](#)

Editorial Team

Editor in Chief :

Rahmat Hidayat, (Scopus ID: 57191265401) Politeknik Negeri Padang, INDONESIA

Associate Editors :

Taufik, (Scopus ID: 23670809800), California Polytechnic State University, USA
 Haitham Alali, (Scopus ID: 49963007000), Amman Arab University, JORDAN
 Wan Mohtar Wan Yusoff, (Scopus ID: 15019967700), Univ. Kebangsaan Malaysia, MALAYSIA
 Halimah Badioze Zaman, (Scopus ID: 25825801600), Univ. Kebangsaan Malaysia, MALAYSIA
 Son Radu, (Scopus ID: 7005251005), Universiti Putra Malaysia, Malaysia, MALAYSIA
 Mohd Razi Ismail, (Scopus ID: 25957691400), Universiti Putra Malaysia, MALAYSIA
 Takashi Oku, (Scopus ID: 56275094900), Prefectural University of Hiroshima, JAPAN
 Kohei Nakano, (Scopus ID: 7402011766), Gifu University, JAPAN
 Nurul Huda, (Scopus ID: 6701695514), Universiti Malaysia Sabah, MALAYSIA
 Yandra Arkeman, (Scopus ID: 55946558300), Bogor Agriculture University, INDONESIA
 Sate Sampattagul, (Scopus ID: 7801640861), Chiangmai University, THAILAND
 Peeyush Soni, (Scopus ID: 9248907800), Asian Institute of Technology, THAILAND
 Yolanda Lechon Perez, (Scopus ID: 6602826000), Ciemat, Madrid, SPAIN
 Gabriele Arcidiacono (Scopus ID: 56656284600), G. Marconi University, ITALY
 Alessandra Pieroni (Scopus ID: 25929524500), Marconi International University, Florida - USA
 Alessandro Simonetta (Scopus ID: 55344403700), University of Rome Tor Vergata, ITALY
 Rita Muhamad Awang, (Scopus ID: 55957782400), Universiti Putra Malaysia, MALAYSIA
 Anton S Prabuwo, (Scopus ID: 18134309800), King Abdulaziz Univ, SAUDI ARABIA
 P Mangala C S De Silva, (Scopus ID: 7006461145), University of Ruhuna, SRI LANKA
 Bich Huy Nguyen, (Scopus ID: 36191086100), Nong Lam University, VIETNAM
 Paul Kristiansen, (Scopus ID: 23097563600), University of New England, AUSTRALIA
 Amitava Basu, (Scopus ID: 21833738300), Bidhan Chandra Krishi Vidyalaya, INDIA
 Shahrul Azman Mohd Noah, (Scopus ID: 35087633200), Universiti Kebangsaan Malaysia, MALAYSIA
 Luca Di Nunzio (Scopus ID: 57195199010), University of Rome Tor Vergata, ITALY
 Rocco Fazzolari (Scopus ID: 36469997900), University of Rome Tor Vergata, ITALY
 Ruben Paul Borg (Scopus ID: 55246483600), L-Università ta' Malta, Msida, Malta
 Van Viet Pham (Scopus ID: 57200413784), Ho Chi Minh City University of Transport, VIETNAM

Editors :

Nurhamidah, (Scopus ID: 57191636504), Andalas University, INDONESIA
 Ario Betha Juansilfero, (Scopus ID: 57189369470), Kobe University, JAPAN
 Zairi Ismael Rizman, (Scopus ID: 36959761800), Universiti Teknologi MARA (UiTM) (Terengganu) MALAYSIA
 Shahreen Kasim, (Scopus ID: 36155431900), Universiti Tun Hussein Onn - MALAYSIA
 Chi-Hua Chen, (Scopus ID: 35799698800), National Chiao Tung University, TAIWAN
 Abrar Ismardi, (Scopus ID: 26633102900), Telkom University - INDONESIA

IJASEIT

[About](#)

[Editorial Board](#)

[Guide for Authors](#)

[Journal Contact](#)

[Online Submission](#)

[Peer Review Policy](#)


[Publication Ethics](#)

[Browse Authors](#)

[NEW Update : IJASEIT in Scopus](#)

[NEW Update : IJASEIT in Scimago JR](#)

Scopus CiteScore



Scimago Journal Rank





Published by INSIGHT - Indonesian Society for Knowledge and Human Development

◆ IJASEIT - ISSN: 2088-5334 | e-ISSN : 2460-6952 | DOI : 10.18517



is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

01050605 [View My Stats](#)

Vol. 11 (2021) No. 1

Articles

Simple Iterative Channel Coding and Modulation for Harbor Wireless Communications

Olyvia Fransiska Andriani, Khoirul Anwar, Nachwan Mufti Adriansyah

pages: 1-11 [Full text](#) DOI:10.18517/ijaseit.11.1.11138

Transmit-Receive Subarrays for MIMO Radar Array Antenna

Syahfrizal Tahcfulloh

pages: 12-19 [Full text](#) DOI:10.18517/ijaseit.11.1.10631

Local Trajectory Occurrence Patterns for Partial Action and Gesture Recognition

Gustavo Garzon, Fabio Martinez

pages: 20-30 [Full text](#) DOI:10.18517/ijaseit.11.1.9286

Doc2Vec based Question and Answer Search System

HeeSeok Cho, Yong Kim

pages: 31-36 [Full text](#) DOI:10.18517/ijaseit.11.1.14079

Trace Transform Feature Learning for Offline Jawi Handwritten Recognition

Anton Heryanto Hasan, Khairuddin Omar, Muhammad Faidzul Nasrudin

pages: 37-42 [Full text](#) DOI:10.18517/ijaseit.11.1.10113

Remote Patient Health Monitoring System Using Mobile and Wireless Body Area Network in Yemen

Hisham Abdullah, Azman Taa, Fathey Mohammed

pages: 43-50 [Full text](#) DOI:10.18517/ijaseit.11.1.13455

Study on Automobile Culture of Developed and Emerging Countries in Asia Using Text Mining Analysis on Social Media

Yongho Joo, Gilsang Yoo

pages: 51-56 [Full text](#) DOI:10.18517/ijaseit.11.1.14078

Multi Focus Image Fusion with Region-Center Based Kernel

Ismail Ismail, Kamarul Hawari

pages: 57-63 [Full text](#) DOI:10.18517/ijaseit.11.1.11149

Creative Game Design Training Requirements

Raudyah Md Tap, Nor Azan Mat Zin, Hafiz Mohd Sarim

pages: 64-71 [Full text](#) DOI:10.18517/ijaseit.11.1.10270

Characterization of Fire Severity in the Moroccan Rif Using Landsat-8 and Sentinel-2 Satellite Images

Issam Eddine Zidane, Rachid Lhissou, Maryem Ismaili, Yassine Manyari, Abdelali Bouli, Mustapha Mabrouki

pages: 72-83 [Full text](#) DOI:10.18517/ijaseit.11.1.10342

Color Analysis of Batik Fabric by Facile Smartphone Colorimetry

Yaowarat Sirisathitkul, Suvita Kaewareelap

pages: 84-91 [Full text](#) DOI:10.18517/ijaseit.11.1.11480

Developing Birth Preparedness and Complication Readiness (BPCR) Screening Based on Android Applications

Desi Sarli, Faridah Mohd Said, Ali Ameen, Imam Gunawan

pages: 92-98 [Full text](#) DOI:10.18517/ijaseit.11.1.12221

IJASEIT

About

Editorial Board

Guide for Authors

Journal Contact

Online Submission

Peer Review Policy

Publication Ethics

Browse Authors

NEW Update : IJASEIT in Scopus

NEW Update : IJASEIT in Scimago JR

Scopus CiteScore

1.9 CiteScore²⁰²⁰

65th percentile
Powered by Scopus

Scimago Journal Rank



Clustered Approach for Clone Detection in Social Media

C. R. Liyanage, S. C. Premarathne

pages: 99-104 [Full text](#) DOI:10.18517/ijaseit.11.1.9272

Quality Signal Degradation in Single-Channel Fiber Using 10 Gbps Bit Rate

Nabila Syadzwin Effendi, Yus Natali, Catur Apriono

pages: 105-112 [Full text](#) DOI:10.18517/ijaseit.11.1.12674

Climatic Temperature Data Forecasting in Nineveh Governorate Using the Recurrent Neural Network Method

Osamah Basheer Shukur, Sabah Hussein Ali, Layali Adil Saber

pages: 113-123 [Full text](#) DOI:10.18517/ijaseit.11.1.14083

Physical Model Simulation: Influences the Shape of Breakwater Structures on the Coefficient of Transmission and Reflection

Pujaniki Ni Nyoman, Riska Dayanti

pages: 124-129 [Full text](#) DOI:10.18517/ijaseit.11.1.12659

Prediction of Land Cover and Land Surface Temperature in Kuta Selatan Sub-district, Bali Province

G A Ghani, M Dimiyati, A Damayanti

pages: 130-138 [Full text](#) DOI:10.18517/ijaseit.11.1.12999

Redesign Work Method Using Kaizen Engineering

Cut Ita Erliana, - Syarifuddin, Ira Monika Br Ginting, Dahlan Abdullah

pages: 139-144 [Full text](#) DOI:10.18517/ijaseit.11.1.11688

Employment the State Space and Kalman Filter Using ARMA models

Najlaa Saad Ibrahim, Heyam A.A. Hayawi

pages: 145-149 [Full text](#) DOI:10.18517/ijaseit.11.1.14094

Implementation of Ergonomic-Based Work Procedures Reducing Complaints of Postural Stress and Work Fatigue Resulting in Increased Employee Income and Company Profit

Wahyu Susihono, - Ariesca, Lovely Lady

pages: 150-157 [Full text](#) DOI:10.18517/ijaseit.11.1.11046

Performance of a Solar Chimney for Cooling Building Façades under Different Heat Source Distributions in the Air Channel

Y Quoc Nguyen, Sa Nguyen-Tan, Hong-Tham T. Pham, Ai Manh-Thuy, Trieu Huynh-Nhat

pages: 158-164 [Full text](#) DOI:10.18517/ijaseit.11.1.12666

The Effect of Clove Leaves Essential Oil Addition on Physicochemical and Sensory Characteristics of Milk Chocolate Bar

Danar Praseptiangga, Agitya Renanda Qomaruzzaman, Godras Jati Manuhara

pages: 165-171 [Full text](#) DOI:10.18517/ijaseit.11.1.12664

Hydrolytic and Transglycolation Characteristics of Xanthomonas campestris and Bacillus megaterium in Several Substrates

Heny Herawati, Elmi Kamsiati, - Sunarmani, S Joni Munarso, Ina Supriyatna, Tri Aminingsih

pages: 172-178 [Full text](#) DOI:10.18517/ijaseit.11.1.12403

The Growth Performance, Heterosis Value, and Crossbreeding of Selected Japanese Broiler and Malon Quail

Endang Sujana, Asep Anang, Iwan Setiawan, Tuti Widjastuti

pages: 179-184 [Full text](#) DOI:10.18517/ijaseit.11.1.11184

Physicochemical and Rheological Characterization of Melon Pulp (Cucumis melo) Cultivated in the North of Bolívar Department, Colombia

Ronald M. Marsiglia, Santander E. Lastra-Ripoll, Luis D. Míeles-Gómez, Luis A. García-Zapateiro

pages: 185-190 [Full text](#) DOI:10.18517/ijaseit.11.1.7620

Screening and Enzyme Activity of Cellulase-Producing Bacteria Isolated from Kemiri Sunan (Reutealis trisperma (Blanco) Airy Shaw) and Empty Fruit Bunches of the Palm Oil (Elaeis guineensis)

Tri Yuliana, Efri Mardawati, Emilda A. Febrianti, Agus T. Hartono, Souvia Rahimah

pages: 191-196 [Full text](#) DOI:10.18517/ijaseit.11.1.11314

The Effect of Banana Pseudostem Flour and Food Bar of Edible Canna Substituted with Banana Pseudostem Flour on Lipid Profile of Hypercholesterolemia Mice



Template of Journal IJASEIT

Support Contact


WAG : +62-82171-822448

E-mail : ijaseit@insightsociety.org

The Map Authors



Keywords Cloud



Published by



Member of

Welli Yuliatmoko, Agnes Murdiati, Yudi Pranoto, Yustinus Marsono
pages: 197-203 [Full text](#) DOI:10.18517/ijaseit.11.1.10121

Treatment of Produce Water with a Combination of Electrocoagulation with Iron (Fe) Electrodes and Adsorption Using Silica and Activated Carbon

Muhammad Said, David Bahrain, Rizza Fadillah Fitri
pages: 204-212 [Full text](#) DOI:10.18517/ijaseit.11.1.12490

Morphological Characters of Local Origin Durian (*Durio zibethinus* Murr.) Fruits and Seeds from Central Tapanuli Regency, North Sumatra, Indonesia

Martha Adiwaty Sihalo, Diana Sofia Hanafia, Elisa Julianti, Mohammad Basyuni
pages: 213-222 [Full text](#) DOI:10.18517/ijaseit.11.1.11211

The Correlation Model between Microclimates and Potato Plant Growth

Aniek Iriany, Atiek Iriany, Agus Dwi Sulistyono
pages: 223-228 [Full text](#) DOI:10.18517/ijaseit.11.1.7515

Physicochemical Properties of Nutmeg Oleoresin Obtained by Ultrasound-Assisted Extraction from Different Raw Material Qualities and Drying Methods

I Wayan Budiastara, Aryanis Mutia Zahra, - Sugiyono, - Sutrisno
pages: 229-235 [Full text](#) DOI:10.18517/ijaseit.11.1.7324

Risk Assessment on Supply Chain of the Geographical Indication Granulated Coconut Sugar in Kulon Progo Regency, Special Region of Yogyakarta, Indonesia

Elsa Yulian Sari, Adi Djoko Guritno, Anggoro Cahyo Sukartiko
pages: 236-243 [Full text](#) DOI:10.18517/ijaseit.11.1.7923

Factors Affecting the Productivity of Swampy Land Rice Farming and Its Contribution to Household Income

Agoes Thony Ak, Yudhi Zuriah Wiry Purba, Faisal Daud
pages: 244-251 [Full text](#) DOI:10.18517/ijaseit.11.1.10691

The Causality Model of Maize Farmers' Income: Integrating Social Capital, Supply Chain, and Competitive Advantage

Ikawati Karim, Eliana Wulandari, Ariady Arsal, Nur Fitriayu Mandasari
pages: 252-258 [Full text](#) DOI:10.18517/ijaseit.11.1.8275

Spatiotemporal Variability in Soil Water Content Profiles under Young and Mature Oil Palm Plantations in North Bengkulu Regency

Bandi Hermawan, Indra Agustian, - Hasanudin, Reny Herawati, Bambang Gonggo Murcitra
pages: 259-265 [Full text](#) DOI:10.18517/ijaseit.11.1.9432

Compost and Biochar Characteristics Test of Some Animal Manure Waste

I Dewa Nyoman Sudita, Yohanes Parlindungan Situmeang, Made Suarta
pages: 266-271 [Full text](#) DOI:10.18517/ijaseit.11.1.11346

The Effect of Mixed Inoculum Addition Concentration and Fermentation Time on the Characteristics of Dry Cocoa Beans (*Theobroma cacao* L.)

Ida Bagus Wayan Gunam, Andi Suryanto, G. P. Ganda Putra, I Wayan Kasa, I Dewa Gede Mayun Permana, Putu Sarjana, I Wayan Wisma Pradnyana Putra, Takeshi Takama
pages: 272-280 [Full text](#) DOI:10.18517/ijaseit.11.1.11901

Sensory Quality Profile of Ranah Minang Arabica Coffee Specialty

Rince Alfia Fadri, Kesuma Sayuti, Novizar Nazir, Irfan Suliansyah
pages: 281-290 [Full text](#) DOI:10.18517/ijaseit.11.1.11179

The Assesment of Capital Flow and Technology Transfer in Asparagus Production

Ni Nyoman Aryaningsih, I Ketut Irianto
pages: 291-297 [Full text](#) DOI:10.18517/ijaseit.11.1.11365

Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethylene Terephthalate Using the Accelerated Shelf-Life Method

Nur Aini, Budi Sustrawan, - Muthmainah, Melda Ruth Maulina, Vincentius Prihananto, Gunawan Wijonarko
pages: 298-303 [Full text](#) DOI:10.18517/ijaseit.11.1.7720

Genetic-based Pruning Technique for Ant-Miner Classification Algorithm



Hayder Naser Khraibet Al-Behadili, Ku Ruhana Ku-Mahamud, Rafid Sagban
pages: 304-311 [Full text](#) DOI:10.18517/ijaseit.11.1.10826

The Linear Model of *Saccharomyces cerevisiae* Turbidity in Liquid Media

Ahmad Syauqi, Hari Santoso, Siti Nurul Hasana
pages: 312-319 [Full text](#) DOI:10.18517/ijaseit.11.1.10872

Charts for Exponentially Weighted Moving Average Classical and Robust: A Comparative Study

Aida Hadi Saleh
pages: 320-325 [Full text](#) DOI:10.18517/ijaseit.11.1.14084

Using Variation in Weighting Criteria and String Size Matching on Hybrid Model Schema Matching

Edhy Sutanta, Erna Kumalasari Nurnawati, Rosalia Arum Kumalasanti
pages: 326-333 [Full text](#) DOI:10.18517/ijaseit.11.1.6650

A Review on Spatial Technologies for Enhancing Malaria Control: Concepts, Tools, and Challenges

Rayner Alfred, Joe Henry Obi
pages: 334-341 [Full text](#) DOI:10.18517/ijaseit.11.1.11883

GIS Analysis for Flood Problem in the Big City: A Case Study in Pekanbaru City, Riau Province, Indonesia

Husnul Kausarian, Adi Suryadi, - Susilo, Josaphat Tetuko Sri Sumantyo, - Batara
pages: 342-349 [Full text](#) DOI:10.18517/ijaseit.11.1.11974

Identification of Micro-Earthquake Hypocenters using Geiger and Coupled Velocity-Hypocenters Methods

Widya Utama, Dwa Desa Warnana, Sherly Ardhya Garini
pages: 350-355 [Full text](#) DOI:10.18517/ijaseit.11.1.10589

Assessment of Spatial Water Quality Observation of Citarum River Bandung Regency Using Multivariate Statistical Methods

Ahmad Musnansyah, Anton Abdulbasah Kamil, Linda Marlina, Endang Widayati, - Zulfakriza
pages: 356-362 [Full text](#) DOI:10.18517/ijaseit.11.1.11667

The Comparative of Morphological and Gravity Anomaly Lineaments in West Progo Mountains, Indonesia The Comparative of Morphological and Gravity Anomaly Lineaments in West Progo Mountains, Indonesia

- Winarti, Emi Sukiyah, Ildrem Syafri, Andi Agus Nur
pages: 363-368 [Full text](#) DOI:10.18517/ijaseit.11.1.13076

High-Resolution Landslide Susceptibility Map Generation using Machine Learning (Case Study in Pacitan, Indonesia)

Mohammad Rohmaneo Darminto, Amien Widodo, Adillah Alfatimah, Hone-Jay Chu
pages: 369-379 [Full text](#) DOI:10.18517/ijaseit.11.1.11679

Palmpoint Recognition Based on Edge Detection Features and Convolutional Neural Network

I Ketut Gede Darma Putra, Deden Witarsyah, Muhandi Saputra, Putu Jhonarendra
pages: 380-387 [Full text](#) DOI:10.18517/ijaseit.11.1.11664

Development of Intelligent Parkinson Disease Detection System Based on Machine Learning Techniques Using Speech Signal

Mohammed Younis Thanoun, Mohammad Tariq Yaseen, A.M. Aleesa
pages: 388-392 [Full text](#) DOI:10.18517/ijaseit.11.1.12202

Performance Analysis of Heuristic Miner and Genetics Algorithm in Process Cube: a Case Study

Rachmadita Andreswari, Ismail Syahputra, Muharman Lubis
pages: 393-399 [Full text](#) DOI:10.18517/ijaseit.11.1.11544

Test Case Prioritization Approach for Sequence of Events Using Complexity Factor

Emyreema Ja'afar, Sa'adah Hassan, Salmi Baharom, Johanna Ahmad
pages: 400-407 [Full text](#) DOI:10.18517/ijaseit.11.1.10171

Evaluation of Attention and Concentration Using Mobile Computing

Laura-Ivoone Garay-Jiménez, Elena Fabiola Ruiz Ledesma, Enrique Carmona-García, Asucena Lozano Gutiérrez, Feggy Ostrosky Shejet
pages: 408-416 [Full text](#) DOI:10.18517/ijaseit.11.1.12631

Published by INSIGHT - Indonesian Society for Knowledge and Human Development

◆ IJASEIT - ISSN: 2088-5334 | e-ISSN : 2460-6952 | DOI : 10.18517



is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

01038370 [View My Stats](#)

International Journal on Advanced Science Engineering Information Technology

[HOME](#) [ARCHIVES](#)

Editorial Team

Editor in Chief :

Rahmat Hidayat, (Scopus ID: 57191265401) Politeknik Negeri Padang, INDONESIA

Associate Editors :

Taufik, (Scopus ID: 23670809800), California Polytechnic State University, USA
 Haitham Alali, (Scopus ID: 49963007000), Amman Arab University, JORDAN
 Wan Mohhtar Wan Yusoff, (Scopus ID: 15019967700), Univ. Kebangsaan Malaysia, MALAYSIA
 Halimah Badioze Zaman, (Scopus ID: 25825801600), Univ. Kebangsaan Malaysia, MALAYSIA
 Son Radu, (Scopus ID: 7005251005), Universiti Putra Malaysia, Malaysia, MALAYSIA
 Mohd Razi Ismail, (Scopus ID: 25957691400), Universiti Putra Malaysia, MALAYSIA
 Takashi Oku, (Scopus ID: 56275094900), Prefectural University of Hiroshima, JAPAN
 Kohei Nakano, (Scopus ID: 7402011766), Gifu University, JAPAN
 Nurul Huda, (Scopus ID: 6701695514), Universiti Malaysia Sabah, MALAYSIA
 Yandra Arkeman, (Scopus ID: 55946558300), Bogor Agriculture University, INDONESIA
 Sate Sampattagul, (Scopus ID: 7801640861), Chiangmai University, THAILAND
 Peeyush Soni, (Scopus ID: 9248907800), Asian Institute of Technology, THAILAND
 Yolanda Lechon Perez, (Scopus ID: 6602826000), Ciemat, Madrid, SPAIN
 Gabriele Arcidiacono (Scopus ID: 56656284600), G. Marconi University, ITALY
 Alessandra Pieroni (Scopus ID: 25929524500), . Marconi International University, Florida - USA
 Nguyen Hay , (Scopus ID: 15834645900) Nong Lam University. VIETNAM
 Rita Muhamad Awang, (Scopus ID: 55957782400), Universiti Putra Malaysia, MALAYSIA
 Anton S Prabuwo, (Scopus ID: 18134309800), King Abdulaziz Univ, SAUDI ARABIA
 P Mangala C S De Silva, (Scopus ID: 7006461145), University of Ruhuna, SRI LANKA
 Bich Huy Nguyen, (Scopus ID: 36191086100), Nong Lam University, VIETNAM
 Paul Kristiansen, (Scopus ID: 23097563600), University of New England, AUSTRALIA
 Amitava Basu, (Scopus ID: 21833738300), Bidhan Chandra Krishi Vidyalyaya, INDIA
 Shahrul Azman Mohd Noah, (Scopus ID: 35087633200), Universiti Kebangsaan Malaysia, MALAYSIA
 Luca Di Nunzio (Scopus ID: 57195199010), University of Rome Tor Vergata, ITALY
 Rocco Fazzolari (Scopus ID: 36469997900), University of Rome Tor Vergata, ITALY
 Ruben Paul Borg (Scopus ID: 55246483600), L-Università ta' Malta, Msida, Malta

Editors :

Nurhamidah, (Scopus ID: 57191636504), Andalas University, INDONESIA
 Ario Betha Juansilfero, (Scopus ID: 57189369470), Kobe University, JAPAN
 Zairi Ismael Rizman, (Scopus ID: 36959761800), Universiti Teknologi MARA (UiTM) (Terengganu) MALAYSIA
 Shahreen Kasim, (Scopus ID: 36155431900), Universiti Tun Hussein Onn - MALAYSIA
 Chi-Hua Chen, (Scopus ID: 35799698800), National Chiao Tung University, TAIWAN
 Abrar Ismardi, (Scopus ID: 26633102900), Telkom University - INDONESIA

IJASEIT

[About](#)
[Editorial Board](#)
[Guide for Authors](#)
[Journal Contact](#)
[Online Submission](#)
[Peer Review Policy](#)
[Publication Ethics](#)
[Browse Authors](#)
[NEW Update : IJASEIT in Scopus](#)
[NEW Update : IJASEIT in Scimago JR](#)

Scimago Journal Rank

International Journal on
Advanced Science....

Q2

Agricultural and
Biological Sciences
(miscellaneous)
best quartile

SJR 2019

0.27


powered by scimagojr.com

Scopus CiteScore

1.31

2017
CiteScore

Powered by Scopus



WAG : +62-82171-822448

E-mail : ijaseit@insightsociety.org

protein security rice
data cocoa power corn regression sweet
interaction bacteria
cassava swarm
recognition flour total
chemical west
software functional content coffee x-ray
environment design sensor mining colour local technology
development fatty quality starch coconut
field time feature tea robot arable optical vehicle
function milk web control policy cell powder leaf
factors based ratio social user drying project seed
game rate surface application genetic computer
value part use index prediction fertilizer biodiesel test carbon
physical land modelling water model online
simulation structure element neural analysis
classification image characteristics liquid
fermentation method food wireless
fiber decision performance learning strength
identification cancer management processing
human waste

Published by



Member of



Published by INSIGHT - Indonesian Society for Knowledge and Human Development

© IJASEIT - ISSN: 2088-5334 | e-ISSN : 2460-6952 | DOI : 10.18517



is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

00845523 [View My Stats](#)

Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethylene Terephthalate Using the Accelerated Shelf-Life Method

Nur Aini*, Budi Sustriawan, Muthmainah, Melda Ruth Maulina, Vincentius Prihananto, Gunawan Wijonarko

Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia

*Corresponding author: *nur.aini@unsoed.ac.id*

Abstract— Corn yoghurt is a new product that is being developed, so it needs to determine its shelf life based on its packaging. Packaging that can be used for yoghurt is a bottle of polyethylene terephthalate. The purpose of this study was to identify the kinetics of quality decrease of corn yoghurt packed in polyethylene terephthalate bottles and estimate its shelf-life. The stages of establishing shelf-life included determining the quality change rate during storage, selecting reaction order, calculating activation energy, determining critical points, and calculating shelf-life. Corn yoghurt was packed in a polyethylene terephthalate bottle, then stored at 25°C, 30°C, and 35°C. The analysis was done every seven days, from day-0 to day-21. Parameters analyzed were lactic acid bacteria content, pH, total acid, total dissolved solids, protein, and viscosity. The results showed that corn yoghurt is still acceptable by more than 50% panelists in 21 days of storage at a temperature of 35°C. Lactic acid bacteria, total dissolved solids, and protein content decreased during storage, while the pH, total acid, and viscosity increased. Corn yoghurt packed in polyethylene terephthalate and stored at 5°C, 10°C, 15°C, and 20°C have 41, 40, 39, and 38 days of shelf-life, respectively. The implication is that yoghurt-corn packed with polyethylene terephthalate has a better shelf life than existing yoghurt to be applied further.

Keywords— Accelerated shelf-life test (ASLT); arrhenius; corn yoghurt; polyethylene terephthalate; shelf-life.

Manuscript received 28 Dec. 2018; revised 19 Oct. 2020; accepted 11 Nov. 2020. Date of publication 28 Feb. 2021. IJASEIT is licensed under a Creative Commons Attribution-Share Alike 4.0 International License.



I. INTRODUCTION

Today's communities' trends on functional food requirements have developed food products that benefit health [1]. One type of functional food is probiotics which contain lactic acid bacteria that benefit digestion. One of the new products developed as a functional food is yoghurt from corn extract [2]. The shelf life must be examined using the appropriate packaging to develop new products to be accepted by consumers.

The packaging of food products is essential to prevent changes in product quality [3]. The packaging used for yoghurt can usually be a glass or polymer package (polystyrene, polypropylene) [4]–[6]. Although it is still controversial, polymers are still widely used as packaging because they are easy to make and inexpensive. The polymer is suitable for milk products and their derivatives, and polyethylene terephthalate is widely used for yoghurt drinks.

The shelf life of food determined the type and composition, also affected by the type of packaging [7], [8]. The shelf-life information of food is required for many users, namely

producers, consumers, sellers, and distributors [9]. The shelf life of corn yoghurt can be determined using the Accelerated Shelf-Life Test (ASLT) method with Arrhenius approach. The principle of ASLT method is to accelerate the physicochemical damage of products by temperature, and then, the actual shelf-life is determined by mathematical calculation [10]. Temperature is an essential key parameter determining food deterioration in the ASLT method because it is more easily damaged at a high temperature. The relationship between temperature and velocity of degradation quality can be determined by the Arrhenius equation [11]. This study aims to assign the kinetics of quality deterioration of corn yoghurt packed in polyethylene terephthalate and estimate the shelf-life of corn yoghurt packed in polyethylene terephthalate.

II. MATERIAL AND METHOD

A. Production of Corn Yoghurt

The production method of the corn yoghurt following Aini et al. study [2], namely, sweet corn extract was added to 15%

red sweet potato extract, 10% mung bean extract, sugar (15% b/v), and skim milk powder (10% w/v). The next stage is pasteurized for 15 min at 70°C and then left until 40-43°C. Next was the addition of the yoghurt culture and incubation for 8 hours at 37°C.

B. Packaging and Storage of Corn Yoghurt

Bottles of polyethylene terephthalate are used for packaging corn yoghurt. Furthermore, corn yoghurt was stored at 35.30 and 25°C. Storage is done for 21 days, and every 7 days, corn yoghurt was analyzed

C. Analysis of Corn Yoghurt during Storage

Corn yoghurt was analyzed by the number of lactic acid bacteria using the total plate count (TPC) method [12]. Potentiometric methods are used to measure the pH of corn yoghurt, and a refractometer is used to measure dissolved solids in corn yoghurt. The acid levels are analyzed by titration with a base solution using Mann acid test method, and protein content analysis was performed using Micro Kjeldahl method. Sensory testing was carried out using twenty trained panelists. The organoleptic analysis uses a scoring test with twenty trained panelists. The test was conducted using a scoring method of scale 1 to 5. Variables tested include acid flavour, colour, aroma and preference on a scale of 1 to 5.

D. Determination of Shelf Life

According to Labuza and Fu [13], the determination of shelf-life was done in three stages. The first stage was determining the rate of quality change; 500 ml of corn yoghurt was packed in a polyethylene terephthalate bottle and stored at 35°C, 30°C, and 235°C. The analysis was done once every seven days from day-0 to day-21. Parameters analyzed were lactic acid bacteria content, pH, total acid, total dissolved solids, protein, and viscosity. Data of each parameter is plotted on the y-axis, and as the x-axis is the day, thus obtained linear regression curve. Each of the parameters obtained three curves at storage temperatures 25, 30 and 35°C. Linear regression curves have the formula $y = a + bx$; where x is storage day, y is the product characteristic value, a is the initial characteristic value of the product, and b is the rate of quality loss, which can be seen from the slope.

The second step is determining the reaction order and activation energy for each parameter. The reaction order for each parameter and temperature is selected based on the correlation coefficient (R^2) value. The values of $\ln k$ and $1/T(K-1)$, which are the Arrhenius parameters, were tabulated. The next step is plotting $\ln k$ on the x-axis and $1/T(K-1)$ on the y-axis. The plotting obtained linear regression $\ln k = \ln k_0 - (E_a/R) (1/T)$. R shows the ideal gas constant (1,986 cal/mol), while E_a shows the activation energy. From the equation, the constant value was k_0 , and the reaction rate was k , and changes in product character can be calculated using $k = k_0 \cdot e^{-E/RT}$.

The last stage was the determination of critical parameters and the calculation of shelf-life. The parameter that has the lowest positive activation energy is a key parameter in determining shelf life. Calculation of shelf life by the reaction kinetics equation based on the reaction order based on the formula:

$$t_s = \frac{A_0 - A_t}{k \cdot t} \text{ (Orde 0), and } t_s = \frac{\ln \left(\frac{A_0}{A_t} \right)}{k \cdot t} \text{ (Orde 1)} \quad (1)$$

III. RESULTS AND DISCUSSION

A. Quality Change During Storage

Determination of the critical quality characteristics of corn yoghurt was done by storing the product at a temperature higher than its normal storage temperature. Yoghurt is usually stored at 15°C-18°C on sale. Determining the critical quality of corn yoghurt was done by the storage at 35°C to accelerate product damage.

A sensory test showed that corn yoghurt is still acceptable by more than 50% of the panelists at 35°C for 21 days (Table 1). The approval of the yoghurt is influenced by all sensory factors, including odor, flavor, and color. Typical yoghurt odor is obtained by the formation of lactic acid, acetaldehyde, diacetyl, and acetic acid. According to Mani-López et al. [14], lactic acid bacteria and volatile substances produce components that give sour taste and yoghurt flavor. During storage at high temperatures, volatile compounds in the yoghurt evaporate and are replaced with other compounds that cause off odor, or the loss of the distinct odor, of yoghurt so that the odor decreases. According to Sah et al. [15], the decrease of odor parameters occurs due to a lack of packaging strength in retaining gas. The loss of volatile compounds in the odor and flavors follows the gas and steam permeation of plastic materials.

TABLE I
SENSORY CHARACTERISTICS OF CORN YOGHURT DURING STORAGE AT 35°C

Days	Odor	Flavor	Color	Preference	Rejection
0	3.45	4.23	4.97	4.28	0
7	2.95	4.05	4.15	3.9	25
14	3.05	4	3.95	3.8	30
21	3.05	3.55	3.2	3.85	40

The panelists assessed the color parameter at the initial storage, where it is light yellow, until the end of storage, where it turned to a whitish-yellow. Corn yoghurt is yellow due to the presence of carotenoid compounds in corn. During storage, oxidation occurs, which results in a decrease in the color and flavor of corn yoghurt [16].

Panelists' assessment of the yoghurt flavor at the initial storage was 4.23, which was not acidic, while at the end of storage, it was 3.55 (acidic) (Table 1). Sour is the distinctive flavor of yoghurt. The increased acid flavor is due to an increase in organic acids present in the yoghurt after fermentation and after storage. After fermentation, lactose will be converted into lactic acid so that the environmental conditions also become acidic [17]. After storage, the lactic acid content increased and, along with it, the sour taste of yoghurt at the end of storage was also improved.

The flavor of yoghurt is developed by combining lactic acid derived from the breakdown of sugar, the presence of aroma components, the content of fatty acids from sweet corn, and the sweet aroma of sweet corn [18]. During the fermentation, the resulting flavor components, such as diacetyl, acetyl methyl carbonyl, 2, 3 butylene glycols, and acetaldehyde provide a distinctive taste in the yoghurt. Lactic

acid bacteria form lactic acid so that it gives a sour taste to yoghurt

Table 2 shows the physical and chemical properties of the product change storage. During 21 days of storage, lactic acid bacteria, dissolved solids, and protein content decreased, while the total acid, pH, and viscosity increased. The longer the storage and the more optimum the storage temperature, there will be more lactic acid as lactic acid bacteria optimally produce organic acids at 10°C-40°C. The storage used to determine the product's final quality was 35°C, which is close to the optimal temperature of lactic acid bacteria activity [19]. *Lactobacillus bulgaricus* is a lactic acid bacterium that has an optimal growth temperature of 10-40°C. Total acid will increase if lactic acid bacteria work at optimum conditions.

At the beginning of storage, the number of lactic acid bacteria was 7.57 log cfu/ml, while at the end of storage was 6.5-6.7 log cfu/ml (Figure 1). At the end of storage, corn yoghurt still fulfilled the criteria as a probiotic food. According to Donkor et al [20], food can be categorized as a prebiotic food if the amount of lactic acid bacteria is at least 6 log cfu/ml.

TABLE II
CHARACTERISTICS OF INITIAL AND FINAL QUALITY OF CORN YOGHURT
PACKED IN POLYETHENE TEREPHTHALATE AT 35°C STORAGE

Quality Parameter	Initial Value	End Value
Lactic acid bacteria (log cfu/ml)	7.57	6.7
Dissolved solids (°Brix)	22.7	22
pH	4.4	4
Total acid	0.77	1.01
Viscosity (cP)	160	175
Total protein (% db)	2.18	2




Fig. 1 Lactic acid bacteria and protein content during storage

According to Salvucci et al.,[21], the longer the storage time, the more lactic acid is produced, which causes lactic acid bacteria to lack nutrients and experience a death phase. According to Sah et al. [22], bacterial activity decreases as the resulting acidity hampers it. Also, with increasingly rapid growth, there will be more sugar reduction that is used both

for its growth and to form lactic acid; therefore, the sugar content decreases. The decreasing sugar results in a much-needed substrate for bacterial growth and decreases so that the substrate will be used up. In the mortality phase, rate of the dead probiotic bacteria continues to increase, and the cell division rate is zero. The amount of lactic acid bacteria was nearly the same as in the study by Saccaro et al [23], which stated that storage of yoghurt up to 28 days can maintain lactic acid bacteria of 4.72 to 7.1 log cfu/ml.

The total acids in the yoghurt are calculated as lactic acid. Lactic acid (C_3H_6O) is the largest acid component formed from fermented milk to yoghurt. Lactic acid is formed from lactose changes that can be used by *Lactobacillus acidophilus*, *Streptococcus thermophilus* and *Lactobacillus bulgaricus*, as a source of carbon and energy for their growth. Lactose is hydrolyzed by both lactic acid bacteria into lactic acid and other organic acids [24], [25].

The total acid of corn yoghurt was initially 0.77% and increased to 0.98%-1.01% during storage (Figure 2). The increase in total acid is supported by [23], which showed that the acidity level of probiotic yoghurt and fermented milk increased after five days of storage at 4°C, namely, from 0.68% and 0.77% to 0.82% and 0.84%, respectively. It then had a constant acidity value after 21 days of storage. The production of lactic acid produced in milk fermented by *L. acidophilus* and *L. casei* would interact with yoghurt bacteria for 28 days of cold storage [19].




Fig. 2 Changes of pH and total acid during storage

In general, when the pH value decreases, the total acid will increase, or vice versa, although that relationship is not always the case. Total acid consists of undissociated and dissociated acids, while pH only consists of dissociated acid components in the form of H^+ ion [23]. The acid component produced in corn yoghurt is dominated by an undissociated acid so that the pH and total acid tend to be directly proportional to the decreasing pH yoghurt during storage. In this research, the yoghurt corn's initial pH was 4.4 and increased to 4.6-4.8 at the end of storage (Figure 2). During storage, there is a decrease in pH due to the increasing amount of lactic acid formed. According to Shori and Baba [26], an

increase in lactic acid population cause the acidity of the product raised, and the pH decreased.

The basis of milk fermentation or yoghurt making is fermenting the components of the sugars present in milk, mainly, lactose to lactic acid and other acids. The lactic acid produced during fermentation can enhance flavour and acidity, or reduce pH. The lower the pH, or the degree of acidity of milk after fermentation, will cause fewer microbes that can survive and inhibit the process of pathogenic microbial growth and milk-damaging microbes, so the shelf-life of milk may become longer. Low storage temperatures could lead to an inhibition of lactase enzyme activity or lactic acid that has been formed to the maximum [20]. Thus, there is no increase in total titrated acids and decreased pH, resulting in bacterial growth inhibition. The standard of total acid of yoghurt based on Indonesian standard number SNI 2981:2009 is 0.5%-2.0%. Therefore, the value of yoghurt's titratable acidity for 21 days at various temperatures still fulfil that standard, which is between 0.87%-0.96%. According to Allgeyer et al. [27], the yoghurt titrated acids concentration reach 0.9%-1.2% when a pH of 4.4 is achieved. Few commercial yoghurts qualify for the Mexican Ministry Health, total titrated acids between 0.85% to 1.8%.

The corn yoghurt's initial protein level was 2.18% and slightly decreased to 2%-2.05% after three weeks of storage (Figure 1). According to Widyastuti and Febrisiantosa [25], during the making of yoghurt, *Streptococcus thermophilus* plays a significant role in early fermentation by utilizing free amino acids formed due to heating processes in yoghurt production, or due to protein degradation by the *Lactobacillus bulgaricus* to a pH of 5.5, and this results in a decrease in protein levels.

During storage, the viscosity of corn yoghurt was rise (Figure 3). According to Muniandy et al. [6], the rearrangement of protein molecules causes yoghurt's viscosity to increase during storage. Viscosity values are closely related to proteins and the formation of lactic acid. Generally, yoghurt shapes like porridge, not too thin and not too dense, but relatively thick. This is because lactic acid bacteria produce lactic acid, which can agglomerate protein in milk, mung bean, and corn. Lactic acid results in the transformation of colloidal casein/phosphate complexes into a soluble calcium/phosphate fraction so that the casein destabilizes. The casein's solubility is lost at a pH near 4.6 so that the casein will undergo hydrophobic interactions. This increases yoghurt's consistency, which will also change the water holding capacity, viscosity, and syneresis.

During storage, the soluble solids tend to decrease (Figure 3). According to Gänzle [28], during storage, the hydrolyzed substrate is reduced, and the hydrolysis process decreases, and ultimately, leads to the decrease in the soluble solids. The longer the fermentation process, the soluble solids in the yoghurt tend to decrease due to the reduced dissolved sugar in the product. Reduced sugar is caused by bacteria that use sugar as a carbon source for metabolism.




Fig. 3. Changes in viscosity and soluble solids during storage

B. Determination of Reaction Order and Energy of Activation

The reaction order of each parameter is determined based on the highest correlation coefficient. Table 3 shows the correlation coefficient calculation of each parameter. The lactic acid bacteria of corn yoghurt increases following the reaction of zero-order that occurs continuously. The linear regression equation of the plot of $\ln k$ and $1/T$ on the change in the number of lactic acid bacteria in corn yoghurt is $y = 2963,1x - 12,836$ with $R^2 = 0.895$.

All variables indicated that the change during storage followed a zero-order reaction because the correlation coefficient is greater than the first-order correlation coefficient (Table 3). This result shows that the reaction of each parameter change happens continuously. Based on that, each parameter's activation energy calculation was done according to a zero-order reaction equation.

TABLE III
REGRESSION EQUATIONS AND CORRELATION COEFFICIENTS OF EACH VARIABLE ON THE ORDER OF ZERO AND FIRST ORDER

Parameter	Zero-Order		One Order		Activation Energy (KJ/mol)
	Linear Regression	Correlation	Linear Regression	Correlation	
Lactic acid bacteria	$y = 2963,1x - 12,8$	0,895	$y = 3040,5x - 15,0$	0,883	-24.64
Dissolved solids	$y = 853,6x - 6,2$	0,015	$y = 863,2x - 9,3$	0,013	-7.1
pH	$y = -11679,4x + 20,3$	0,998	$y = -12006,1x + 33,5$	0,997	97.1
Total acid	$y = -636,7x - 2,5$	0,758	$y = -463,4x - 2,9$	0,668	5.29
Viscosity	$y = 1524,7x - 5,2$	0,742	$y = 1407,8x - 9,9$	0,731	-12.68
Protein	$y = -1534,5x + 0,2$	0,256	$y = -1492,7x - 0,7$	0,230	12.76

C. Determination of Critical Point and Shelf-life

Determination of the critical point was done based on the lowest positive activation energy value. Activation energy is the energy required to initiate the alteration in each of the parameters. For example, the activation energy of pH is 97.1 kJ/mol, meaning that the pH change needs up to 97.1 kJ of energy. The activation energy at pH changes occurs due to the growth of microorganisms that produce compounds that can increase the pH. Table 3 shows the activation energy of each variable.

Based on Table 3, the total acid is set as the critical point in determining the yoghurt shelf-life as it has the lowest positive value activation energy. This point corresponds to [29], who stated that the most rapid critical factor of damage for symbiotic yoghurt is the total of acids and coliform. Moreover, [30] showed that in beverage products containing milk, the critical parameter is pH. Therefore, in this study, the selection of critical parameters refers to total titrated acids that have the smallest activation energy.

The calculation results showed that corn yoghurt's shelf-life packaged in polyethylene terephthalate PET bottles at a 5°C to 20°C range from 38 to 41 days. A suitable storage temperature for yoghurt is usually refrigeration of 5°C, which has a shelf life of 41 days. This result is better than Saccaro et al [23] that states yoghurt stored at 4°C still has good properties for up to 21 days. Yoghurt will be condensed and stable in the refrigerator for a week or more. Meanwhile, Supavitpatana et al [31] states that yoghurt from corn and cow's milk stored at 5°C has a shelf life of 14 days.

Corn yoghurt packed in a PET bottle has a short shelf-life compared to corn yoghurt stored in glass bottle packaging, which has a shelf-life of 2.9 to 4.4 months [5]. This difference in shelf-life is due to differences in packaging properties. Polyethylene terephthalate has a density of 1.4 g/m³, whereas glass density is 2.49 g/m³. Low-density packaging indicates a more open structure, meaning more easily penetrable by fluids, such as water, oxygen, or CO₂. In contrast, high-density packaging has closed structures or a more dense polymer chain arrangement, so their permeability to water and gas is lower [32].

This result means that the corn yoghurt packed with polyethylene terephthalate has a better shelf life than existing yoghurt. However, glass packaging can maintain the shelf life of corn yoghurt longer than polyethylene terephthalate packaging.

IV. CONCLUSION

Changes in corn yoghurt quality during storage at 35°C decreased the lactic acid bacteria, protein content and dissolved solids. Viscosity, pH, and total acid increase during storage. The yoghurt packed in polyethylene terephthalate bottles and stored at 5°C, 10°C, 15°C, and 20°C have a shelf-life of 41, 40, 39, and 38 days, respectively.

ACKNOWLEDGEMENT

We would like to *Direktorat Penelitian dan pengabdian Kepada Masyarakat* (DRPM) which have funded this research through the National Strategic Research 2017 with contract number 2045 / UN23.14 / PN / 2017.

REFERENCES

- [1] D. Granato, D. S. Nunes, and F. J. Barba, "An integrated strategy between food chemistry, biology, nutrition, pharmacology, and statistics in the development of functional foods: A proposal," *Trends in Food Science and Technology*, vol. 62, 2017, doi: 10.1016/j.tifs.2016.12.010.
- [2] N. Aini, V. Prihananto, G. Wijonarko, A. Arimah, and M. Syaifudin, "Effect of Culture Concentration and Sweet Potato Prebiotic to the Properties of Sweet Corn Juice Probiotic," *Agritech*, vol. 37, no. 2, pp. 165–172, 2017, doi: 10.22146/agritech.25892.
- [3] N. Aini, V. Prihananto, B. Sustriawan, Y. Astuti, and M. R. Maulina, "Quality evaluation of polypropylene packaged corn yogurt during storage," 2018, doi: 10.1088/1755-1315/102/1/012049.
- [4] A. Saint-Eve, C. Lévy, M. Le Moigne, V. Ducruet, and I. Souchon, "Quality changes in yogurt during storage in different packaging materials," *Food Chem.*, vol. 110, no. 2, pp. 285–293, 2008, doi: 10.1016/j.foodchem.2008.01.070.
- [5] N. Aini, V. Prihananto, G. Wijonarko, Y. Astuti, M. R. Maulina, and M. Muthmainah, "Quality Deterioration and Shelf Life Estimation of Corn Yogurt was Packaged by Glass Bottle," *Adv. Sci. Lett.*, vol. 23, no. 6, pp. 5796–5798, 2017, doi: 10.1166/asl.2017.8835.
- [6] P. Muniandy, A. B. Shori, and A. S. Baba, "Influence of green, white and black tea addition on the antioxidant activity of probiotic yogurt during refrigerated storage," *Food Packag. Shelf Life*, vol. 8, 2016, doi: 10.1016/j.fpsl.2016.02.002.
- [7] U. Aydemir Sezer, V. Sanko, Z. N. Yuksekdog, D. Uzundağ, and S. Sezer, "Use of oxidized regenerated cellulose as bactericidal filler for food packaging applications," *Cellulose*, vol. 23, no. 5, pp. 3209–3219, Oct. 2016, doi: 10.1007/s10570-016-1000-4.
- [8] M. J. Martín and R. Ramírez, "Active packaging using an olive leaf extract and high pressure processing for the preservation of sliced dry-cured shoulders from Iberian pigs," *Innov. Food Sci. Emerg. Technol.*, vol. 45, no. September 2017, pp. 1–9, 2018, doi: 10.1016/j.ifset.2017.09.017.
- [9] R. C. Martins, V. V. Lopes, A. A. Vicente, and J. A. Teixeira, "Computational Shelf-Life Dating: Complex Systems Approaches to Food Quality and Safety," *Food Bioprocess Technol.*, vol. 1, no. 3, pp. 207–222, Sep. 2008, doi: 10.1007/s11947-008-0071-0.
- [10] H. Haryati, T. Estiasih, F. Heppy, and K. Ahmadi, "Shelf life prediction of sterilized Mojokerto's fermented black glutinous rice using Accelerated Shelf Life Testing (ASLT) Method by Arrhenius equation approach," *J. Pangan dan Agroindustri*, vol. 3, no. 1, pp. 156–165, 2015.
- [11] D. . Johnson, S. Duncan, L. . Bianchi, and H. . Chang, "Packaging modifications for protecting flavor of extended-shelf-life milk from light," *J. Dairy Sci.*, vol. 98, pp. 1–10, 2015, doi: http://dx.doi.org/10.3168/jds.2014-8857.
- [12] K. Jampaphaeng, L. Cocolin, and S. Maneerat, "Selection and evaluation of functional characteristics of autochthonous lactic acid bacteria isolated from traditional fermented stinky bean (Sataw-Dong)," *Ann. Microbiol.*, vol. 67, no. 1, pp. 25–36, Jan. 2017, doi: 10.1007/s13213-016-1233-3.
- [13] T. P. Labuza and B. Fu, "Growth kinetics for shelf-life prediction: Theory and practice," *J. Ind. Microbiol.*, vol. 12, no. 3–5, pp. 309–323, Sep. 1993, doi: 10.1007/BF01584208.
- [14] E. Mani-López, E. Palou, and A. López-Malo, "Probiotic viability and storage stability of yogurts and fermented milks prepared with several mixtures of lactic acid bacteria," *J. Dairy Sci.*, vol. 97, no. 5, pp. 2578–2590, May 2014, doi: 10.3168/jds.2013-7551.
- [15] B. N. P. Sah, T. Vasiljevic, S. McKechnie, and O. N. Donkor, "Effect of refrigerated storage on probiotic viability and the production and stability of antimutagenic and antioxidant peptides in yogurt supplemented with pineapple peel," *J. Dairy Sci.*, vol. 98, no. 9, 2015, doi: 10.3168/jds.2015-9450.
- [16] M. P. Costa, B. S. Frasco, A. C. O. Silva, M. Q. Freitas, R. M. Franco, and C. A. Conte, "Cupuassu (*Theobroma grandiflorum*) pulp, probiotic, and prebiotic: Influence on color, apparent viscosity, and texture of goat milk yogurts," *J. Dairy Sci.*, vol. 98, no. 9, 2015, doi: 10.3168/jds.2015-9738.
- [17] A. C. Pelaez Vital et al., "Microbiological, functional and rheological properties of low fat yogurt supplemented with *Pleurotus ostreatus* aqueous extract," *LWT - Food Sci. Technol.*, vol. 64, no. 2, pp. 1028–1035, 2015, doi: 10.1016/j.lwt.2015.07.003.
- [18] H. Cheng, "Volatile Flavor Compounds in Yogurt: A Review," *Crit. Rev. Food Sci. Nutr.*, vol. 50, no. 10, pp. 938–950, Nov. 2010, doi: 10.1080/10408390903044081.

- [19] M. Azizkhani and M. Parsaeimehr, "Probiotics survival , antioxidant activity and sensory properties of yogurt flavored with herbal essential oils," *Int. Food Res. J.*, vol. 25, no. 3, pp. 921–927, 2018.
- [20] O. Donkor, S. Nilmini, P. Stolic, and T. Vasiljevic, "Survival and activity of selected probiotic organisms in set-type yoghurt during cold storage," *Int. Dairy J.*, vol. 17, pp. 657–665, 2007, doi: 10.1016/j.idairyj.2006.08.006.
- [21] E. Salvucci, J. G. LeBlanc, and G. Pérez, "Technological properties of Lactic acid bacteria isolated from raw cereal material," *LWT - Food Sci. Technol.*, vol. 70, pp. 185–191, 2016, doi: 10.1016/j.lwt.2016.02.043.
- [22] B. N. P. Sah, T. Vasiljevic, S. McKechnie, and O. N. Donkor, "Antibacterial and antiproliferative peptides in synbiotic yogurt-Release and stability during refrigerated storage.," *J. Dairy Sci.*, vol. 99, no. 6, pp. 4233–4242, Jun. 2016, doi: 10.3168/jds.2015-10499.
- [23] D. A. . Saccaro, A. Y. Tamime, S. Pilleggi, Ana Lu Cia O.P, and M. N. Oliveira, "The viability of three probiotic organisms grown with yoghurt starter cultures during storage for 21 days at 4 C,," *Int. J. Dairy Technol.*, vol. 62, no. 3, pp. 397–404, 2009, doi: 0.1111/j.1471-0307.2009.00497.x.
- [24] W. Gustaw, M. Kordowska-Wiater, and J. Kozio, "The influence of selected prebiotics on the growth of lactic acid bacteria for bio-yoghurt production," *Acta Sci. Polym. Technol.*, vol. 10, no. 4, pp. 455–466, 2011.
- [25] Y. Widyastuti and A. Febrisiantosa, "The Role of Lactic Acid Bacteria in Milk Fermentation," *Food Nutr. Sci.*, vol. 5, pp. 435–442, 2014, doi: Published Online F <http://dx.doi.org/10.4236/fns.2014.54051>.
- [26] A. B. Shori and A. S. Baba, "Viability of lactic acid bacteria and sensory evaluation in Cinnamomum verum and Allium sativum-bio-yogurts made from camel and cow milk," *J. Assoc. Arab Univ. Basic Appl. Sci.*, vol. 11, no. 1, pp. 50–55, 2012, doi: 10.1016/j.jaubas.2011.11.001.
- [27] L. Allgeyer, M. Miller, and S. Lee, "Sensory and microbiological quality of yogurt drinks with prebiotics and probiotics," *J. Dairy Sci.*, vol. 93, pp. 4471–4479, 2010, doi: 10.3168/jds.2009-2582.
- [28] M. G. Gänzle, "Lactic metabolism revisited: metabolism of lactic acid bacteria in food fermentations and food spoilage," *Curr. Opin. Food Sci.*, vol. 2, pp. 106–117, Apr. 2015, doi: 10.1016/j.cofs.2015.03.001.
- [29] D. Granato, G. F. Branco, A. G. Cruz, J. de A. F. Faria, and N. P. Shah, "Probiotic Dairy Products as Functional Foods," *Compr. Rev. Food Sci. Food Saf.*, vol. 9, no. 5, pp. 455–470, Aug. 2010, doi: 10.1111/j.1541-4337.2010.00120.x.
- [30] E. Mahdian and M. M. Tehrani, "Evaluation the Effect of Milk Total Solids on the Relationship Between Growth and Activity of Starter Cultures and Quality of Concentrated Yoghurt," *Am. J. Agric. Environmentall Sci.*, vol. 2, no. 5, pp. 587–592, 2007.
- [31] P. Supavititpatana, T. I. Wirjantoro, and P. Raviyan, "Characteristics and Shelf-Life of Corn Milk Yogurt," *C. J. Nat. Sci.*, vol. 9, no. 1, pp. 133–149, 2010.
- [32] F. Li, P. Biagioni, M. Bollani, A. Maccagnan, and L. Piergiovanni, "Multi-functional coating of cellulose nanocrystals for flexible packaging applications," *Cellulose*, vol. 20, no. 5, pp. 2491–2504, Oct. 2013, doi: 10.1007/s10570-013-0015-3.

**Support - Scopus journal**

Fast Publication | Q1 Q2 Q3 Q4

One of the easiest ways to ensuring that your paper is published quickly by well-recognized

ijrdo.org

OPEN

International Journal on Advanced Science, Engineering and Information Technology

COUNTRY[Indonesia](#)Universities and research
institutions in Indonesia**SUBJECT AREA AND
CATEGORY**[Agricultural and
Biological Sciences
Agricultural and
Biological
Sciences
\(miscellaneous\)](#)[Computer Science
Computer
Science
\(miscellaneous\)](#)[Engineering
Engineering
\(miscellaneous\)](#)**PUBLISHER****H-INDEX****22****PUBLICATION TYPE**

Journals

ISSN

20885334, 24606952

COVERAGE

2015-2020

INFORMATION[Homepage](#)[How to publish in this
journal](#)[ijaseit@insightsociety.
org](mailto:ijaseit@insightsociety.org)

Open

SCOPE

International Journal on Advanced Science, Engineering and Information Technology (IJASEIT) is an international peer-reviewed journal dedicated to interchange for the results of high quality research in all aspect of science, engineering and information technology. The journal publishes state-of-art papers in fundamental theory, experiments and simulation, as well as applications, with a systematic proposed method, sufficient review on previous works, expanded discussion and concise conclusion. As our commitment to the advancement of science and technology, the IJASEIT follows the open access policy that allows the published articles freely available online without any subscription. The journal scopes include (but not limited to) the followings: -Science: Bioscience & Biotechnology. Chemistry & Food Technology, Environmental, Health Science, Mathematics & Statistics, Applied Physics -Engineering: Architecture, Chemical & Process, Civil & structural, Electrical, Electronic & Systems, Geological & Mining Engineering, Mechanical & Materials -Information Science & Technology: Artificial Intelligence, Computer Science, E-Learning & Multimedia, Information System, Internet & Mobile Computing

 Join the conversation about this journal

Wireless Power Transfer

Maximize the Impact, Reach & Visibility of Your Next Pa
Power Transfer.

Hindawi

 Quartiles



**Infrastruktur Digital
Terintegrasi di Indonesia.**

Dedicated Intern
60 Mbps 6,0

Wireless Power Transfer

Maximize the Impact, Reach & Visibility of Your Next Pa
Power Transfer.

Hindawi


FIND SIMILAR JOURNALS ?

1 International Journal of Advanced Computer Science GBR	2 Journal of Theoretical and Applied Information PAK	3 Journal of Engineering and Applied Sciences PAK	4 Pertanika J and Technol MYS
30%	28%	27%	2
similarity	similarity	similarity	s

Wireless Power Transfer

Maximize the Impact, Reach & Visibility of Your Next Pa
Power Transfer.

Hindawi



Infrastruktur Digital
Terintegrasi di Indonesia.


Dedicated Intern
60 Mbps 6,0



SCImago Graphica

Explore, visually communicate and make sense of data with our **new free tool**.

Get it



Wireless Power Transfer

Maximize the Impact, Reach & Visibility of Your Next Power Transfer.

Hindawi

Metrics based on Scopus® data as of April 2021



**Infrastruktur Digital
Terintegrasi di Indonesia.**

**Dedicated Internet
60 Mbps 6,0**

International Journal on Advanced Science, Engineering and Information Technology

HOME ABOUT USER HOME SEARCH CURRENT ARCHIVES
ANNOUNCEMENTS

Home > User > Author > Submissions > #7720 > **Editing**

#7720 Editing

SUMMARY REVIEW **EDITING**

Submission

Authors Nur Aini, Budi Sustrawan, - Muthmainah, Melda Ruth Maulina, Vincentius Prihananto, Gunawan Wijonarko 

Title Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethene Terephthalate Using the Accelerated Shelf-Life Method

Section Articles

Editor Rahmat Hidayat 

Copyediting

REVIEW METADATA	REQUEST	UNDERWAY	COMPLETE
1. Initial Copyedit File: None	—	—	—
2. Author Copyedit File: None Choose File No file chosen Upload	—	—	
3. Final Copyedit File: None	—	—	—

Copyedit Comments  No Comments [COPYEDIT INSTRUCTIONS](#)

Layout

Galley Format	FILE
1. PDF VIEW PROOF	7720-31862-1-PB.PDF 2021-02-26 0
Supplementary Files	FILE
	None

Layout Comments  No Comments

Proofreading

REVIEW METADATA	REQUEST	UNDERWAY	COMPLETE
1. Author	—	—	
2. Proofreader	—	—	—
3. Layout Editor	—	—	—

Proofreading Corrections  No Comments [PROOFING INSTRUCTIONS](#)

International Journal on Advanced Science, Engineering and Information Technology

HOME ABOUT USER HOME SEARCH CURRENT ARCHIVES
ANNOUNCEMENTS

Home > User > Author > Submissions > #7720 > **Review**

#7720 Review

SUMMARY **REVIEW** EDITING

Submission

Authors Nur Aini, Budi Sustriawan, - Muthmainah, Melda Ruth Maulina, Vincentius Prihananto, Gunawan Wijonarko 

Title Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethene Terephthalate Using the Accelerated Shelf-Life Method

Section Articles

Editor Rahmat Hidayat 

PeerReview

Round 1

Review Version [7720-16159-1-RV.DOC](#) 2018-12-28
Initiated 2019-05-12
Last modified 2020-05-23
Uploaded file Reviewer A [7720-25266-1-RV.DOC](#) 2020-05-23
Reviewer A [7720-25266-2-RV.PDF](#) 2020-05-23
Editor Version None
Author Version [7720-25856-1-ED.DOC](#) 2020-06-16
[7720-25856-2-ED.DOC](#) 2020-06-16
[7720-25856-3-ED.DOCX](#) 2020-06-16

Round 2

Review Version [7720-16159-2-RV.DOCX](#) 2020-06-18
Initiated 2020-06-18
Last modified 2020-10-11
Uploaded file None
Editor Version None
Author Version [7720-25856-4-ED.DOC](#) 2020-10-18

Round 3

Review Version [7720-16159-3-RV.DOC](#) 2020-10-19
Initiated 2020-10-19
Last modified 2020-11-10
Uploaded file Reviewer A [7720-29371-1-RV.DOC](#) 2020-11-10

Editor Decision

Decision Accept Submission 2020-11-11
Notify Editor  Editor/Author Email Record  2020-10-13
Editor Version None

Author Version
Upload Author
Version

None

Choose File

No file chosen

Upload

Published by INSIGHT - Indonesian Society for Knowledge and Human Development

International Journal on Advanced Science, Engineering and Information Technology

HOME ABOUT USER HOME SEARCH CURRENT ARCHIVES
ANNOUNCEMENTS

Home > User > Author > Submissions > #7720 > **Summary**

#7720 Summary

SUMMARY REVIEW EDITING

Submission

Authors	Nur Aini, Budi Sustriawan, - Muthmainah, Melda Ruth Maulina, Vincentius Prihananto, Gunawan Wijonarko
Title	Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethene Terephthalate Using the Accelerated Shelf-Life Method
Original file	7720-16157-1-SM.DOC 2018-12-28
Supp. files	None
Submitter	Dr Nur Aini 
Date submitted	December 28, 2018 - 01:42 PM
Section	Articles
Editor	Rahmat Hidayat 
Author comments	

Dear Prof Sri Atmaja Putra,

Chief editor International Journal of Advanced Science, Engineering and Information Technology

I sent an article titled Estimation of the Shelf-Life of Corn Yogurt Packaged in Polyethylene Terephthalate using the Accelerated Shelf-Life Method for publication in the International Journal of Advanced Science, Engineering and Information Technology

SUGGESTED REVIEWERS

1. Prof. Dr. Purwiyatno Hariyadi, Department of Food Science and Technology, Bogor Agriculture University, Indonesia, e-mail: phariyadi@ipb.ac.id. Specialization in Thermal food processing
2. Associate Prof. Dr. Anuchita Moongngam, Food Science and Nutrition, Mahasarakam University, Thailand, email: anuchitac@yahoo.co.th Specialization in Food product development
3. Prof. Dr. Indarto, Department of Agriculture Engineering, Jember University, Indonesia, email: indarto.ftp@unej.ac.id. Specialization in Food product engineering
4. Tatyana Balabanova, Department Technology of milk and dairy products, University of Food Technology, Bulgaria, email: tbg_georgieva@yahoo.com. Specialization ini in Processing of milk and dairy product.
5. Ni'matullah Al Baarri, Ph.D, Department of Food Science and Technology, Diponegoro University, email: albari@undip.ac.id.

I really hope this article can be published in the International Journal on Advanced Science, Engineering and Information Technology

Thank you for the support

Sincerely,

Nur Aini

Status

Status	Published Vol 11, No 1 (2021)
Initiated	2021-02-22
Last modified	2021-02-28

Submission Metadata

Authors

Name	Nur Aini 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	Department of Food Science and Technology
Principal contact for editorial correspondence.	
Name	Budi Sustriawan 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	—
Name	- Muthmainah 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	—
Name	Melda Ruth Maulina 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	—
Name	Vincentius Prihananto 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	—
Name	Gunawan Wijonarko 
Affiliation	Department of Food Science and Technology, Jenderal Soedirman University, Purwokerto, 53123, Indonesia
Country	Indonesia
Bio Statement	—

Title and Abstract

Title	Estimation of the Shelf-Life of Corn Yoghurt Packaged in Polyethene Terephthalate Using the Accelerated Shelf-Life Method
-------	---

Abstract	Corn yoghurt is a new product that is being developed, so it needs to determine its shelf life based on its packaging. Packaging that can be used for yoghurt is a bottle of polyethene terephthalate. The purpose of this study was to identify the kinetics of quality decrease of corn yoghurt packed in polyethene terephthalate bottles and estimate its shelf-life. The stages of establishing shelf-life included determining the quality change rate during storage, selecting reaction order, calculating activation energy, determining critical points, and calculating shelf-life. Corn yoghurt was packed in a polyethene terephthalate bottle, then stored at 25°C, 30°C, and 35°C. The analysis was done every seven days, from day-0 to day-21. Parameters analyzed were lactic acid bacteria content, pH, total acid, total dissolved solids, protein, and viscosity. The results showed that corn yoghurt is still acceptable by more than 50% panelists in 21 days of storage at a temperature of 35°C. Lactic acid bacteria, total dissolved solids, and protein content decreased during storage, while the pH, total acid, and viscosity increased. Corn yoghurt packed in polyethene terephthalate and stored at 5°C, 10°C, 15°C, and 20°C have 41, 40, 39, and 38 days of shelf-life, respectively. The implication is that yoghurt-corn packed with polyethene terephthalate has a better shelf life than existing yoghurt to be applied further.
----------	---

Indexing

Keywords Accelerated shelf-life test (ASLT); arrhenius; corn yoghurt; polyethylene terephthalate; shelf-life.

Language en

Supporting Agencies

Agencies Ministry of Research, Technology, and High Education of Indonesia

References

- References
- D. Granato, D. S. Nunes, and F. J. Barba, "An integrated strategy between food chemistry, biology, nutrition, pharmacology, and statistics in the development of functional foods: A proposal," *Trends in Food Science and Technology*, vol. 62, 2017, doi: 10.1016/j.tifs.2016.12.010.
- N. Aini, V. Prihananto, G. Wijonarko, A. Arimah, and M. Syaifudin, "Effect of Culture Concentration and Sweet Potato Prebiotic to the Properties of Sweet Corn Juice Probiotic," *AgriTech*, vol. 37, no. 2, pp. 165–172, 2017, doi: 10.22146/agritech.25892.
- N. Aini, V. Prihananto, B. Sustriawan, Y. Astuti, and M. R. Maulina, "Quality evaluation of polypropylene packaged corn yogurt during storage," 2018, doi: 10.1088/1755-1315/102/1/012049.
- A. Saint-Eve, C. Lévy, M. Le Moigne, V. Ducruet, and I. Souchon, "Quality changes in yogurt during storage in different packaging materials," *Food Chem.*, vol. 110, no. 2, pp. 285–293, 2008, doi: 10.1016/j.foodchem.2008.01.070.
- N. Aini, V. Prihananto, G. Wijonarko, Y. Astuti, M. R. Maulina, and M. Muthmainah, "Quality Deterioration and Shelf Life Estimation of Corn Yogurt was Packaged by Glass Bottle," *Adv. Sci. Lett.*, vol. 23, no. 6, pp. 5796–5798, 2017, doi: 10.1166/asl.2017.8835.
- P. Muniandy, A. B. Shori, and A. S. Baba, "Influence of green, white and black tea addition on the antioxidant activity of probiotic yogurt during refrigerated storage," *Food Packag. Shelf Life*, vol. 8, 2016, doi: 10.1016/j.fpsl.2016.02.002.
- U. Aydemir Sezer, V. Sanko, Z. N. Yuksekdog, D. Uzundağ, and S. Sezer, "Use of oxidized regenerated cellulose as bactericidal filler for food packaging applications," *Cellulose*, vol. 23, no. 5, pp. 3209–3219, Oct. 2016, doi: 10.1007/s10570-016-1000-4.
- M. J. Martín and R. Ramírez, "Active packaging using an olive leaf extract and high pressure processing for the preservation of sliced dry-cured shoulders from Iberian pigs," *Innov. Food Sci. Emerg. Technol.*, vol. 45, no. September 2017, pp. 1–9, 2018, doi: 10.1016/j.ifset.2017.09.017.
- R. C. Martins, V. V. Lopes, A. A. Vicente, and J. A. Teixeira, "Computational Shelf-Life Dating: Complex Systems Approaches to Food Quality and Safety," *Food Bioprocess Technol.*, vol. 1, no. 3, pp. 207–222, Sep. 2008, doi: 10.1007/s11947-008-0071-0.
- H. Haryati, T. Estiasih, F. Heppy, and K. Ahmadi, "Shelf life prediction of sterilized Mojokerto's fermented black glutinous rice using Accelerated Shelf Life Testing (ASLT) Method by Arrhenius equation approach," *J. Pangan dan Agroindustri*, vol. 3, no. 1, pp. 156–165, 2015.
- D. . Johnson, S. Duncan, L. . Bianchi, and H. . Chang, "Packaging modifications for protecting flavor of extended-shelf-life milk from light," *J. Dairy Sci.*, vol. 98, pp. 1–10, 2015, doi: <http://dx.doi.org/10.3168/jds.2014-8857>.
- K. Jampaphaeng, L. Cocolin, and S. Maneerat, "Selection and evaluation of functional characteristics of autochthonous lactic acid bacteria isolated from traditional fermented stinky bean (Sataw-Dong)," *Ann. Microbiol.*, vol. 67, no. 1, pp. 25–36, Jan. 2017, doi: 10.1007/s13213-016-1233-3.
- T. P. Labuza and B. Fu, "Growth kinetics for shelf-life prediction: Theory and practice," *J. Ind. Microbiol.*, vol. 12, no. 3–5, pp. 309–323, Sep. 1993, doi: 10.1007/BF01584208.
- E. Mani-López, E. Palou, and A. López-Malo, "Probiotic viability and storage stability of yogurts and fermented milks prepared with several mixtures of lactic acid bacteria," *J. Dairy Sci.*, vol. 97, no. 5, pp. 2578–2590, May 2014, doi: 10.3168/jds.2013-7551.
- B. N. P. Sah, T. Vasiljevic, S. McKechnie, and O. N. Donkor, "Effect of refrigerated storage on probiotic viability and the production and stability of antimutagenic and antioxidant peptides in yogurt supplemented with pineapple peel," *J. Dairy*

Sci., vol. 98, no. 9, 2015, doi: 10.3168/jds.2015-9450.

M. P. Costa, B. S. Frasco, A. C. O. Silva, M. Q. Freitas, R. M. Franco, and C. A. Conte, "Cupuassu (*Theobroma grandiflorum*) pulp, probiotic, and prebiotic: Influence on color, apparent viscosity, and texture of goat milk yogurts," *J. Dairy Sci.*, vol. 98, no. 9, 2015, doi: 10.3168/jds.2015-9738.

A. C. Péláez Vital et al., "Microbiological, functional and rheological properties of low fat yogurt supplemented with *Pleurotus ostreatus* aqueous extract," *LWT - Food Sci. Technol.*, vol. 64, no. 2, pp. 1028–1035, 2015, doi: 10.1016/j.lwt.2015.07.003.

H. Cheng, "Volatile Flavor Compounds in Yogurt: A Review," *Crit. Rev. Food Sci. Nutr.*, vol. 50, no. 10, pp. 938–950, Nov. 2010, doi: 10.1080/10408390903044081.

M. Azizkhani and M. Parsaeimehr, "Probiotics survival, antioxidant activity and sensory properties of yogurt flavored with herbal essential oils," *Int. Food Res. J.*, vol. 25, no. 3, pp. 921–927, 2018.

O. Donkor, S. Nilmini, P. Stolic, and T. Vasiljevic, "Survival and activity of selected probiotic organisms in set-type yoghurt during cold storage," *Int. Dairy J.*, vol. 17, pp. 657–665, 2007, doi: 10.1016/j.idairyj.2006.08.006.

E. Salvucci, J. G. LeBlanc, and G. Pérez, "Technological properties of Lactic acid bacteria isolated from raw cereal material," *LWT - Food Sci. Technol.*, vol. 70, pp. 185–191, 2016, doi: 10.1016/j.lwt.2016.02.043.

B. N. P. Sah, T. Vasiljevic, S. McKechnie, and O. N. Donkor, "Antibacterial and antiproliferative peptides in synbiotic yogurt-Release and stability during refrigerated storage," *J. Dairy Sci.*, vol. 99, no. 6, pp. 4233–4242, Jun. 2016, doi: 10.3168/jds.2015-10499.

D. A. Saccaro, A. Y. Tamime, S. Pilleggi, Ana Lu Cia O.P, and M. N. Oliveira, "The viability of three probiotic organisms grown with yoghurt starter cultures during storage for 21 days at 4 C," *Int. J. Dairy Technol.*, vol. 62, no. 3, pp. 397–404, 2009, doi: 10.1111/j.1471-0307.2009.00497.x.

W. Gustaw, M. Kordowska-Wiater, and J. Kozio, "The influence of selected prebiotics on the growth of lactic acid bacteria for bio-yoghurt production," *Acta Sci. Polym. Technol.*, vol. 10, no. 4, pp. 455–466, 2011.

Y. Widyastuti and A. Febrisiantosa, "The Role of Lactic Acid Bacteria in Milk Fermentation," *Food Nutr. Sci.*, vol. 5, pp. 435–442, 2014, doi: Published Online F <http://dx.doi.org/10.4236/fns.2014.54051>.

A. B. Shori and A. S. Baba, "Viability of lactic acid bacteria and sensory evaluation in *Cinnamomum verum* and *Allium sativum*-bio-yogurts made from camel and cow milk," *J. Assoc. Arab Univ. Basic Appl. Sci.*, vol. 11, no. 1, pp. 50–55, 2012, doi: 10.1016/j.jaubas.2011.11.001.

L. Allgeyer, M. Miller, and S. Lee, "Sensory and microbiological quality of yogurt drinks with prebiotics and probiotics," *J. Dairy Sci.*, vol. 93, pp. 4471–4479, 2010, doi: 10.3168/jds.2009-2582.

M. G. Gänzle, "Lactic metabolism revisited: metabolism of lactic acid bacteria in food fermentations and food spoilage," *Curr. Opin. Food Sci.*, vol. 2, pp. 106–117, Apr. 2015, doi: 10.1016/j.cofs.2015.03.001.

D. Granato, G. F. Branco, A. G. Cruz, J. de A. F. Faria, and N. P. Shah, "Probiotic Dairy Products as Functional Foods," *Compr. Rev. Food Sci. Food Saf.*, vol. 9, no. 5, pp. 455–470, Aug. 2010, doi: 10.1111/j.1541-4337.2010.00120.x.

E. Mahdian and M. M. Tehrani, "Evaluation the Effect of Milk Total Solids on the Relationship Between Growth and Activity of Starter Cultures and Quality of Concentrated Yoghurt," *Am. J. Agric. Environmentall Sci.*, vol. 2, no. 5, pp. 587–592, 2007.

P. Supavitpatana, T. I. Wirjantoro, and P. Raviyan, "Characteristics and Shelf-Life of Corn Milk Yogurt," *C. J. Nat. Sci.*, vol. 9, no. 1, pp. 133–149, 2010.

F. Li, P. Biagioni, M. Bollani, A. Maccagnan, and L. Piergiovanni, "Multi-functional coating of cellulose nanocrystals for flexible packaging applications," *Cellulose*, vol. 20, no. 5, pp. 2491–2504, Oct. 2013, doi: 10.1007/s10570-013-0015-3.

Tulis

Kotak Masuk

340

Berbintang

Ditunda

Meet

Rapat baru

Gabung ke rapat

Hangout



Nur



Tidak ada kontak HangoutsCari
[seseorang](#)

[IJASEIT] Revision Required - 2nd Remin



Rahmat Hidayat <rahmat@insightsociety.org>

kepada saya

Dr Nur Aini:

We have reached a decision regarding your submission to Internatic Journal on Advanced Science, Engineering and Information Technol "Estimation of the Shelf-Life of Corn Yogurt Packaged in Polyethyler Terephthalate using the Accelerated Shelf-Life Method".

Our decision is to: Revision Required

A long time submitting the revised paper requested since 2020-05-2

We waiting your revision until 16 June 2020. More than this date, pa be rejected from the system. Re-upload your revision into journal sy via email.

Editor

Reviewer A:

Dear Authors,

Thank you for submitting your valuable research findings. However, need you to improve the quality of the manuscript according to the reviewer's comments :

Please find an attached files and also reduce the plagiarism content less than 15% (attached in journal system)

We are looking forward to the revision. Good luck!

Tulis

Kotak Masuk

340

Berbintang

Ditunda

Meet

Rapat baru

Gabung ke rapat

Hangout



Nur



Tidak ada kontak HangoutsCari
[seseorang](#)

Please find an attached files and also reduce the plagiarism content less than 15% (attached in journal system)

We are looking forward to the revision. Good luck!

Kind regards

International Journal on Advanced Science, Engineering and Inform Technology
<http://insightsociety.org/ijaseit/index.php/ijaseit>



Nur Aini <nuraini.1973@gmail.com>

kepada Rahmat

Dear Dr. rahmat Hidayat

I have been working on article revisions that I upload in the journal s
Thank you for the opportunity and extension of time given.
We apologize for the delay, because I did not receive a notification c

Best regards

Dr. Nur Aini
Food Science and Technology
Jenderal Soedirman University
Purwokerto, Central Java,
Indonesia

Balas

Teruskan