

Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada *Journal of Engineering and Applied Sciences (JEAS)* dan *Walailak Journal of Science and Technology*

No.	Parameter	<i>Journal of Engineering and Applied Sciences (JEAS)</i> Vol. 11 Issue 8, 2016 pp. 1740-1746	<i>Walailak Journal of Science and Technology (WJST)</i> Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: The Impact of Congestion Pricing Scheme on the Generalized Cost and Speed of Motorcycle to the City of Yogyakarta, Indonesia	Judul: The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle
2.	Pendekatan analisis	Komponen biaya transportasi: 2 (dua) buah yaitu Biaya Operasional Kendaraan (BOK) dan Biaya Waktu Perjalanan (BWP). Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m)$	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP) . Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m) + EC (dist._{ij}^m)$ Ada tambahan satu parameter biaya transportasi yaitu Externality Cost (EC) .
3.	Data kecepatan sepeda motor	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan. Hasil analisis nilai kecepatan kendaraan: a. Kondisi kecepatan arus bebas : 45,5 km/jam b. Kondisi aktual di lapangan: 12,50 km/jam.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di lapangan dengan menggunakan alat Speed Gun . Hasil analisis nilai kecepatan kendaraan: a. Kondisi free-flow speed : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
4.	Komponen <i>generalized cost</i>	<i>Generalized cost</i> terdiri dari 2 (dua) komponen biaya yaitu: 1. Biaya operasi kendaraan (BOK) atau <i>vehicle operating cost</i> (VOC). 2. Biaya waktu perjalanan (BWP) atau <i>travel time cost</i> (TTC)	<i>Generalized cost</i> terdiri dari tiga komponen biaya yaitu: 1. Biaya operasi kendaraan (BOK) atau <i>vehicle operating cost</i> (VOC). 2. Biaya waktu perjalanan (BWP) atau <i>travel time cost</i> (TTC) 3. Biaya eksternalitas (externality cost) berupa biaya polusi (pollution cost).
5.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor	Tidak dianalisis.	Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)

No.	Parameter	<i>Journal of Engineering and Applied Sciences (JEAS)</i> Vol. 11 Issue 8, 2016 pp. 1740-1746 (Jurnal No. 6)	<i>Walailak Journal of Science and Technology (WJST)</i> Vol. 15 No. 1 January 2018 pp. 95-106
6.	Nilai waktu pengguna sepeda motor	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Desember 2009 sebesar Rp 3.367,55/jam (Sugiyanto, 2011).	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam .
7.	Biaya eksternalitas berupa biaya polusi	Tidak dianalisis.	Biaya polusi dirumuskan sebagai: $\text{Pollution cost (PC)} = \text{Marginal Health-cost (MHC)} \times \text{Consumption of fuel (CF)}$ <p>Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer.</p>
8.	Besaran biaya <i>generalized cost</i>	<i>Generalized cost</i> pada kondisi aktual sebesar Rp 1.746/trip (terdiri dari BOK sebesar Rp 738/trip dan BWP Rp 1008/trip). <i>Generalized cost</i> pada kondisi kecepatan arus bebas sebesar Rp 860/trip (terdiri dari BOK sebesar Rp 582 dan BWP Rp 278 per trip)	<i>Generalized cost</i> pada kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK sebesar Rp 669/trip , BWP Rp 1.907/trip dan BP sebesar Rp 191/trip). <i>Generalized cost</i> pada kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK sebesar Rp 499/trip , BWP Rp 485/trip dan BP sebesar Rp 114/trip).
9.	Besaran biaya kemacetan (<i>congestion cost</i>)	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Yogyakarta adalah Rp 886 per trip.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip .
10.	Jumlah lokasi ruas jalan (<i>link</i>) yang dianalisis	12 (dua belas) ruas jalan.	16 (enam belas) ruas jalan (<i>link</i>)
11.	Dampak penerapan <i>Congestion Pricing</i>	Dampak penerapan <i>congestion pricing</i> diestimasi berdasarkan perubahan kecepatan di setiap ruas jalan.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini.

12.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Kecepatan di ruas jalan Malioboro bertambah 1,76 km/jam.	<p>Efek penerapan <i>congestion pricing</i> pada 16 (enam belas) link berdasarkan hasil simulasi EMME-2:</p> <table><thead><tr><th>No.</th><th>Node Origin-Destination</th><th>Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th>Difference in vehicle speed (km/h)</th><th>Difference in vehicle speed (%)</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>Without pricing</th><th>With pricing</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr></thead><tbody><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></tbody></table> <p>Note: W is west, E is east, S is south, and N is north.</p>	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																											
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																											
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																											
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																											
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																											
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																											
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																											
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																											
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																											
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																											
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																											
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																											
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																											
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																											
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																											
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																											
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																											
13.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i> sepeda motor	Biaya transportasi di ruas jalan Malioboro turun sebesar Rp 36 per trip .	<table><thead><tr><th>No.</th><th>Name of link and direction movement</th><th>Length of link (km)</th><th colspan="2">Generalized cost (IDR/trip)</th><th>Δ Generalized cost (IDR/trip)</th><th>Δ Generalized cost (IDR/trip)</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>Without pricing</th><th>With pricing</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr></thead><tbody><tr><td>1.</td><td>Malioboro Street (N-S)</td><td>0.809</td><td>806.92</td><td>753.40</td><td>-53.51</td><td>-6.63 %</td></tr><tr><td>2.</td><td>Ahmad Yani Street (N-S)</td><td>0.605</td><td>562.00</td><td>527.66</td><td>-34.33</td><td>-6.11 %</td></tr><tr><td>3.</td><td>Jenderal Soedirman Street (W-E)</td><td>1.274</td><td>957.39</td><td>992.42</td><td>35.03</td><td>3.66 %</td></tr><tr><td>4.</td><td>Jenderal Soedirman Street (E-W)</td><td>1.274</td><td>958.86</td><td>996.40</td><td>37.54</td><td>3.92 %</td></tr><tr><td>5.</td><td>Pangeran Mangkubumi Street</td><td>0.814</td><td>689.20</td><td>662.01</td><td>-27.18</td><td>-3.94 %</td></tr><tr><td>6.</td><td>Pangeran Diponegoro Street (W-E)</td><td>0.686</td><td>517.59</td><td>498.18</td><td>-19.41</td><td>-3.75 %</td></tr><tr><td>7.</td><td>Pangeran Diponegoro Street (E-W)</td><td>0.686</td><td>517.38</td><td>502.78</td><td>-14.60</td><td>-2.82 %</td></tr><tr><td>8.</td><td>Ahmad Dahlan Street (E-W)</td><td>1.022</td><td>768.64</td><td>777.40</td><td>8.76</td><td>1.14 %</td></tr><tr><td>9.</td><td>Ahmad Dahlan Street (W-E)</td><td>1.022</td><td>765.77</td><td>772.09</td><td>6.32</td><td>0.83 %</td></tr><tr><td>10.</td><td>Bhayangkara Street</td><td>0.574</td><td>527.42</td><td>515.55</td><td>-11.87</td><td>-2.25 %</td></tr><tr><td>11.</td><td>Pangeran Senopati Street (W-E)</td><td>0.715</td><td>555.34</td><td>545.16</td><td>-10.17</td><td>-1.83 %</td></tr><tr><td>12.</td><td>Pangeran Senopati Street (E-W)</td><td>0.715</td><td>554.60</td><td>543.35</td><td>-11.25</td><td>-2.03 %</td></tr><tr><td>13.</td><td>Mataram Street (S-N)</td><td>0.564</td><td>533.83</td><td>508.98</td><td>-24.84</td><td>-4.65 %</td></tr><tr><td>14.</td><td>Mataram Street (N-S)</td><td>0.564</td><td>533.37</td><td>520.34</td><td>-13.03</td><td>-2.44 %</td></tr><tr><td>15.</td><td>Mayor Suryotomo Street (N-S)</td><td>0.750</td><td>595.86</td><td>589.36</td><td>-6.50</td><td>-1.09 %</td></tr><tr><td>16.</td><td>Mayor Suryotomo Street (S-N)</td><td>0.750</td><td>596.57</td><td>579.16</td><td>-17.40</td><td>-2.92 %</td></tr></tbody></table> <p>Note: W is west, E is east, S is south, and N is north.</p>	No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)	(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)	1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %	2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %	3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %	4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %	5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %	6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %	7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %	8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %	9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %	10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %	11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %	12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %	13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %	14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %	15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %	16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %
No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)																																																																																																																											
(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																											
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %																																																																																																																											
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %																																																																																																																											
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %																																																																																																																											
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %																																																																																																																											
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %																																																																																																																											
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %																																																																																																																											
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %																																																																																																																											
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %																																																																																																																											
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %																																																																																																																											
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %																																																																																																																											
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %																																																																																																																											
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %																																																																																																																											
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %																																																																																																																											
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %																																																																																																																											
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %																																																																																																																											
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %																																																																																																																											



Walailak Journal of Science and Technology

Country	Thailand
Subject Area and Category	Multidisciplinary Multidisciplinary
Publisher	Walailak University
Publication type	Journals
ISSN	2228835X, 16863933
Coverage	2012-ongoing

7


H Index

Quartiles


The set of journals have been ranked according to their SJR and divided into four equal groups, four quartiles. Q1 (green) comprises the quarter of the journals with the highest values, Q2 (yellow) the second highest values, Q3 (orange) the third highest values and Q4 (red) the lowest values.

Category	Year	Quartile
Multidisciplinary	2013	Q3
Multidisciplinary	2014	Q2
Multidisciplinary	2015	Q2
Multidisciplinary	2016	Q2

SJR



Citations per document



Total Cites Self-Cites







Walailak Journal of Science and Technology (WJST)

[HOME](#) [ABOUT](#) [USER HOME](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#)
[ANNOUNCEMENTS](#) [PROCESS](#) [ONLINE SUBMISSIONS](#)

Home > About the Journal > **Editorial Team**

Editorial Team

Editor in Chief

[Chitnarong Sirisathitkul](#), School of Science, Walailak University, Thasala, Nakhon Si Thammarat 80161, Thailand

Editor in Physical Sciences

[Phongpichit Channuie](#), School of Science, Walailak University, Nakhon Si Thammarat 80161, Thailand

Editor in Biological Sciences

[Pimchanok Pimton](#), School of Science, Walailak University, Nakhon Si Thammarat 80161, Thailand

Editor in Health Sciences

[Sarawoot Palipoch](#), School of Medicine, Walailak University, Nakhon Si Thammarat 80161, Thailand

Editor in Engineering

[Uthen Thubsuang](#), School of Engineering and Resources, Walailak University, Nakhon Si Thammarat 80161, Thailand

Editor in Information Technology

[Chairote Yaiprasert](#), School of Science, Walailak University, Nakhon Si Thammarat 80161, Thailand

Editor in Agricultural Technology

[Piyapong Chotipuntu](#), School of Agricultural Technology, Walailak University, Thailand

Editorial Board

[Ahmad ISMAIL](#), Department of Biology, Faculty of Science, Universiti Putra Malaysia, 43400 UPM Serdang, Selangor, Malaysia

[Ajaya Kumar Singh](#), Department of Chemistry, Govt. V. Y. T. PG. Autonomous College, Durg, India

[Bahram Hemmateenejad](#), Chemistry Department, Faculty of Science, Shiraz University, Shiraz, Iran, Islamic Republic of

[Bhaskar Choubey](#), Lecturer of Electronics Design, University of Glasgow, Rankine Building, Oakfield Avenue, Glasgow, G12 8LT, United Kingdom

[Carlo Santulli](#), Department of Electrical Engineering, Università La Sapienza, via Eudossiana 18, 00184 Roma, Italy

[Chandra Prakash Kala](#), Ecosystem & Environment Management, Indian Institute of Forest Management, Post Box No. 357, Nehru Nagar, Bhopal 462 003, Madhya Pradesh, India

[Che Abd Rahim Mohamed](#), Marine Ecosystem Research Center, Faculty Science and Technology, Universiti Kebangsaan Malaysia, Bangi, Selangor, Malaysia

[Chuanhe Tang](#), Department of Food Science and Technology, College of Light Industry and Food Sciences, South China University of Technology, Guangzhou 510640, China

[Claude E. Boyd](#), Department of Fisheries and Allied Aquacultures, Auburn University, Alabama 36849, United States

[Ehab Abdel Rahman Abu-Basha](#), Vice Dean, Pharmacology/Toxicology, Faculty of

USER

You are logged in as...

gito_98

- [My Profile](#)
- [Log Out](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse


- [By Issue](#)
- [By Author](#)
- [By Title](#)

FONT SIZE

NOTIFICATIONS

- [View](#) (13 new)
- [Manage](#)

Scimago Journal & Country Rank



Visitors

	TH 8,930		IR 550
	IN 3,986		PH 548
	US 2,019		NG 525
	ID 1,408		PK 402
	MY 1,036		CN 298

Pageviews: 132,900



Veterinary Medicine, Jordan University of Science and Technology, Irbid 22110, Jordan

Counter Installed
13 July 2017

[El Sayed H. El Ashry](#), Organic Chemistry, Chemistry Department, Faculty of Science, University of Alexandria, Egypt

[Fabio Grizzi](#), Laboratories of Molecular Gastroenterology, IRCCS Istituto Clinico Humanitas, Rozzano, Milan, Italy

[Frederick William H. Beamish](#), Department of Integrative Biology and Institute of Ichthyology University of Guelph, Guelph, Ontario, Canada

[Fridoan Jawad Ahmad](#), Molecular Cell Biology and Genetics Center, Pathology Department, King Edward Medical University, Lahore, Pakistan

[Guo-Cheng WU](#), College of Mathematics and Information Science, Neijiang Normal University, Neijiang 641100, China

[Hamid Mohammad Sedighi](#), Department of Mechanical Engineering, Faculty of Engineering, Shahid Chamran University of Ahvaz, Ahvaz, Iran, Islamic Republic of

[Hari Mohan Srivastava](#), Department of Mathematics and Statistics, University of Victoria, Victoria, British Columbia, Canada

[Haydar AKCA](#), Department of Applied Sciences and Mathematics, College of Arts and Sciences, Abu Dhabi University, Abu Dhabi, United Arab Emirates

[Jinrong Wan](#), Division of Plant Sciences, University of Missouri-Columbia, Columbia, MO 65211, United States

[Krzysztof Górski](#), Institute of Vehicle and Machine Exploitation, Radom University of Technology, Boleslaw Chrobrego 45, PL-26-600, Radom, Poland

[Kyoung-Woong KIM](#), Dean, School of Environmental Science and Engineering, Gwangju Institute of Science and Technology (GIST), 1 Oryong-dong, Buk-gu, Gwangju 500-712, Korea, Republic of

[Laith Ahmed Najam](#), Department of Physics, College of Science, Mosul University, Mosul, Iraq

[Ming Hung WONG](#), Croucher Institute for Environmental Sciences, and Department of Biology, Hong Kong Baptist University, Kowloon Tong, Hong Kong

[Mohammad Mehdi Rashidi](#), Department of Mechanical Engineering, Bu-Ali Sina University, Hamedan, Iran, Islamic Republic of

[Mohsen SAEEDI](#), School of Civil Engineering, Iran University of Science and Technology, Iran, Islamic Republic of

[Narayanan KANNAN](#), Faculty of Environmental Studies, Universiti Putra Malaysia, Serdang, Selangor Darul Ehsan 43400, Malaysia

[Praveen AGARWAL](#), Department of Mathematics, Anand International College of Engineering, Jaipur 303012, India

[Qin Xin](#), Faculty of Science and Technology, University of the Faroe Islands, Denmark

[Rattikorn YIMNIRUN](#), School of Physics, Institute Of Science, Suranaree University of Technology, 111 University Avenue, Muang District, Nakhon Ratchasima 30000, Thailand

[Roberto Montemanni](#), University of Applied Sciences of Southern Switzerland (SUPSI), Galleria 2, 6911 Manno, Switzerland

[Sharif H Zein](#), School of Engineering Faculty of Science and Engineering University of Hull Cottingham Road Hull, HU6 7RX, United Kingdom

[Sukumar Senthilkumar](#), School of Computing Science and Engineering, Vellore Institute of Technology University, Vellore, Tamilnadu, India

[Sunil KUMAR](#), Department of Mathematics, National Institute of Technology, Jamshedpur, Jharkhand 831014, India

[Tanongkiat Kiatsiriroat](#), Department of Mechanical Engineering, Faculty of Engineering, Chiang Mai University, Chiang Mai 50200, Thailand

[Vuda SREENIVASARAO](#), Department of Computer and Information Technology, Defence University College, Deberziet, Ethiopia

[Wattanapong Kurdthongmee](#), Walailak University, Thasala, Nakhon Si Thammarat 80161, Thailand

[Zhongwei Guan](#), Centre for Materials and Structures, School of Engineering, University of Liverpool, Liverpool L69 3GQ, United Kingdom

WALAILAK JOURNAL

Online ISSN: **2228-835X**

<http://wjst.wu.ac.th>

Last updated: 26 October 2017



Walailak Journal of Science and Technology (WJST)

[HOME](#) [ABOUT](#) [USER HOME](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#)
[ANNOUNCEMENTS](#) [PROCESS](#) [ONLINE SUBMISSIONS](#)

Home > Archives > **Vol 15, No 1 (2018)**

Vol 15, No 1 (2018)

Internet Technology

Issue Editor: Dr. CHAIROTE YAIPRASERT and Dr. CHITNARONG SIRISATHITKUL

Walailak Journal of Science and Technology Volume 15, Number 1, January 2018

Table of Contents

MiniReviews

[A Survey on Communication Issues in Mobile Cloud Computing](#)
Dasari Naga RAJU, Vankadara SARITHA

[PDF](#)
1-17

Original Articles

[Scheduling Dynamic Parallel Loop Workflow in Cloud Environment](#)
Sucha SMANCHAT, Kanchana VIRIYAPANT

[PDF](#)
19-27

[Applying Information Measure for Predicting Release Time of Open Source Software](#)
Talat PARVEEN, Hari Darshan ARORA

[PDF](#)
29-39

[Modeling Network Evolution by Colored Petri Nets](#)
Suwimon VONGSINGTHONG, Sirapat BOONKRONG, Herwig UNGER

[PDF](#)
41-61

[Acquiring Sentiment from Twitter using Supervised Learning and Lexicon-based Techniques](#)
Jitrlada ROJRATANAVIJIT, Preecha VICHITTHAMAROS, Sukanya PHONGSUPHAP

[PDF](#)
63-80

[Owning ICT: Student Use and Ownership of Technology](#)
Yuwanuch GULATEE, Barbara COMBES

[PDF](#)
81-94

[The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle](#)
Gito SUGIYANTO

[PDF](#)
95-106

WALAILAK JOURNAL

Online ISSN: **2228-835X**

<http://wjst.wu.ac.th>

Last updated: 26 October 2017

USER

You are logged in as...

gito_98

- [My Profile](#)
- [Log Out](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)

JOURNAL CONTENT

Search

Search Scope

All

[Search](#)

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

FONT SIZE


CURRENT ISSUE

ATOM	1.0
RSS	2.0
RSS	1.0

NOTIFICATIONS

- [View](#) (13 new)
- [Manage](#)

Scimago Journal & Country Rank





Counter Installed
13 July 2017

The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle

Gito SUGIYANTO

Department of Civil Engineering, Faculty of Engineering, Jenderal Soedirman University Purwokerto, Purbalingga, Central Java, Indonesia

(Corresponding author ✉ e-mail: gito_98@yahoo.com)

Received: 8 April 2016, Revised: 19 December 2016, Accepted: 25 January 2017

Abstract

Traffic congestion is one of the significant transport problems in many cities in developing countries. Increased economic growth and motorization have created more traffic congestion. The application of transportation demand management like congestion pricing can reduce congestion, pollution and increase road safety. The aim of this research is to estimate the congestion pricing of motorcycles and the effect of a congestion pricing scheme on the generalized cost and speed of a motorcycle. The amount of congestion pricing is the difference between actual generalized cost in traffic jams and in free-flow speed conditions. The analysis approach using 3 components of generalized costs of motorcycle: vehicle operating, travel time and externality cost (pollution cost). The approach to analyze the pollution cost is marginal-health cost and fuel consumption in traffic jams and free-flow speed conditions. The value of time based on Gross Regional Domestic Product per capita in Yogyakarta City in October 2012. The simulation to estimate the effect of congestion pricing using *Equilibre* Multimodal, Multimodal Equilibrium-2 (EMME-2) software. The results of this study show that while the free-flow speed of a motorcycle to the city of Yogyakarta is 42.42 km/h, with corresponding generalized cost of IDR1098 per trip, the actual speed in traffic jams is 10.77 km/h producing a generalized cost of IDR2767 per trip, giving a congestion pricing for a motorcycle of IDR1669 per trip. Based on the simulation by using EMME-2, the effect of congestion pricing will increase on vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h, while the largest decrease occurred in Mayor Suryotomo Street at north-south direction at 1.07 km/h. Another effect of this application for motorcycles users will decrease the generalized cost by 1.09 to 6.63 %.

Keywords: Congestion pricing, motorcycle, marginal-health cost, generalized cost, EMME-2

Introduction

Cities in developing countries need innovative and effective solutions to solve their transportation problems like the traffic congestion, accident and delays. The increase in car ownership, population growth, and urbanization has increased traffic congestion in many cities in developing countries like in Indonesia. Traffic congestion does not only occur in urban areas, but also in rural areas, especially during peak hours. Transport problems become more complex and have more effects on society in areas with high activities, such as in Yogyakarta, Indonesia. This situation happens because of the imbalance between the number of vehicles and the length of the road [1]. Solutions to these problems are possible, not only through improvement of public transport, increased pedestrians and bicycle users, but also in the implementation of measures which promote a rational use of the automobile by means Transportation Demand Management (TDM). TDM aims to maximize the efficiency of the urban transport system by discouraging unnecessary private vehicle use and environmental-friendly modes of transport, in general being public transport and non-motorized transport [2].

The costs incurred by society as a result of the effect of congestion on transportation include vehicle operating, travel time and externality costs [3]. Externality costs are the congestion [4,5], environmental, pollution, and traffic accident costs [6]. The internalization of transportation external costs is one of the most relevant issues for policy makers in recent years. Congestion and air pollution are among the most relevant sources of externalities in urban centers and they are increasingly tackled through the adoption of road pricing schemes [7]. TDM, application of pricing policy in charging zone, congestion pricing, road pricing, and traffic restraint are the alternatives to reduce the transportation cost [1,8]. TDM can provide many benefits, for example congestion reduction, road cost savings, parking savings, transportation cost savings to consumers, improved mobility options, increased road safety, reduced per capita energy consumption, reduced per capita pollutions emissions, efficient land use and increased physical activity and associated health benefits [2].

The congestion costs in France, United Kingdom, United States, and Japan are respectively 2.1, 3.2, 1.3 and 2.0 % of the respective Gross National Product (GNP) of the countries [9,10]. The congestion cost for 85 cities in the United States was US\$63.3 billion in 2002, for a value of time of US\$13.45/hour [11]. The economic loss caused by the traffic congestion in the Jabodetabek region could be as much as US\$68 million per year due to traffic congestion and this estimate excludes the impacts of traffic congestion and pollution on human health [12]. Marginal congestion costs for different types of roads in England, for the last update were around 45 pence per passenger car unit (pcu)-km for urban roads at peak time [13]. The congestion cost in CBD Malioboro, Indonesia for private passenger car users are estimated to be IDR2701 (US\$0.257) per trip [1] and for motorcycle users IDR522.77 (US\$0.05) per trip [14].

The effect of congestion pricing has been long studied in the transport policy area. In the cases of 4 European cities Paris, Brussels, Oslo and Helsinki can get a sizable amount of benefit from commuting time reduction, cost saving in vehicle management, or enhanced quality of public transportation when road pricing was introduced in each country [15]. Implementation of congestion charging for private vehicle users in urban centers in London increased the use of urban bus transport by 18 %, taxi users by 17 % and decreased the use of private cars by 33 % [16]. Application of road pricing in other countries has had a positive impact on reducing the use of private vehicle users and increased the use of public transport. In Belgium, the use of public transport increased by 10 %. If there is application of road pricing with improved public transportation service quality, the use of public transport will increase by 23 % [17]. Based on the simulation, application of a congestion charge of IDR4000 per trip for motorcycle users as through traffic in CBD Malioboro, Yogyakarta will shift 6.848 % motorcycle users to bus TransJogja [18]. Among 15 - 20 %, reductions in generalized cost are surprisingly small for charge levels, which have achieved 15 % reduction in overall trips [19]. Singapore's road pricing system reduced 20 to 30 % of the downtown passenger car traffic and Stockholm's traffic volume decreased by at least 20 % [20]. Commuters switch to public bus services by 12 to 20 % in the morning hours after a S\$1 increase and by approximately 10 % in the evening after toll adjustment of S\$0.50 to S\$1.00 in the affected gantry area compared to the counterfactual through difference-in-difference method [21]. The effect of congestion cost in Stockholm, Sweden, a new Western bypass is estimated to reduce traffic across inner city bridges by 11 % [22]. In New Zealand it was found that the 21 % of survey respondents were willing to choose to walk and to use public transportation, while 67 % insisted that they would still drive cars were congestion pricing to be introduced [23]. Almost 37 % of car users in Edinburgh were willing to spend less or change the shopping destination if they had been asked to pay a congestion tax for their shopping trip to the CBD [24].

The aim of this paper is to estimate the congestion cost of motorcycle users and the effect of the congestion pricing scheme on the generalized cost and speed of motorcycle to the city of Yogyakarta, Indonesia.

Materials and methods

Analysis approach

Generalized cost of travel can be calculated based on a combination of cost paid by the user, travel time cost, vehicle-operating cost and externality cost. Externalities arise when the activity of a group affects the welfare of the other groups without any compensation [25,26]. Externalities in transport include: congestion, accidents, emissions, pollution and noise [2,27]. In this study, the externality cost that was considered was the pollution cost. The approach that is used to analyze the pollution cost is marginal-health cost per vehicle and fuel consumption of vehicle in actual conditions and free-flow speed conditions. The generalized cost by mode m from the origin, zone i to the destination, zone j was determined using Eq. (1).


$$GC_{ij}^m = VOT(\text{time}_{ij}^m) + VOC(\text{dist.}_{ij}^m) + EC(\text{dist.}_{ij}^m) \quad (1)$$

In which GC_{ij}^m is the generalized cost per Passenger Car Units (PCU) by mode m to go from the origin, zone i (O_i) to the destination, zone j (D_j), VOT is the value of time per-PCU-min, time_{ij}^m is the time taken to complete the trip in minutes, VOC_{ij}^m the total vehicle operating cost per PCU-km, and dist._{ij}^m is the distance travelled to go from zone i to zone j , in km, EC is the externality cost per kilometer while i is the origin zone and j the destination zone.

Data collection

In this paper, the speed of motorcycles was counted in 2 conditions, the first in free-flow speed conditions and the second in actual conditions that potentially cause traffic jams. Traffic is congested if there are so many vehicles that each one travels slower than it would do if the other vehicles were not there and traffic is congested if there are so many vehicles that they are brought to a standstill or can only crawl along [28]. Related with speed is traffic flow congestion which is defined as the impedance vehicles imposed on each other, due to the speed-flow relationship, in conditions where the use of a transport system approaches its capacity [29]. Motorcycle speed data was based on travel time of vehicles and a speed survey using speed gun.

The travel time in free-flow conditions for motorcycles in CBD Malioboro, Yogyakarta is obtained based on the formula in the Indonesian Highway Capacity Manual (IHCM) 1997 [30]. The actual travel time cost conditions were obtained from a Moving Car Observer (MCO) survey in the Central Business District (CBD) Malioboro, Yogyakarta. The CBD Malioboro consists of a 2 lane one-way direction undivided road (2/1 UD) 1.414 kilometers long from Malioboro Street to Ahmad Yani Street. The width of Malioboro Street is 7.00 m. The value of time data for motorcycle users is based on Gross Regional Domestic Product (GRDP) per capita in Yogyakarta city. The fuel consumption was obtained from the relationship between speed and dependent fuel consumption rates of motorcycles reported in the Study on Integrated Transportation Master Plan (SITRAMP) for the Jakarta-Bogor-Depok-Tangerang-Bekasi or Jabodetabek in 2004 [31]. The street where data was collected in the study area in CBD Malioboro, Indonesia is shown in **Figures 1 and 2**.



Results and discussion

The generalized cost of a motorcycle from origin to destination consists of 3 components of cost: the first is the vehicle operating cost, the second is the travel time cost and the third is the pollution cost.

Vehicle operating cost

In this paper, the vehicle operating cost (VOC) of motorcycles was counted in 2 conditions, based on travel cost in free-flow conditions and travel cost in actual conditions that potentially involved traffic jams. There are 5 components of vehicle operating costs of motorcycles: (a) consumption of fuel, (b) lubricating oil consumption, (c) tire consumption, (d) maintenance cost (spare parts and repair), and (e) fixed cost. The fuel consumption was obtained from the relationship between speed and fuel consumption rates of motorcycles reported in the Study on Integrated Transportation Master Plan (SITRAMP) for the Jakarta-Bogor-Depok-Tangerang-Bekasi or Jabodetabek in 2004 [31]. Fuel economy improvement can be implemented by raising traveling speed and replacing average vehicles with fuel saving ones like hybrid cars. For instance, traveling speed was reported to have a significant effect on fuel consumption and the lowest fuel consumption rates occur in a speed range of 40 km/h to 55 km/h [31,32].

Vehicle operating cost and speed relationship

Speed is the main factor to estimate the vehicle operating cost of motorcycles. The relationship between vehicle operating cost and speed of motorcycles for CBD Malioboro, Yogyakarta is presented in [14]. The optimum speed for motorcycles in CBD Malioboro along the 1.414 km is 47.20 km/h with vehicle operating cost of IDR350.77 per km (IDR496 in CBD Malioboro). The vehicle-operating cost model for motorcycles was determined using Eq. (2).

$$y = 0.0921V^2 - 8.6847V + 555.51 \text{ with } r^2 = 0.9686 \quad (2)$$

in which V is the speed of the motorcycle (km per hour) and y is vehicle operating cost of motorcycles (IDR per km).

Based on the survey and the analysis of Indonesian Highway Capacity Manual (IHCM) 1997 the speed of motorcycles in free-flow conditions is 42.42 km/h so the vehicle operating cost is IDR352.84/km (using Eq. (2)). Based on the Moving Car Observer (MCO) survey, the average speed of motorcycles under actual conditions is 10.77 km/h, so the vehicle-operating cost is IDR472.66/km (using Eq. (2)). The vehicle operating cost of motorcycles at CBD Malioboro, Yogyakarta in free-flow speed and actual conditions was calculated by multiplying by 1.414 km, the length of CBD Malioboro, the vehicle operating cost in free-flow speed condition is IDR499 per trip and the actual conditions were IDR669 per trip.

Travel time cost

Gross Regional Domestic Product (GRDP) per capita in Yogyakarta city in October 2012 is IDR51,649,500 [33]. The approach in this research was 25 workdays every month, 8 hours/day, a motorcycle occupancy of 1.5 peoples per motorcycle and percentage of workers 45 %. The value of time of motorcycle users in Yogyakarta city based on Gross Regional Domestic Product (GRDP) is IDR14,526.42 per hour. Based on the survey and analysis of the speed of motorcycles in CBD Malioboro, the travel time in free-flow conditions is 2 min. Based on the moving car observer (MCO) survey, the average of travel time in actual conditions is 7 min 52.5 s. The travel time cost of motorcycles in CBD Malioboro, Yogyakarta was calculated by multiplying the travel time with the value of time based on GRDP is IDR14,526.42 per hour. The travel time cost (TTC) in free-flow conditions is IDR485 per trip while the actual cost is IDR1,907 per trip.

Externality Cost: Pollution Cost

The marginal health-cost (MHC) approach is used to calculate the pollution cost per motorcycle. This approach was the result of a World Bank study in Jakarta in 1990. MHC is value expressed in US cents per litre and cents/pass-kilometer [14]. In this study, we used MHC in cents per litre, then converted

into IDR per litre using an exchange rate of 1 US\$ = IDR10,500. The pollution cost for motorcycles was determined using Eq. (3).

$$\text{Pollution cost (PC)} = \text{Marginal Health-cost (MHC)} \times \text{Consumption of fuel (CF)} \quad (3)$$

In which PC is pollution cost (IDR/km), MHC is marginal health-cost of motorcycle (IDR/litre) and CF is the fuel consumption (litre/km).

The relationship between fuel consumption and the speed of the motorcycle is based on the result of the SITRAMP study by [31] and measurements in the field is formulated in the quadratic function of Eq. (4).

$$y = -0.008V^2 + 0.7991V + 9.6933 \quad \text{with } r^2 = 0.8299 \quad (4)$$

In which y is fuel consumption (km/litre) and V is speed of motorcycle (km/h). The coefficient determination (r^2) value 0.8299, indicated that there was a strong correlation between motorcycle speed and fuel consumption. Fuel consumption using Eq. (4), was 17.37 km/litre in actual conditions with a speed 10.77 km/h and 29.20 km/litre in free-flow conditions with a speed 42.42 km/h. Speed and fuel consumption are the main factors in determining pollution cost. The pollution cost of motorcycle in free-flow conditions was IDR 80 and IDR135 in actual conditions. The pollution cost of motorcycles in Malioboro along 1.414 km in actual conditions at 10.77 km/h is IDR 191 and in free-flow conditions at 42.42 km/h is IDR 114.

Generalized cost

The generalized cost of motorcycles consists of vehicle operating cost, travel time cost and externality cost. From the results above, the generalized cost of motorcycles in actual conditions is IDR2767/trip and generalized cost in free-flow conditions is IDR1098/trip. The generalized cost of motorcycles in actual conditions is more expensive (152 %) than in free-flow conditions. The value of travel time cost in actual conditions is 69 % of the generalized cost but in free-flow conditions is only 44 %. The generalized cost of the motorcycle in CBD Malioboro is shown in **Table 1**.

Table 1 Generalized cost of motorcycle in CBD Malioboro.

Type of condition	VOC (IDR/trip)	Pollution cost (IDR/trip)	TTC (IDR/trip)	Generalized cost (IDR/trip)
Free-flow speed	499	114	485	1,098
Actual cost	669	191	1,907	2,767

Congestion cost

The approach to estimate congestion cost in this study is similar to the approach of Dodgson and Lane [34] in their study on the costs of road congestion in Great Britain. Congestion costs as the difference between the level of costs in actual and the level of costs in free-flow conditions [34]. The amount of congestion cost of motorcycles is the difference between the generalized cost in actual conditions at 10.77 km/h and a travel time of 7 min 52.5 s, and the generalized cost in free-flow conditions at 42.42 km/h and a travel time of 2 min. From above, the generalized cost of motorcycles in actual conditions is IDR2,767 per trip, and the generalized cost in free-flow conditions is IDR1,098 per trip, thus the congestion cost of motorcycles in CBD Malioboro, Yogyakarta is IDR1,669 per trip.

The simulation to estimate the effect of congestion pricing in CBD Malioboro using *Equilibre* Multimodal, Multimodal Equilibrium-2 (EMME-2) software. Distribution of traffic zones, nodes and links in EMME-2 to simulate the application of congestion pricing in CBD Malioboro can be seen in **Figure 3**. The result of the simulation of congestion cost for motorcycle users in CBD Malioboro includes Malioboro Street (along 809 m) and Ahmad Yani Street (along 605 m) using EMME-2 software as presented on auto speed can be seen in **Figure 4**.




Figure 3 Distribution of traffic zones, nodes and links in EMME-2 software.




Figure 4 Auto speeds from simulation results using EMME-2 in CBD Malioboro, Yogyakarta.

Implementation of congestion pricing for motorcycles users at Malioboro Street and Ahmad Yani Street in Yogyakarta resulted in a change in vehicle speed of 0.72 to 8.11 % (**Table 2**). The speed in some roads increased like at Pangeran Diponegoro Street (W-E), Pangeran Mangkubumi Street, Malioboro Street, Ahmad Yani Street, Mataram Street (S-N) and Mayor Suryotomo Street (S-N), while in Jenderal Sudirman Street, Pangeran Diponegoro Street (E-W), Ahmad Dahlan Street, Pangeran Senopati Street and Mayor Suryotomo Street (N-S) the speed decreased. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street in the north-south direction at 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %). These results are similar with the research of [35] which examined the implementation of Electronic Road Pricing (ERP) in Paris, ERP increased the vehicle speed from 44.80 to 45.40 km/h. Based on the results of the simulation of application of congestion pricing for motorcycles users in Malioboro, there was an improvement in the road network performance. Application of congestion pricing increased the vehicle speed and decreased the generalized cost. These results are similar to the study of [36] that examined the application of congestion charging in central London that can increase the average speed of vehicle by ± 4 km/h. Within the Charging Zone (CZ), the Wilcoxon test has shown that the difference in speed between pre and post London's Congestion Charging Scheme (CCS) periods has increased on average of 2.1 km/h and that these changes are significant at the $p = 0.05$ level [36]. This result is in line with the findings of Percoco [7], the road pricing scheme in Milan has had limited impact in terms of congestion and environmental quality because of the behavioral response of road users. In fact, we have found that the policy did not produce a reduction in the number of vehicles entering the city center, while it did lead to an increase in the number of motorbikes and, in part, LPG, bi-fuel and hybrid cars [7]. The effect of congestion pricing of motorcycles users on vehicle speed in 16 links can be seen in **Table 2**.

Table 2 Effect of congestion pricing of motorcycles users on vehicle speed.

No.	Node Origin- Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %

Note: W is west, E is east, S is south, and N is north.

The vehicle speed on Malioboro Street in existing conditions without pricing is 27.85 km/h. In these conditions, the vehicle operating cost of motorcycles is IDR311.53 per trip, travel time cost is IDR421.97 per trip, pollution cost is IDR73.42 per trip and therefore the generalized cost without congestion pricing is IDR806.92 per trip. Based on the simulation by using EMME-2, vehicle speed on Malioboro Street with congestion pricing is 30.11 km/h. Under these conditions, the vehicle operating cost of motorcycles is IDR305.41 per trip, travel time cost is IDR390.30 per trip, pollution cost is IDR71.32 per trip and therefore the generalized cost with pricing is IDR753.40 per trip. The generalized cost in Malioboro Street will decrease to IDR53.51 per trip (6.63 %). Vehicle speed on Ahmad Yani Street under existing conditions without pricing is 31.09 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR226.59 per trip, travel time cost is IDR282.68 per trip, pollution cost is IDR52.73 per trip and therefore the generalized cost without pricing is IDR562 per trip. Based on the results of the simulation, vehicle speed on Ahmad Yani Street with congestion pricing would be 32.34 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR224.44 per trip, travel time cost is IDR271.76 per trip, pollution cost is IDR52.03 per trip and therefore the generalized cost with pricing is IDR527.66 per trip. The generalized cost in Ahmad Yani Street will decrease to IDR34.33 per trip (6.11 %). The effect of congestion pricing of motorcycles users on generalized cost in 16 links can be seen in **Table 3**.

Table 3 Effect of congestion pricing of motorcycles users on generalized cost.

No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %

Note: W is west, E is east, S is south, and N is north.

These results are in line with the findings of May and Milne [19] and Sugiyanto [37] that congestion pricing will yield reductions in generalized cost. The generalized cost in Malioboro Street, Ahmad Yani Street, Pangeran Mangkubuni Street, Pangeran Diponegoro Street, Bhayangkara Street, Pangeran Senopati Street, Mataram Street and Mayor Suryotomo Street will decrease, while the generalized cost in Jenderal Soedirman Street and Ahmad Dahlan Street will increase. The highest increase in generalized cost occurred in Malioboro Street at IDR53.51 per trip (6.63 %) while the largest decrease occurs in Jenderal Soedirman Street in the east-west direction at IDR37.54 per trip (3.92 %). Under these conditions, there is a change of route from the commuter to the city of Yogyakarta.

Conclusions

The estimation of congestion cost for motorcycles users in CBD Malioboro, Yogyakarta and the effect of a congestion pricing scheme on the generalized cost and speed of motorcycles to the city of Yogyakarta is presented in this paper. From the analysis and results, it can be concluded that:

1. The generalized cost at CBD Malioboro, Yogyakarta for motorcycles in free-flow conditions is IDR1,098 per trip and in actual conditions is IDR2,767 per trip, giving a congestion pricing for motorcycles to the city of Yogyakarta of IDR1,669 per trip.
2. Based on the simulation by using EMME-2, the effect of the application of congestion pricing will increase vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street at north-south direction at 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %).
3. The effect of the congestion pricing scheme on the generalized cost for motorcycles will decrease to IDR53.51 per trip (6.63 %) in Malioboro Street and IDR34.33 per trip (6.11 %) in Ahmad Yani Street.

Acknowledgements

This research was carried out by the financial support of Ministry of Education and Culture, Republic of Indonesia through Research Grant: Doctorate Development Program (*Beasiswa Unggulan Program Pengembangan Doktor* or P2D) in the fiscal year 2012.

References

- [1] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Civil Eng. Dimension* 2010; **12**, 92-7.
- [2] A Broaddus, T Litman and G Menon. *Transportation Demand Management, Training Document*, gtz *Transport Policy Advisory Services*. Eschborn, Germany, 2009, p. 1-111.
- [3] JD Ortuzar and LG Willumsen. *Modeling Transport*. John Wiley and Sons, England, 2001, p. 1-75.
- [4] PC Stubs, WJ Tyson and MQ Dalvi. *Transport Economics*. George Allen and Unwin, London, 1980.
- [5] ET Verhoef. Second-best congestion pricing in general networks, Heuristic algorithms for finding second-best optimal toll levels and toll points. *Transport. Res. Part B* 2002; **36**, 707-29.
- [6] JF Tsai, CP Chu and SR Hu. Road pricing for congestion and accident externalities for mixed traffic of motorcycles and automobiles. *Transport. Res. Part A* 2015; **71**, 153-66.
- [7] M Percoco. The effect of road pricing on traffic composition: Evidence from a natural experiment in Milan, Italy. *Transport Pol.* 2014; **31**, 55-60.
- [8] G Sugiyanto. The effect of application of congestion cost for private passenger cars users as a through traffic in Yogyakarta, Indonesia. *ASEAN Eng. J.* 2011; **1**, 84-96.
- [9] G Bouladon. La Mobilité en Zone Urbaine: Apprendre l'économie de transport, document diffusion restreinte, direction de l'environnement. In: *Proceeding of the European Conference of Ministers of Transport*. Paris, 1991, p. 10-7.
- [10] E Quinet. The social costs of transport: Evaluation and links with internalization policies, In internalizing the social costs of transport. In: *Proceeding of the European Conference of Ministers of Transport*. Paris, 1994, p. 31-75.
- [11] JD Harford. Congestion, pollution and benefit to cost ratios of US public transit system. *Transport. Res. Part D* 2006; **11**, 45-58.
- [12] S Dikun. Transportation in new global era: Linking Asia through better transportation. In: *Proceeding of the 4th Eastern Asia Society for Transportation Studies*. Fukuoka, Japan, 2003.
- [13] DM Newbery. *Fair Payment from Road-Users: A Review of the Evidence on Social and Environment Costs*. The Automobile Association, Basingstoke, 1998.
- [14] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Int. J. Civil Environ. Eng.* 2011; **11**, 56-63.
- [15] A de Palma, R Lindsey and E Niskanen. Policy insights from the urban road pricing case studies. *Transport Pol.* 2006; **13**, 149-61.
- [16] G Santos and J Bhakar. The impact of London congestion charging scheme on the generalized cost of car commuters to the city of London from a value of time savings perspective. *Transport Pol.* 2006; **13**, 22-33.
- [17] H Armelius and L Hultkrantz. The Politico-economic link between public transport and congestion cost: an ex-ante study of the Stockholm trial-cost road. *Transport Pol.* 2006; **13**, 162-72.
- [18] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Modeling the effect of congestion pricing on mode choice in Yogyakarta, Indonesia. *Int. J. Eng. Tech.* 2011; **11**, 109-16.
- [19] AD May and DS Milne. Effects of alternative road pricing systems on network performance. *Transport. Res. Part A* 2000; **34**, 407-36.
- [20] G Menon and S Guttikunda. Electronic road pricing: Experience & lessons from Singapore. *SIM Air Work. Pap. Series* 2010; **33**, 1-15.
- [21] S Agarwal and KM Koo. Impact of electronic road pricing (ERP) changes on transport modal choice. *Reg. Sci. Urban Econ.* 2016; **60**, 1-11.

- [22] J Eliasson, L Hultkrantz, L Nerhagen and LS Rosqvist. The Stockholm congestion-charging trial 2006: Overview of effects. *Transport. Res. Part A* 2009; **43**, 240-50.
- [23] C O'Fallon, C Sullivan and D Hensher. Constraints affecting mode choices by morning car commuters. *Transport Pol.* 2004; **11**, 17-29.
- [24] S Hu and W Saleh. Impacts of congestion charging on shopping trips in Edinburgh. *Transport Pol.* 2005; **12**, 443-50.
- [25] JK Button. *Transport Economics*. 2nd ed. Cambridge University Press, United Kingdom, 1993.
- [26] M Belhaj and E Fridle. *External Costs in the Transport Sector: A Literature Review*. Available at: <http://www.cpm.chalmers.se/document/reports/08/CPM%20trsprt%20lit%20review2.3%20.pdf>, accessed December 2010.
- [27] RA Derlin and RQ Grafton. *Economic Right and Environmental Wrongs*. Edward Elgar, Cheltenham, 1998.
- [28] S Grant-Muller and J Laird. *Costs of Congestion: Literature Based Review of Methodologies and Analytical Approaches*. Final Report, Scottish Executive Social Research, London, 2006, p. 35-44.
- [29] PB Goodwin. *The Economic Cost of Road Traffic Congestion*. Rail Freight Group, Transport Studies Unit, University College London, London, 2004, p. 1-14.
- [30] Directorate General of Highways, Directorate of Urban Road Development. *Indonesian Highway Capacity Manual (IHCM) 1997*. Sweroad in Association with PT. Bina Karya (Persero), Jakarta, 1997, p. 1-99.
- [31] JICA and National Development Planning Agency (BAPPENAS). *The Study on Integrated Transportation Master Plan (SITRAMP) for the Jabodetabek Phase 2*. Final Report, Technical Report. PCI and ALMEC Corporation, Jakarta, Republic of Indonesia, 2004, p. 36-55.
- [32] DU Asri and B Hidayat. Current transportation issues in Jakarta and ITS impacts on environment. In: Proceeding of the 5th Eastern Asia Society for Transportation Studies. Fukuoka, Japan, 2005, p. 1792-8.
- [33] Central Bureau of Statistics of Yogyakarta City. *Gross Regional Domestic Product of Yogyakarta City by Industrial Origin 2011-2015*. Central Bureau of Statistics, Yogyakarta, 2016, p. 1-80.
- [34] J Dodgson and B Lane. *The Costs of Road Congestion in Great Britain: A NERA Briefing Paper*. National Economic Research Associates, London, 1997, p. 1-18.
- [35] AD Palma and R Lindsey. Modeling and evaluation of congestion pricing in Paris. *Transport Pol.* 2006; **13**, 115-26.
- [36] SD Beevers and DC Carslaw. The impact of congestion charging on vehicle speed and its implications for assessing vehicle emissions. *J. Atmos. Environ.* 2005; **39**, 6875-84.
- [37] G Sugiyanto. Impact of congestion pricing scheme on the generalized cost and speed of motorcycle (case study in Yogyakarta, Indonesia). *J. Eng. Appl. Sci.* 2016; **11**, 1740-6.



Walailak Journal of Science and Technology (WJST)

[HOME](#) [ABOUT](#) [USER HOME](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#)
[ANNOUNCEMENTS](#) [PROCESS](#) [ONLINE SUBMISSIONS](#)

Home > **Vol 15, No 1 (2018)**

Walailak Journal of Science and Technology (WJST)

Announcements

Ph.D. Scholarship for Outstanding International Students @Walailak University, THAILAND

Walailak University would like to introduce the newly-launching scholarship program for international students named "The Ph.D. Scholarship for Outstanding International Students". This scholarship enables international students to undertake full-time research in Ph.D. programs at Walailak University, located next to the beautiful seaside of the Gulf of Thailand, Nakhon Si Thammarat Province, Southern Thailand.

The Ph.D. Scholarship for Outstanding International Students offers a **3-year financial support** to international students;

- 1) Full scholarships covering tuition fee, dormitory fee and monthly allowance (10,000 baht per month / approx. USD 300 per month)
- 2) Partial scholarships covering tuition fee and dormitory fee

Available Ph.D. programs for year 2017-2018

- 1) Agro-Industry 2) Biomedical Sciences 3) Chemistry 4) Computational Science 5) Drug and Cosmetics 6) Management of Information Technology 7) Materials Science and Engineering 8) Physics

Eligibility Requirements

- 1) Be non-Thai citizen 2) Have outstanding academic records 3) Have an offer from a Ph.D. Program at WU 4) Have TOELF IBT or IELTS scores not lower than 61 or 6.0 respectively (for non-native English applicants)

For full detail of the scholarship and application guidelines, please kindly see https://cia.wu.ac.th/?page_id=895

USER

You are logged in as...

gito_98

- [My Profile](#)
- [Log Out](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)

FONT SIZE


CURRENT ISSUE

RTOM	1.0
RSE	2.0
RSS	1.0

NOTIFICATIONS

- [View](#) (13 new)
- [Manage](#)

Scimago Journal & Country Rank





PH.D. SCHOLARSHIPS

For Outstanding International Students

What we offer

Scholarships for a 3-year full time research degree	
Full scholarships	Tuition and dormitory fee waivers
	Plus allowance of 10,000 Baht a month (approx. USD 300)
Partial Scholarships	Tuition and dormitory fee waivers

Eligibility Requirements

- Be non-Thai citizen
- Have outstanding academic records
- Have an offer from a Ph.D. Program at WU
- Have TOEFL IBT or IELTS scores not lower than 61 or 6.0 respectively

Available Ph.D. Programs

Agro-Industry	Drug and Cosmetics
Biomedical Sciences	Management of Information Technology
Chemistry	Materials Science and Engineering
Computational Science	Physics

 Center for International Affairs, Walailak University
222 Thaiburi, Thasala, Nakhon Si Thammarat 80160 Thailand

 <https://cia.wu.ac.th/>

 interscholarship.wu@gmail.com

 <https://www.facebook.com/ciawalailak/>



Visitors

 TH 8,930	 IR 550
 IN 3,986	 PH 548
 US 2,019	 NG 525
 ID 1,408	 PK 402
 MY 1,036	 CN 298

Pageviews: 132,900

 **FLAG count**

Counter Installed
13 July 2017

About the WJST

Walailak Journal of Science and Technology (**Walailak J. Sci. & Tech.** or **WJST**), is a peer-reviewed journal ([Editorial Board](#)) covering all areas of science and technology, launched in 2004.

E-ISSN: 2228-835X

Start year: 2004

Language: English

Publication fee: Free of Charge

Free access: Immediate

Issues per year: 12 Issues (**Monthly**)

2016 SJR (SCOPUS): **0.171 (Q3)** 

STATISTICS

Walailak J. Sci. & Tech.



Aims and scope

Walailak Journal of Science and Technology is published 12 Issues (**Monthly**) by the Institute of Research and Development of Walailak University. The scope of the journal includes the following areas of research: Agriculture, Biological sciences, Health sciences, Physical sciences, Engineering, Information and communications technology. ([View full editorial policies](#))

Indexed and Abstracts

Walailak Journal of Science and Technology is indexed in the [Thai-Journal Citation Index Centre \(TCI\)](#), [Google Scholar](#), [ThaiScience](#), [Directory of Open Access Journals \(DOAJ\)](#), [CAB Abstracts](#), [EBSCOhost](#), [JournalSeek](#), [ASEAN Citation Index \(ACI\)](#) and [SCOPUS](#).



Sponsors and Support



Editor in Chief


[Chitnarong SIRISATHITKUL](#): School of Science, Walailak University, Thasala, Nakhon Si Thammarat 80161, Thailand

>> [Back Issue](#) << >> [Current Issue](#) << >> [Process & Timeline](#) << >> [WJST Citation in Web of Science](#) <<

Vol 15, No 1 (2018): Internet Technology

TABLE OF CONTENTS





Walailak Journal of Science and Technology Volume 15, Number 1, January 2018

WALAILAK JOURNAL

Online ISSN: **2228-835X**

<http://wjst.wu.ac.th>

Last updated: 26 October 2017



Digital Receipt

This receipt acknowledges that Turnitin received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Gito Sugiyanto
Assignment title: Revision 1
Submission title: Effect Congestion Pricing in Maliob..
File name: 2347-30509-2.pdf
File size: 1.03M
Page count: 11
Word count: 5,560
Character count: 28,267
Submission date: 05-Jan-2018 10:35AM (UTC+0700)
Submission ID: 900369519



Effect Congestion Pricing in Malioboro

by Gito Sugiyanto

Submission date: 05-Jan-2018 10:35AM (UTC+0700)

Submission ID: 900369519

File name: 2347-30509-2.pdf (1.03M)

Word count: 5560

Character count: 28267

The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle

Gito SUGIYANTO

Civil Engineering Department, Faculty of Engineering, Jember Sreedharm University Purobojone, Purbalingga, Central Java, Indonesia

(Corresponding author's e-mail: gito_98@yahoo.com)

Received: 8 April 2016; Revised: 19 December 2016; Accepted: 25 January 2017

Abstract

Traffic congestion is one of the significant transport problems in many cities in developing countries. Increased economic growth and motorization have created more traffic congestion. The application of transportation demand management like congestion pricing can reduce congestion, pollution and increase road safety. The aim of this research is to estimate the congestion pricing of motorcycles and the effect of a congestion pricing scheme on the generalized cost and speed of a motorcycle. The amount of congestion pricing is the difference between actual generalized cost in traffic jams and in free-flow speed conditions. The analysis approach using three components of generalized costs of motorcycle: vehicle operating, travel time and externality cost (pollution cost). The approach to analyze the pollution cost is marginal-health cost and fuel consumption in traffic jams and free-flow speed conditions. The value of time based on Gross Regional Domestic Product per capita in Yogyakarta City in October 2012. The simulation to estimate the effect of congestion pricing using Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software. The results of this study show that while the free-flow speed of a motorcycle to the city of Yogyakarta is 42.42 km/h, with corresponding generalized cost of IDR1008 per trip, the actual speed in traffic jams is 10.77 km/h producing a generalized cost of IDR2797 per trip, giving a congestion pricing for a motorcycle of IDR1669 per trip. Based on the simulation by using EMME-2, the effect of congestion pricing will increase on vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h, while the largest decrease occurred in Mayor Suryotomo Street in north-south direction at 1.07 km/h. Another effect of this application for motorcycles users will decrease the generalized cost by 1.09 to 6.63 %.

Keywords: Congestion pricing, motorcycle, marginal-health cost, generalized cost, EMME-2

Introduction

Cities in developing countries need innovative and effective solutions to solve their transportation problems like the traffic congestion, accident and delays. The increase in car ownership, population growth, and urbanization has caused traffic congestion in many cities in developing countries like in Indonesia. It is congestion does not only occur in urban areas, but also in rural areas, especially during peak hours. Transport problems become more complex and have more effects on society in areas with high activities, such as in Yogyakarta, Indonesia. This situation happens because of the imbalance between the number of vehicles and the length of the road. Solutions to these problems are possible, not only through improvement of public transport, increased pedestrians and bicycle users, but also in the implementation of measures which promote a rational use of the automobile by means Transportation Demand Management (TDM). "TDM aims to maximize the efficiency of the urban transport system by discouraging unnecessary private vehicle use and environmental-friendly modes of transport, in general being public transport and non-motorized transport" [2].

¹ The costs incurred by society as a result of the effect of congestion on transportation include vehicle operating, travel time, and externality costs [3]. Externality costs are the congestion [4,5], environmental, pollution, and traffic accident cost [6]. The internalization of transportation external costs is one of the most relevant issues policy makers in recent years. "Congestion and air pollution are among the most relevant sources of externalities in urban centers and they are increasingly tackled through the adoption of road pricing schemes" [7]. TDM can provide many benefits, for example congestion reduction, road cost savings, parking savings, transportation cost savings to consumers, improved mobility options, increased the road safety [8], reduced per capita energy consumption, reduced per capita pollution emissions, efficient land use and increased physical activity and associated health benefits [2].

"The congestion costs in France, United Kingdom, United States, and Japan are respectively 2.1, 3.2, 1.3 and 2 % of the respective Gross National Product (GNP) of the countries" [9,10]. "The congestion cost for 87 cities in the United States was US\$63.3 billion in 2002, for a value of time US\$13.45/hour" [11]. The economic loss caused by the traffic congestion in the Jabodetabek region could be as much as US\$68 million per year due to traffic congestion and this estimate excludes the impacts of traffic congestion and pollution on human health [12]. "Marginal congestion costs for different types of roads in England, for the last update were around 45 pence per passenger car unit (pcu)-km for urban roads at peak time" [13]. "The congestion cost in CBD Malioboro, Indonesia for private passenger car users are estimated to be IDR2701 (US\$0.257) per trip" [1] and for motorcycle users as IDR522.77 (US\$0.05) per trip [14].

⁵ The effect of congestion pricing has been long studied in transport policy area. "In the cases of 4 European cities Paris, Brussels, Oslo and Helsinki can get a sizable amount of benefit from commuting time reduction, cost saving in vehicle management, or enhanced quality of public transportation when road pricing was introduced in each country" [15]. Implementation of congestion charging increased the use of public transport [16]. Application of road pricing in other countries has had a positive impact on reducing the use of private vehicle users and increasing the use of public transport. In Belgium, the use of public transport increased by 10 %. If there is application of road pricing with improved public transportation service quality, the use of public transport will increase by 23 % [17]. Based on the simulation, application of a congestion charge of 14,300 per trip for motorcycle users as a through traffic in CBD Malioboro, Yogyakarta will shift 6.848 % motorcycle users to bus TransJogja [18]. Among 15 - 20 %, reductions in generalized cost are surprisingly small for charge levels, which have achieved 15 % reduction in overall trips [19]. "Singapore's road pricing system reduced 20 to 30 % of the downtown passenger car traffic and Stockholm's traffic volume decreased by at least 20 %" [20]. "Commuters switch to public bus services by 12 to 20 % in the morning hours after a S\$1 increase and by approximately 10 % in the evening after toll adjustment of S\$0.50 to S\$1.00 in the affected gantry area compared to the counterfactual through difference-in-difference method [21]. "The effect of congestion cost in Stockholm, Sweden, a new Westman bypass is estimated to reduce traffic across inner city bridges by 11 %" [22]. In New Zealand it was found that the 21 % of survey respondents were willing to choose to walk and to use public transportation, while 67 % insisted that they would still drive cars when congestion pricing were to be introduced [23]. "Almost 37 % of car users in Edinburgh were willing to spend less or change the shopping destination if they had been asked to pay a congestion tax for their shopping trip to the CBD" [24].

The aim of this paper is to estimate the congestion cost of motorcycle users and the effect of the congestion pricing scheme on the generalized cost and speed of motorcycle to the city of Yogyakarta, Indonesia.

Materials and methods

Analysis approach

¹ Generalized cost of travel can be calculated based on the combination of cost paid by the user, travel time cost, vehicle operating cost, and the externality cost. Externalities arise when the activity of a

group affects the welfare of the other groups without any compensation [25,26]. Externalities in transport include: congestion, accidents, emissions, pollution and noise [2,27]. In this study, the externality cost that was considered was the pollution cost. The approach that [4] used to analyze the pollution cost is marginal-health cost per vehicle and fuel consumption [1] vehicle in actual conditions and free-flow speed conditions. The generalized cost of transportation by mode m from the origin, zone i to the destination, zone j was determined using Eq. (1).

$$GC_{ij}^m = VOT(\text{time}_{ij}^m) + VOC(\text{dist}_{ij}^m) + EC(\text{dist}_{ij}^m) \quad (1)$$

In which GC_{ij}^m is the generalized cost per Passenger Car Units (PCU) by mode m to go from the origin, zone i (O_i) to the destination, zone j (D_j), VOT is the value of time per-PCU-min, time_{ij}^m is the time taken to complete the trip in minutes, VOC_{ij}^m the total vehicle operating cost per PCU-km, and dist_{ij}^m is the distance travelled to go from zone i to zone j , in km, EC is externality cost per kilometer while i is the origin zone, and j is the destination zone.

Data collection

In this paper, the speed of motorcycles was counted in 2 conditions, the first is in free flow speed conditions and the second in actual conditions that causes traffic jams. "Traffic is congested if many vehicles travel slower" [28]. "Related with speed is traffic flow congestion which is defined as the impedance vehicles imposed on each other, due to the speed-flow relationship, in conditions where the use of a transport system approaches its capacity" [29]. Motorcycle speed data was based on travel time of vehicles and a speed survey using speed gun.

[1] The formula in the Indonesian Highway Capacity Manual (IHCM) 1997 is used to calculate the travel time in free-flow conditions for motorcycles in CBD Malioboro, Yogyakarta [30]. The actual travel time cost conditions were obtained from a Moving Car Observer (MCO) survey in Central Business District (CBD) Malioboro, Yogyakarta. The CBD Malioboro consists of a 2 lane one-way direction undivided road (2/1 UD) 1.414 kilometers long from Malioboro Street to Ahmad Yani Street. The width of Malioboro Street is 7.00 meter. The value of time data for motorcycle users is based on Gross Regional Domestic Product (GRDP) per capita in Yogyakarta City. The fuel consumption was obtained from the relationship between speed and dependent fuel consumption rates of motorcycles reported in the "Study on Integrated Transportation Master Plan (SITRAMP) for the Jakarta-Bogor-Depok-Tangerang-Bekasi or Jabodetabek" in 2004 [31]. The street where data was collected in the study area in CBD Malioboro, Indonesia is shown in Figures 1 and 2.



Figure 1 Study area in Central Business District (CBD) Malioboro, Indonesia [1,14,18].




Figure 2 Street in the study area in CBD Malioboro, Yogyakarta.

4

Results and discussion

The generalized cost of a motorcycle from orig⁴ to destination consists of 3 components of cost: the first is the vehicle operating cost, the second is the travel time cost and the third is the pollution cost.

Vehicle operating cost

The vehicle operating cost (VOC) of motorcycles was counted in 2 conditions, based on travel cost in free-flow conditions and travel cost in actual conditions that potentially involved traffic jams. For instance, "traveling speed was reported to have a significant effect on fuel consumption and the lowest fuel consumption rates occur in a speed range of 40 to 55 km/h" [31,32].

4

Vehicle operating cost and speed relationship

The optimum speed for motorcycles in CBD Malioboro along the 1.414⁴ is 47.2 km/h with vehicle operating cost of IDR350.77 per km (IDR496 in CBD Malioboro). The vehicle operating cost model for motorcycles was determined using Eq. (2).

$$y = 0.0021V^2 - 8.6847V + 555.51 \text{ with } r^2 = 0.9686 \quad (2)$$

1

Based on the survey and the analysis of Indonesian Highway Capacity Manual (IHCM) 1997 the speed of motorcycles in free-flow conditions is 42.42 km/h so the vehicle operating cost is IDR352.84/km (using Eq. (2)). Based on the Moving Car Observer survey, the average speed of motorcycles under actual conditions is 10.77 km/h, so the vehicle-operating cost is IDR472.66/km (using Eq. (2)). The vehicle operating cost of motorcycles at CBD Malioboro, Yogyakarta in free-flow speed and actual condition¹ was calculated by multiplying by 1.414 km, the length of CBD Malioboro, the vehicle operating cost in free-flow speed condition is IDR499 per trip and the actual conditions were IDR669 per trip.

Travel time cost

Gross Regional Domestic Product (GRDP) per capita in Yogyakarta city in October 2012 is IDR51,649,500 [33]. The approach in this research was 25 workdays every month, 8¹ hours/day, a motorcycle occupancy of 1.5 peoples per motorcycle and percentage of workers 45%. The value of time of motorcycle use¹ in Yogyakarta city based on Gross Regional Domestic Product (GRDP) is IDR14,526.42 per hour. Based on the field survey and analysis of the speed of motorcycles in CBD Malioboro, the travel time in free-flow conditions is 2 min. Based on the moving car observer survey, the average of travel time in actual conditions is 7 min 52.5 s. The travel time cost (TTC) in free-flow conditions is IDR485 per trip while the actual cost is IDR1,907 per trip.

Externality Cost: Pollution Cost

The marginal health-cost (MHC) approach is used to calculate the pollution cost per motorcycle. This approach was the result of a World Bank study in Jakarta in 1990. MHC is value expressed in US cents per litre and cents/pass-kilometer [14]. In this study, we used MHC in cents per litre, then converted into IDR per litre using an exchange rate of 1 US\$ = IDR10,500. The pollution cost for motorcycles was determined using Eq. (3).

$$\text{Pollution cost (PC)} = \text{Marginal Health-cost (MHC)} \times \text{Consumption of fuel (CF)} \quad (3)$$

In which PC is pollution cost (IDR/km), MHC is marginal health-cost of motorcycle (IDR/litre) and CF is the fuel consumption (litre/km).

The relationship between fuel consumption and the speed of the motorcycle based on the result of SITRAMP study by [31] and measurement in the field is formulated in the quadratic function with Eq. (4).

$$y = -0.008V^2 + 0.7991V + 9.6933 \text{ with } r^2 = 0.8299 \quad (4)$$

In which y is fuel consumption (km/litre) and V is speed of motorcycle (km/h). The coefficient determination (r^2) value 0.8299, indicated that there was a strong correlation between motorcycle speed and fuel consumption. Fuel consumption using Eq. (4), was 17.37 km/litre in actual conditions with a speed 10.77 km/h and 29.20 km/litre in free-flow conditions with a speed 42.42 km/h. Speed and fuel consumption are the main factors in determining pollution cost. The pollution cost of motorcycle in free-flow conditions was IDR 80 and IDR135 in actual conditions. The pollution cost of motorcycles in Malioboro along 1.414 km in actual conditions at 10.77 km/h is IDR 191 and in free-flow conditions at 42.42 km/h is IDR 114.

Generalized cost

The generalized cost of motorcycles users consists of vehicle operating cost, travel time cost and externality cost. From the results above, the generalized cost of motorcycles users in actual that causes traffic jams is IDR2767/trip and generalized cost in free-flow speed condition is IDR1098/trip. The generalized cost of motorcycles in actual conditions is more expensive (152%) than in free-flow conditions. Travel time cost value in actual condition is 69 % of the generalized cost but in free-flow conditions is only 44 %. The generalized cost of the motorcycle in CBD Malioboro is shown in Table 1.

Table 1 Generalized cost of motorcycle in CBD Malioboro, Yogyakarta.

Condition type	VOC (IDR per trip)	Pollution cost (IDR per trip)	TTC (IDR per trip)	Generalized cost (IDR per trip)
Free flow speed	499	114	485	1,098
Actual cost	669	191	1,907	2,767

Congestion cost

The approach to estimate congestion cost in this study is similar to the approach of Dodgson and Lane [34] in their "study on the costs of road congestion in Great Britain". The amount of congestion cost of motorcycles is the difference between the generalized cost in actual conditions at 10.77 km/h and a travel time of 7 min 52.5 s, and the generalized cost in free-flow conditions at 42.42 km/h and a travel time of 2 min. From above, the generalized cost of motorcycles users in actual conditions is IDR2,767 per trip, and the generalized cost in free flow speed conditions is IDR1,098 per trip, thus the congestion cost of motorcycles in CBD Malioboro is IDR1,669 per trip.

Effect of the congestion pricing

The simulation to estimate effect of congestion pricing in CBD Malioboro using *Equilibre* Multimodal, Multimodal Equilibrium-2 (EMME-2) software. Distribution of the traffic zones, nodes, and links in EMME-2 to simulate the application of congestion pricing in CBD Malioboro can be seen in Figure 3. The result of the simulation of congestion pricing for motorcycle users in CBD Malioboro includes Malioboro Street (along 809 m) and Ahmad Yani Street (along 605 m) using EMME-2 software as presented on auto speed can be seen in Figure 4.




Figure 3 Distribution of traffic zones, nodes and links in EMME-2 software.




Figure 4 Auto speeds from simulation results using EMME-2 in CBD Malioboro, Yogyakarta.

Implementation of congestion pricing for motorcycles users at Malioboro Street and Ahmad Yani Street in Yogyakarta resulted in a change in vehicle speed 0.72 to 8.11 % (Table 2). The speed in some roads increased like at Pangeran Diponegoro Street (W-E), Pangeran Mangkubumi Street, Malioboro Street, Ahmad Yani Street, Mataram Street (S-N) and Mayor Suryotomo Street (S-N), while in Jenderal Sudirman Street, Pangeran Diponegoro Street (E-W), Ahmad Dahlan Street, Pangeran Senopati Street and Mayor Suryotomo Street (N-S) the speed decreased. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street in north-south direction at 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %). These results are similar with the research of [35] which examined the implementation of Electronic Road Pricing (ERP) in Paris. ERP increased the vehicle speed from 44.8 to 45.4 km/h. Based on the results of the simulation, the application of congestion cost for motorcycles users in Malioboro, there was an improvement in the road network performance. Application of congestion pricing increased the vehicle speed and decreased the generalized cost. These results are similar to the study of [36] that examined the application of congestion charging in central London that can increase the average speed of vehicle by ± 4 km/h. "Within the Charging Zone (CZ), the Wilcoxon test has shown that the difference in speed between pre and post London's Congestion Charging Scheme (CCS) periods has increased on average 11.1 of 2.1 km/h and that these changes are significant at the $p = 0.05$ level" [36]. This result of this research is in line with the findings of Percoco [7], "the road pricing scheme in Milan has had limited impact in terms of congestion and environmental quality because of the behavioral response of road users. In fact, we have found that the policy did not produce a reduction in the number of vehicles entering the city center, while it did lead to an increase in the number of motorbikes and, in part, LPG, bi-fuel and hybrid cars" [7]. The effect of congestion pricing of motorcycles users on vehicle speed in 16 links can be seen in Table 2.

Table 2 Effect of congestion pricing of motorcycles users on vehicle speed.

No.	Node Origin- Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6)=(5)-(4)	(7)=(6)/(4)
1.	3-4	Pangeran Diponegoro Street (W-E)	44.86	45.30	0.44	0.98%
2.	4-3	Pangeran Diponegoro Street (E-W)	44.90	44.44	-0.46	-1.02%
3.	6-8	Jenderal Soedirman Street (W-E)	45.23	44.50	-0.73	-1.61%
4.	8-6	Jenderal Soedirman Street (E-W)	45.10	44.14	-0.96	-2.13%
5.	6-23	Pangeran Mangkubumi Street	36.18	37.55	1.37	3.79%
6.	24-25	Malioboro Street	27.85	30.11	2.26	8.11%
7.	25-26	Ahmad Yani Street	31.09	32.34	1.25	4.02%
8.	26-22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90%
9.	22-26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27%
10.	22-21	Bhayangkara Street	31.63	30.75	-0.88	-2.78%
11.	26-37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13%
12.	37-26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77%
13.	36-35	Mataram Street (S-N)	30.19	30.48	0.29	0.96%
14.	35-36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51%
15.	36-37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64%
16.	37-36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72%

Note: E is east, W is west, S is south, and N is north.

Vehicle speed on Malioboro Street in existing conditions without pricing is 27.85 km/h. In these conditions, the vehicle operating cost of motorcycles is IDR311.53 per trip, travel time cost is IDR421.97

per trip, pollution cost is IDR73.42 per trip and therefore the generalized cost without congestion pricing is IDR806.92 per trip. Based on the simulation by using EMME-2, vehicle speed on Malioboro Street with congestion pricing is 30.11 km/h. Under these conditions, the vehicle operating cost of motorcycles is IDR305.41 per trip, travel time cost is IDR390.30 per trip, pollution cost is IDR71.32 per trip and therefore the generalized cost in with pricing is IDR753.40 per trip. The generalized cost in Malioboro Street will decrease to IDR53.51 per trip (6.63 %). Vehicle speed on Ahmad Yani Street under existing conditions without pricing is 31.09 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR226.59 per trip, travel time cost is IDR282.68 per trip, pollution cost is IDR52.73 per trip and therefore the generalized cost without pricing is IDR562 per trip. Based on the results of the simulation, vehicle speed on Ahmad Yani Street with congestion pricing would be 32.34 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR224.44 per trip, travel time cost is IDR271.76 per trip, pollution cost is IDR52.03 per trip and therefore the generalized cost with pricing is IDR527.66 per trip. The generalized cost in Ahmad Yani Street will decrease to IDR34.33 per trip (6.11 %). The effect of congestion pricing of motorcycles users on generalized cost in 16 links can be seen in Table 3.

Table 3 Effect of congestion pricing of motorcycles users on generalized cost.

No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6)=(5)-(4)	(7)=(6)/(4)
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63%
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11%
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66%
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92%
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94%
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75%
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82%
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14%
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83%
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25%
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83%
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03%
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65%
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44%
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09%
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92%

Note: E is east, W is west, S is south, and N is north.

These results of this research are in line with the findings of May and Milne [19] and Sugiyanto [37] that congestion pricing will yield reductions in generalized cost. The generalized cost in Malioboro Street, Ahmad Yani Street, Pangeran Mangkubuni Street, Pangeran Diponegoro Street, Bhayangkara Street, Pangeran Senopati Street, Mataram Street and Mayor Suryotomo Street will decrease, while the generalized cost in Jenderal Soedirman Street and Ahmad Dahlan Street will increase. The highest increase in generalized cost occurred in Malioboro Street at IDR53.51 per trip (6.63 %) while the largest decrease occurs in Jenderal Soedirman Street in the east-west direction at IDR37.54 per trip (3.92 %). Under these conditions, there is a change of route from the commuter to the city of Yogyakarta.

Conclusion

Estimation of congestion pricing for motorcycles users in CBD Malioboro and the effect of congestion pricing is presented in this paper. From the analysis and results, it can be concluded that:

1. Generalized cost at CBD Malioboro, Yogyakarta for motorcycles in free flow speed conditions is IDR1,098 per trip and in actual cost conditions is IDR2,767 per trip, giving a congestion pricing for motorcycle to the city of Yogyakarta of IDR1,669 per trip.
2. Based on the simulation by using EMME-2, the effect of application of congestion pricing will increase the vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street at north-south direction at 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %).
3. Effect of the congestion pricing for motorcycles will decrease to IDR53.51 per trip (6.63 %) in Malioboro Street and IDR34.33 per trip (6.11 %) in Ahmad Yani Street.

Acknowledgements

This research was carried out by the “financial support of Ministry of Education and Culture, Republic of Indonesia through Research Grant: Doctorate Development Program” (“*Beasiswa Unggulan Program Pengembangan Doktor or P2D*”) in the fiscal year 2012.

References

- [1] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Civil Eng. Dimension* 2010; **12**, 92-7.
- [2] A Broadbuss, T Litman and G Menon. *Transportation Demand Management, Training Document*, gtz Transport Policy Advisory Services. Eschborn, Germany, 2009, p. 1-111.
- [3] JD Ortuzar and LG Willumsen. *Modeling Transport*. John Wiley and Sons, England, 2001, p. 1-75.
- [4] PC Stubs, WJ Tyson and MQ Dalvi. *Transport Economics*. George Allen and Unwin, London, 1980.
- [5] ET Verhoef. Second-best congestion pricing in general networks, Heuristic algorithms for finding second-best optimal toll levels and toll points. *Transport. Res. Part B* 2002; **36**, 707-29.
- [6] JF Tsai, CP Chu and SR Hu. Road pricing for congestion and accident externalities for mixed traffic of motorcycles and automobiles. *Transport. Res. Part A* 2015; **71**, 153-66.
- [7] M Percoco. The effect of road pricing on traffic composition: Evidence from a natural experiment in Milan, Italy. *Transport Pol.* 2014; **31**, 55-60.
- [8] G Sugiyanto. The effect of application of congestion cost for private passenger cars users as a through traffic in Yogyakarta, Indonesia. *ASEAN Eng. J.* 2011; **1**, 84-96.
- [9] G Bouladon. La Mobilite en Zone Urbaine: Apprendre l'economie de transport, document diffusion restreinte, direction de l'environnement. In: Proceeding of the European Conference of Ministers of Transport. Paris, 1991, p. 10-17.
- [10] E Quinet. *The social costs of transport: Evaluation and links with internalization policies, In internalizing the social costs of transport*. In: Proceeding of the European Conference of Ministers of Transport. Paris, 1994, p. 31-75.
- [11] JD Harford. Congestion, pollution and benefit to cost ratios of US public transit system. *Transport. Res. Part D* 2006; **11**, 45-58.
- [12] S Dikun. Transportation in new global era: Linking Asia through better transportation. In: Proceeding of the 4th Eastern Asia Society for Transportation Studies. Fukuoka, Japan, 2003.
- [13] DM Newbery. *Fair Payment from Road-Users: A Review of the Evidence on Social and Environment Costs*. The Automobile Association, Basingstoke, 1998.
- [14] G Sugiyanto, S Malkhamah, A Munawar, and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Int. J. Civil Environ. Eng.* 2011; **11**, 56-63.

- [15] A de Palma, R Lindsey and E Niskanen. Policy insights from the urban road pricing case studies. *Transport Pol.* 2006; **13**, 149-61.
- [16] G Santos and J Bhakar. The impact of London congestion charging scheme on the generalized cost of car commuters to the city of London from a value of time savings perspective. *Transport Pol.* 2006; **13**, 22-33.
- [17] H Armelius and L Hultkrantz. The Politico-economic link between public transport and congestion cost: an ex-ante study of the Stockholm trial-cost road. *Transport Pol.* 2006; **13**, 162-72.
- [18] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Modeling the effect of congestion pricing on mode choice in Yogyakarta, Indonesia. *Int. J. Eng. Tech.* 2011; **11**, 109-16.
- [19] AD May and DS Milne. Effects of alternative road pricing systems on network performance. *Transport. Res. Part A* 2000; **34**, 407-36.
- [20] G Menon and S Guttikunda. Electronic road pricing: Experience & lessons from Singapore. *SIM Air Work. Pap. Series* 2010; **33**, 1-15.
- [21] S Agarwal and KM Koo. Impact of electronic road pricing (ERP) changes on transport modal choice. *Reg. Sci. Urban Econ.* 2016; **60**, 1-11.
- [22] J Eliasson, L Hultkrantz, L Nerhagen and LS Rosqvist. The Stockholm congestion-charging trial 2006: Overview of effects. *Transport. Res. Part A* 2009; **43**, 240-50.
- [23] C O'Fallon, C Sullivan and D Hensher. Constraints affecting mode choices by morning car commuters. *Transport Pol.* 2004; **11**, 17-29.
- [24] S Hu and W Saleh. Impacts of congestion charging on shopping trips in Edinburgh. *Transport Pol.* 2005; **12**, 443-50.
- [25] JK Button. *Transport Economics*, 2nd ed. Cambridge University Press, United Kingdom, 1993.
- [26] M Belhaj and E Fridle. *External Costs in the Transport Sector: A Literature Review*. Available at: http://www.cpm.chalmers.se/document/reports/08/CPM%20trsp%20lit%20review2_3%20.pdf, accessed December 2010.
- [27] RA Derlin and RQ Grafton. *Economic Right and Environmental Wrongs*. Edward Elgar, Cheltenham, 1998.
- [28] S Grant-Muller and J Laird. *Costs of Congestion: Literature Based Review of Methodologies and Analytical Approaches*, Final Report, Scottish Executive Social Research, London, 2006, p. 35-44.
- [29] PB Goodwin. *The Economic Cost of Road Traffic Congestion*. Rail Freight Group, Transport Studies Unit, University College London, London, 2004, p. 1-14.
- [30] Directorate General of Highways, Directorate of Urban Road Development. *Indonesian Highway Capacity Manual (IHCM) 1997*. Sweroad in Association with PT. Bina Karya (Persero), Jakarta, 1997, p. 1-99.
- [31] JICA and National Development Planning Agency (BAPPENAS). *The Study on Integrated Transportation Master Plan (SITRAMP) for the Jabodetabek Phase 2*. Final Report. Technical Report. PCI and ALMEC Corporation, Jakarta, Republic of Indonesia, 2004, p. 36-55.
- [32] DU Asri and B Hidayat. Current transportation issues in Jakarta and ITS impacts on environment. In: *Proceeding of the 5th Eastern Asia Society for Transportation Studies*. Fukuoka, Japan, 2005, p. 1792-8.
- [33] Central Bureau of Statistics of Yogyakarta City. *Gross Regional Domestic Product of Yogyakarta City by Industrial Origin 2011-2015*. Central Bureau of Statistics, Yogyakarta, 2016, p. 1-80.
- [34] J Dodgson and B Lane. *The Costs of Road Congestion in Great Britain: A NERA Briefing Paper*, National Economic Research Associates, London, 1997, p. 1-18.
- [35] AD Palma and R Lindsey. Modeling and evaluation of congestion pricing in Paris. *Transport Pol.* 2006; **13**, 115-26.
- [36] SD Beevers and DC Carslaw. The impact of congestion charging on vehicle speed and its implications for assessing vehicle emissions. *J. Atmos. Environ.* 2005; **39**, 6875-84.
- [37] G Sugiyanto. Impact of congestion pricing scheme on the generalized cost and speed of motorcycle (case study in Yogyakarta, Indonesia). *J. Eng. Applied Sci.* 2016; **11**, 1740-6.

Effect Congestion Pricing in Malioboro

ORIGINALITY REPORT

23%

SIMILARITY INDEX

19%

INTERNET SOURCES

14%

PUBLICATIONS

7%

STUDENT PAPERS

PRIMARY SOURCES

1

ijens.org

Internet Source

11%

2

wjst.wu.ac.th

Internet Source

3%

3

www.cleanairinstitute.org

Internet Source

2%

4

Sugiyanto, Gito; Malkhamah, Siti; Munawar, Ahmad and Sutomo, Heru. "Modeling The Effect of Congestion Pricing on Mode Choice in Yogyakarta, Indonesia", International Journal of Engineering & Technology, 2011.

Publication

1%

5

daneshyari.com

Internet Source

1%

6

Submitted to City University

Student Paper

1%

7

www.transportgooru.com

Internet Source

1%

Agarwal, Sumit, and Kang Mo Koo. "Impact of

8	electronic road pricing (ERP) changes on transport modal choice", Regional Science and Urban Economics, 2016. Publication	1%
9	ced.petra.ac.id Internet Source	1%
10	Submitted to Asian Institute of Technology Student Paper	1%
11	Submitted to University of Birmingham Student Paper	<1%
12	Sugiyanto, Gito, Purwanto Beki Santosa, Aris Wibowo, and Mina Yumei Santi. "Analysis of Hub-and-spoke Airport Networks in Java Island, Based on Cargo Volume and Freight Ratio", Procedia Engineering, 2015. Publication	<1%
13	igmoris.nic.in Internet Source	<1%
14	Gao, Peichao, Zhao Liu, Kun Tian, and Gang Liu. "Characterizing Traffic Conditions from the Perspective of Spatial-Temporal Heterogeneity", ISPRS International Journal of Geo-Information, 2016. Publication	<1%
15	Submitted to iGroup Student Paper	<1%

Exclude quotes On

Exclude matches Off

Exclude bibliography On