•

cision letter

AR-00484-2022-01

•••	Save to PDF	
C	sion:	rate manuscript once again after major changes and another review
	<u>}:</u>	2022-04-12

| 12, 2022 \R-00484-2022-01 and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia

^r Dr. colti sistiarani,

nave carefully evaluated your manuscript, entitled: HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia, and that as it stands we cannot accept it. We might, however, be able to accept it if you could respond adequately to the points that have been raised ng the review process (see below).

se revise your manuscript strictly according to the attached Reviewers' comments. Your manuscript won't be taken into consideration without the sions made according to the recommendations.

iors are requested to prepare a revised version of their manuscript as soon as possible. This may ensure fast publication if an article is finally pted.

hk you for submitting your work to our journal.

est regards, э Olczak or-In-Chief & AIDS Review

view 1:

thank you very much for giving me the opportunity to review this manuscript.

there are many grammatical errors and the paper should be edited by a native one and in many parts it is not possible to understand it like:

1. in the abstract, line 3, it has been written that the "HIV prevalence among housewives increase

from 21.08% (2012) to 14.41% (2013) in Banyumas". I think the word should be decrease instead of increase.

2. the first line of the introduction, it should be was not is as it is a past sentence.

3. in the method, "Hundred

housewives in South Purwokerto District were chosen

Exclusion criteria that mothers not citizens of District South

Purwokerto, who had recently moved and have not domiciled / settled at least 6 months, attended three times in a row is not in place and who is a widow" need modification.

4. what is the meaning of this sentence: Time is the most lives with her husband every day as many as 92 people (92%).

5.

<







HIVAR-00484-2022-01

HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia

Q Show decision letter

es

DETAILS

Sent to revise

2 version HIVAR-00484-2022 2022-04-12 A Show decision let TITLE AND TYPE Title HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper Background HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas in to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful. 71% perceive HIV is an emergency disease, 65% perceive the behavior. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.						
SUBMITTED: DECISION: 2022-03-10 2022-04-12 1 version HIVAR-00484-2022-01 2022-03-03 Q. Show decision let 2 version HIVAR-00484-2022-02 2022-04-12 Q. Show decision let TITLE AND TYPE Title HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper Background HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research using cross sectional design. The study population was housewir in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Buvariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AID	☑ Messages	CORRESPONDING AUTH	OR: INSERTED:			
2022-03-10 2022-03-03 Q. Show decision let 1 version HIVAR-00484-2022-02 2022-03-03 Q. Show decision let 2 version HIVAR-00484-2022-02 2022-04-12 Q. Show decision let TITLE AND TYPE Title HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title 1 HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives in crease from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas in donesia with 511 cases as many as 45 people. This study uses Health Belief Model (HBM) approach air to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewill in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bisvate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior, 61W) prevention is not helpful, 1% perceive no barriers to preventive health behavior, 62W have a cue to at in preventing HW Local L		colti sistiarani	2022-03-03			
1 version HVAR-00484-2022-01 2022-03-03 A Show decision let Z version HVVAR-00484-2022-02 Z022-04-12 Show decision let TITLE AND TYPE Title HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper ABSTRACT Background Background HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas. South Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random samplies technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful. 71% perceive no barriers to preventive health belief with shift, and AIDS prevention behavior, 62% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior, but there is no connection between t	SUBMITTED:	DECISION:				
2 version HIVAR-00484-2022 2022-04-12 A Show decision let TITLE AND TYPE Title HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper Background HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas in to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful. 71% perceive HIV is an emergency disease, 65% perceive the behavior. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.	2022-03-10	2022-04-12				
TITLE AND TYPE Title 1 HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper ABSTRACT Background 1 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increases from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas. Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewi in South Purwokerto of HIV prevention is not helpful, 17% perceive themselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 17% perceive not barriers to preventive healt behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior, is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection behavior.	1 version	HIVAR-00484-2022-01	2022-03-03	۹ Show decision lett		
1 HIV and AIDS Prevention Behavior of Housewife in South Purwokerto District, Indonesia 1 Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior, but there is no connection between the perception of uninerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior, but there is no connection between the perception of uninerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.	2 version	HIVAR-00484-2022-02	2022-04-12	Q Show decision lett		
1 Short title HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper ABSTRACT Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewi in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior, but there is no connection behavior.	TITLE AND TYPE	Title				
HIV and AIDS Prevention Behavior of Housewife in Indonesia Type Research paper ABSTRACT Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach aim to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewi in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.	1	HIV and AIDS Prevention Behavior	of Housewife in South Purwokerto Distri	ct, Indonesia		
Type Research paper ABSTRACT Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewi in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive themselves vulnerable of HIV infection, 52% perceive HIV is a mergency disease, 65% perceive the behavior of HIV prevention behavior and 65% have a cue to at in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.	I	Short title				
Research paper ABSTRACT Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewil in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful, 71% perceive HIV is an emergency disease, 65% perceive the behavior. 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		HIV and AIDS Prevention Behavior of Housewife in Indonesia				
ABSTRACT Background 2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas. Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		Туре				
2 HIV and AIDS is a health problem associated with risky behavior. HIV prevalence among housewives increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewing in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the behavior of HIV prevention is not helpful, 71% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		Research paper				
 increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach ain to determine admission of individuals to conduct HIV and AIDS prevention. Material and methods This research is a quantitative research using cross sectional design. The study population was housewill in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive the meselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior. 	ABSTRACT	Background				
This research is a quantitative research using cross sectional design. The study population was housewi in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive themselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.	2	increase from 21.08% (2012) to 14.41% (2013) in Banyumas. South Purwokerto is a district in Banyumas, Indonesia with STI cases as many as 45 people. This study uses Health Belief Model (HBM) approach aims				
in South Purwokerto District. Hundred people were taken as samples using proportional random sampling technique. Data collecting was interview using a questionnaire. Results Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive themselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		Material and methods				
Bivariate data analysis used chi square. The results showed the majority of respondents (51%) perceive themselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		in South Purwokerto District. Hun	dred people were taken as samples using			
themselves vulnerable of HIV infection, 52% perceive HIV is an emergency disease, 65% perceive the behavior of HIV prevention is not helpful, 71% perceive no barriers to preventive health behaviors, 62% have a positive belief on HIV prevention behavior and 65% have a cue to act in preventing HIV transmission. Percentage of HIV and AIDS good prevention behavior is 56%. Conclusions There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		Results				
There is a relationship between the cue to act with HIV and AIDS prevention behavior, but there is no connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		themselves vulnerable of HIV infe behavior of HIV prevention is not have a positive belief on HIV preve	ction, 52% perceive HIV is an emergency of helpful, 71% perceive no barriers to preve ention behavior and 65% have a cue to ac	disease, 65% perceive the entive health behaviors, 62% t in preventing HIV		
connection between the perception of vulnerability, urgency, benefits, barriers and beliefs with HIV and AIDS prevention behavior.		Conclusions				
AUTHORS		connection between the perception	-			
CORRESPONDING AUTHOR	AUTHORS					

CORRESPONDING AUTHOR

Dr. colti sistiarani (coltisistiarani@yahoo.co.id)

AE04

jenderal sudirman university

Contribution	45%	
	A - Study Design	
	B - Data Collection	
	D - Data Interpretation	
	E - Manuscript Preparation	
	F - Literature Search	
	G - Funds Collection	
Country	Indonesia	
Phone	+628122890582	
dian anandari		
jenderal sudirman univ	rsity	
Contribution	32%	

3

	ountry	Indonesia
	lviera gamelia Inderal soedirman university	
Co		23% F - Literature Search
Co	ountry	Indonesia

0

AUTHOR'S STATEMENTS	The contents of this manuscript have not been copyrighted or published previously CHECKED
4	The contents of the manuscript are not now under consideration for publication elsewhere CHECKED
	Please attach a scanned Copyright Transfer Agreement (PDF) with signature of all authors.
	↓ pernyataan hiv.pdf (79.64 kB)
KEYWORDS	HIV, Housewives, Perceive, Prevention, Behavior
5	
ΤΟΡΙϹS	epidemiology - population studies
6	
ADDITIONAL	Does the manuscript have external funds?
NFORMATION	Νο
7	Have you received the approval of the Bioethics Committee for the research?
-	Yes
	Approval number
	The ethical clearance number is Ref 1492/KEPK/IV/2017 on the date April,11, 2017.
SUGGESTED REVIEWERS	
0	Dr. budi budi • budi.aji@unsoed.ac.id jenderal soedirman university (Indonesia)
0	jenderal social man aniversity (indonesia)

epidemiology - population studies

Dr. suratman suratman • suratman.suratman@unsoed.ac.id

jenderal soedirman university (Indonesia)

epidemiology - population studies

Dr. bambang hariyadi • bambang.hariyadi@unsoed.ac.id

jenderal soedirman university (Indonesia)

epidemiology - population studies

Dr. eri wahtyuningsih • eri.wahyungsih@unsoed.ac.id jenderal soedirman university (Indonesia) epidemiology - population studies

es

	files 9	Manuscript body (1)HIV Housewife hivar no name.docx (419.05 kB)Show	,
	pdf file 10	PDF file was created for reviewing process and is no longer available.	
I			

User agreement Personal data Privacy policy

Feedback ^ Scroll to topCopyright © 2006-2023 Bentus All rights reserved.

es