



Digital Receipt

This receipt acknowledges that Turnitin received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Gito Sugiyanto
Assignment title: Publikasi Gito
Submission title: Effect Congestion Pricing in Maliob..
File name: d_2347-30509-3-PB.pdf
File size: 667.81K
Page count: 12
Word count: 5,876
Character count: 29,830
Submission date: 01-Feb-2018 09:11PM (UTC+0700)
Submission ID: 909720875

WALAILAK JOURNAL

<http://wjst.wu.ac.th>

Information Technology

The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle

Gito SUGIYANTO

Department of Civil Engineering, Faculty of Engineering, Jenderal Soedman University Parungtengah, Purabaya, Central Java, Indonesia

(Corresponding author's e-mail: gito_98@yahoo.com)

Received: 8 April 2016, Revised: 19 December 2016, Accepted: 25 January 2017

Abstract

Traffic congestion is one of the significant transport problems in many cities in developing countries. Increased economic growth and motorization have created more traffic congestion. The application of transportation demand management like congestion pricing can reduce congestion, pollution and increase road safety. The aim of this research is to estimate the congestion pricing of motorcycles and the effect of a congestion pricing scheme on the generalized cost and speed of a motorcycle. The amount of congestion pricing is the difference between actual generalized cost in traffic jams and in free-flow speed conditions. The analysis approach using 3 components of generalized costs of motorcycle: vehicle operating, travel time and extensibility cost (pollution cost). The approach to analyze the pollution cost is marginal-health cost and fuel consumption in traffic jams and free-flow speed conditions. The value of time based on Gross Regional Domestic Product per capita in Yogyakarta City in October 2012. The simulation to estimate the effect of congestion pricing using *Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2)* software. The results of this study show that while the free-flow speed of a motorcycle to the city of Yogyakarta is 42.42 km/h, with corresponding generalized cost of IDR1098 per trip, the actual speed in traffic jams is 10.77 km/h producing a generalized cost of IDR2767 per trip, giving a congestion pricing for a motorcycle of IDR1669 per trip. Based on the simulation by using EMME-2, the effect of congestion pricing will increase on vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malibono Street at 2.26 km/h, while the largest decrease occurred in Mayor Suryatomo Street at north-south direction at 1.07 km/h. Another effect of this application for motorcycles users will decrease the generalized cost by 1.09 to 6.63 %.

Keywords: Congestion pricing, motorcycle, marginal-health cost, generalized cost, EMME-2

Introduction

Cities in developing countries need innovative and effective solutions to solve their transportation problems like the traffic congestion, accident and delays. The increase in car ownership, population growth, and urbanization has increased traffic congestion in many cities in developing countries like in Indonesia. Traffic congestion does not only occur in urban areas, but also in rural areas, especially during peak hours. Transport problems become more complex and have more effects on society in areas with high activities, such as in Yogyakarta, Indonesia. This situation happens because of the imbalance between the number of vehicles and the length of the road [1]. Solutions to these problems are possible, not only through improvement of public transport, increased pedestrians and bicycle users, but also in the implementation of measures which promote a rational use of the automobile by means Transportation Demand Management (TDM). TDM aims to maximize the efficiency of the urban transport system by discouraging unnecessary private vehicle use and environmental-friendly modes of transport, in general being public transport and non-motorized transport [2].

Walailak J Sci & Tech 2018; 15(1): 95-106.

Effect Congestion Pricing in Malioboro, Yogyakarta

by Gito Sugiyanto

Submission date: 01-Feb-2018 09:11PM (UTC+0700)

Submission ID: 909720875

File name: d_2347-30509-3-PB.pdf (667.81K)

Word count: 5876

Character count: 29830

The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle

Gito SUGIYANTO

Department of Civil Engineering, Faculty of Engineering, Jenderal Soedirman University Purwokerto, Purbalingga, Central Java, Indonesia

(Corresponding author's e-mail: gito_98@yahoo.com)

Received: 8 April 2016, Revised: 19 December 2016, Accepted: 25 January 2017

Abstract

Traffic congestion is one of the significant transport problems in many cities in developing countries. Increased economic growth and motorization have created more traffic congestion. The application of transportation demand management like congestion pricing can reduce congestion, pollution and increase road safety. The aim of this research is to estimate the congestion pricing of motorcycles and the effect of a congestion pricing scheme on the generalized cost and speed of a motorcycle. The amount of congestion pricing is the difference between actual generalized cost in traffic jams and in free-flow speed conditions. The analysis approach using 3 components of generalized costs of motorcycle: vehicle operating, travel time and externality cost (pollution cost). The approach to analyze the pollution cost is marginal-health cost and fuel consumption in traffic jams and free-flow speed conditions. The value of time based on Gross Regional Domestic Product per capita in Yogyakarta City in October 2012. The simulation to estimate the effect of congestion pricing using *Equilibre* Multimodal, Multimodal Equilibrium-2 (EMME-2) software. The results of this study show that while the free-flow speed of a motorcycle to the city of Yogyakarta is 42.42 km/h, with corresponding generalized cost of IDR1098 per trip, the actual speed in traffic jams is 10.77 km/h producing a generalized cost of IDR2767 per trip, giving a congestion pricing for a motorcycle of IDR1669 per trip. Based on the simulation by using EMME-2, the effect of congestion pricing will increase on vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h, while the largest decrease occurred in Mayor Suryotomo Street at north-south direction at 1.07 km/h. Another effect of this application for motorcycles users will decrease the generalized cost by 1.09 to 6.63 %.

Keywords: Congestion pricing, motorcycle, marginal-health cost, generalized cost, EMME-2

Introduction

Cities in developing countries need innovative and effective solutions to solve their transportation problems like the traffic congestion, accident and delays. The increase in car ownership, population growth, and urbanization has increased traffic congestion in many cities in developing countries like in Indonesia. Traffic congestion does not only occur in urban areas, but also in rural areas, especially during peak hours. Transport problems become more complex and have more effects on society in areas with high activities, such as in Yogyakarta, Indonesia. This situation happens because of the imbalance between the number of vehicles and the length of the road [9]. Solutions to these problems are possible, not only through improvement of public transport, increased pedestrians and bicycle users, but also in the implementation of measures which promote a rational use of the automobile by means Transportation Demand Management (TDM). TDM aims to maximize the efficiency of the urban transport system by discouraging unnecessary private vehicle use and environmental-friendly modes of transport, in general being public transport and non-motorized transport [2].

The costs incurred by society as a result of the effect of congestion on transportation include vehicle operating, travel time and externality costs [3]. Externality costs are the congestion [4,5], environmental, pollution, and traffic accident costs [6]. The internalization of transportation external costs is one of the most relevant issues for policy makers in recent years. Congestion and air pollution are among the most relevant sources of externalities in urban centers and they are increasingly tackled through the adoption of road pricing schemes [7]. TDM, application of pricing policy in charging zone, congestion pricing, road pricing, and traffic restraint [7] are the alternatives to reduce the transportation cost [1,8]. TDM can provide many benefits, for example congestion reduction, road cost savings, parking savings, transportation cost savings to consumers, improved mobility options, increased road safety, reduced per capita energy consumption, reduced per capita pollution emissions, efficient land use and increased physical activity and associated health benefits [2].

The congestion costs in France, United Kingdom, United States, and Japan are respectively 2.1, 3.2, 1.3 and 2.0 % of the respective Gross National Product (GNP) of the countries [9,10]. The congestion cost in 85 cities in the United States was US\$63.3 billion in 2002, for a value of time of US\$13.45/hour [11]. The economic loss caused by the traffic congestion in the Jabodetabek region could be as much as US\$68 million per year due to traffic congestion and this estimate excludes the impacts of traffic congestion and pollution on human health [12]. Marginal congestion costs for different types of roads in England, for the latest update were around 45 pence per passenger car unit (pcu)-km for urban roads at peak time [13]. The congestion cost in CBD Malioboro, Indonesia for private passenger car users are estimated to be IDR2701 (US\$0.257) per trip [14] and for motorcycle users IDR522.77 (US\$0.05) per trip [14].

The effect of congestion pricing has been long studied in the transport policy area. In the cases of 4 European cities Paris, Brussels, Oslo and Helsinki can get a sizable amount of benefit from commuting time reduction, cost saving in vehicle management, or enhanced quality of public transportation when road pricing was introduced in each country [15]. Implementation of congestion charging for private vehicle users in urban centers in London increased the use of urban bus transport by 18 %, taxi users by 17 % and decreased the use of private cars by 33 % [16]. Application of road pricing in other countries has had a positive impact on reducing the use of private vehicle users and increased the use of public transport. In Belgium, the use of public transport increased by 10 %. If there is application of road pricing with improved public transportation service quality, the use of public transport will increase by 23 % [17]. Based on the simulation, application of a congestion charge of IDR4000 per trip for motorcycle users as through traffic in CBD Malioboro, Yogyakarta will save 6.848 % motorcycle users to bus TransJogja [18]. Among 15 - 20 %, reductions in generalized cost are surprisingly small for charge levels, which have achieved 15 % reduction in overall trips [19]. Singapore's road pricing system reduced 20 to 30 % of the downtown passenger car traffic and Stockholm's traffic volume decreased by at least 20 % [20]. Commuters switch to public bus services by 12 to 20 % in the morning hours after a S\$1 increase and by approximately 10 % in the evening after toll adjustment of S\$0.50 to S\$1.00 in the affected gantry area compared to the counterfactual through difference-in-difference method [21]. The effect of congestion cost in Stockholm, Sweden, a new Western bypass is estimated to reduce traffic across inner city bridges by 11 % [22]. In New Zealand it was found that the 21 % of survey respondents were willing to choose to walk and to use public transportation, while 67 % insisted that they would still drive cars were congestion pricing to be introduced [23]. Almost 37 % of car users in Edinburgh were willing to spend less or change the shopping destination if they had been asked to pay a congestion tax for their shopping to the CBD [24].

The aim of this paper is to estimate the congestion cost of motorcycle users and the effect of the congestion pricing scheme on the generalized cost and speed of motorcycle to the city of Yogyakarta, Indonesia.

Materials and methods

Analysis approach

Generalized cost of travel can be calculated based on a combination of cost paid by the user, travel time cost, vehicle-operating cost and externality cost. Externalities arise when the activity of a group affects the welfare of the other groups without any compensation [25,26]. Externalities in transport include: congestion, accidents, emissions, pollution and noise [2,27]. In this study, the externality cost that was considered was the pollution cost. The approach that is used to analyze the pollution cost is marginal-health cost per vehicle and fuel consumption of vehicle in actual conditions and free-flow speed conditions. The generalized cost by mode m from the origin, zone i to the destination, zone j was determined using Eq. (1).


$$GC_{ij}^m = VOT(\text{time}_{ij}^m) + VOC(\text{dist}_{ij}^m) + EC(\text{dist}_{ij}^m) \quad (1)$$

In which GC_{ij}^m is the generalized cost per Passenger Car Units (PCU) by mode m to go from the origin, zone i (O_i) to the destination, zone j (D_j). VOT is the value of time per-PCU-min, time_{ij}^m is the time taken to complete the trip in minutes, VOC_{ij}^m the total vehicle operating cost per PCU-km, and dist_{ij}^m is the distance travelled to go from zone i to zone j , in km, EC is the externality cost per kilometer while i is the origin zone and j the destination zone.

Data collection

In this paper, the speed of motorcycles was counted in 2 conditions, the first in free-flow speed conditions and the second in actual conditions that potentially cause traffic jams. Traffic is congested if there are so many vehicles that each one travels slower than it would do if the other vehicles were not there and traffic is congested if there are so many vehicles that they are brought to a standstill or can only crawl along [28]. Related with speed is traffic flow congestion which is defined as the impedance vehicles imposed on each other, due to the speed-flow relationship, in conditions where the use of a transport system approaches its capacity [29]. Motorcycle speed data was based on travel time of vehicles and a speed survey using speed gun.

The travel time in free-flow conditions for motorcycles in CBD Malioboro, Yogyakarta is obtained based on the formula in the Indonesian Highway Capacity Manual (IHCM) 1997 [35]. The actual travel time cost conditions were obtained from a Moving Car Observer (MCO) survey in the Central Business District (CBD) Malioboro, Yogyakarta. The CBD Malioboro consists of a 2 lane one-way direction undivided road (2/1 UD) 1.414 kilometers long from Malioboro Street to Ahmad Yani Street. The width of Malioboro Street is 7.00 m. The value of time data for motorcycle users is based on Gross Regional Domestic Product (GRDP) per capita in Yogyakarta city. The fuel consumption was obtained from the relationship between speed and dependent fuel consumption rates of motorcycles reported in the Study on Integrated Transportation Master Plan (SITRAMP) for the Jakarta-Bogor-Depok-Tangerang-Bekasi or Jabodetabek in 2004 [31]. The street where data was collected in the study area in CBD Malioboro, Indonesia is shown in Figures 1 and 2.



Results and discussion

The generalized cost of a motorcycle from origin to destination consists of 3 components of cost: the first is the vehicle operating cost, the second is the travel time cost and the third is the pollution cost.

Vehicle operating cost

In this paper, the vehicle operating cost (VOC) of motorcycles was counted in 2 conditions, based on travel cost in free-flow conditions and travel cost in actual conditions that potentially involved traffic jams. There are 5 components of vehicle operating costs of motorcycles: (a) consumption of fuel, (b) lubricating oil consumption, (c) tire consumption, (d) maintenance cost (spare parts and repair), and (e) fixed cost. The fuel consumption was obtained from the relationship between speed and fuel consumption rates of motorcycles reported in the Study on Integrated Transportation Master Plan (SITRAMP) for the Jakarta-Bogor-Depok-Tangerang-Bekasi or Jabodetabek in 2004 [31]. Fuel economy improvement can be implemented by raising traveling speed and replacing average vehicles with fuel saving ones like hybrid cars. For instance, traveling speed was reported to have a significant effect on fuel consumption and the lowest fuel consumption rates occur in a speed range of 40 km/h to 55 km/h [31,32].

Vehicle operating cost and speed relationship

Speed is the main factor to estimate the vehicle operating cost of motorcycles. The relationship between vehicle operating cost and speed of motorcycles for CBD Malioboro, Yogyakarta is presented in [14]. The optimum speed for motorcycles in CBD Malioboro along the 1.414 km is 47.20 km/h with vehicle operating cost of IDR350.77 per km (IDR496 in CBD Malioboro). The vehicle-operating cost model for motorcycles was determined using Eq. (2).

$$y = 0.0921V^2 - 8.6847V + 555.51 \text{ with } r^2 = 0.9686 \quad (2)$$

in which V is the speed of the motorcycle (km per hour) and y is vehicle operating cost of motorcycles (IDR per km).

Based on the survey and the analysis of Indonesian Highway Capacity Manual (IHCM) 1997 the speed of motorcycles in free-flow conditions is 42.42 km/h so the vehicle operating cost is IDR352.84/km (using Eq. (2)). Based on the Moving Car Observer (MCO) survey, the average speed of motorcycles under actual conditions is 10.77 km/h, so the vehicle-operating cost is IDR472.66/km (using Eq. (2)). The vehicle operating cost of motorcycles at CBD Malioboro, Yogyakarta in free-flow speed and actual conditions was calculated by multiplying by 1.414 km, the length of CBD Malioboro, the vehicle operating cost in free-flow speed condition is IDR499 per trip and the actual conditions were IDR669 per trip.

Travel time cost

Gross Regional Domestic Product (GRDP) per capita in Yogyakarta city in October 2012 is IDR51,649,500 [33]. The approach in this research was 25 workdays every month, 8 hours/day, a motorcycle occupancy of 1.5 peoples per motorcycle and percentage of workers 45 %. The value of time of motorcycle users in Yogyakarta city based on Gross Regional Domestic Product (GRDP) is IDR14,526.42 per hour. Based on the survey and analysis of the speed of motorcycles in CBD Malioboro, the travel time in free-flow conditions is 2 min. Based on the moving car observer (MCO) survey, the average of travel time in actual conditions is 7 min 52.5 s. The travel time cost of motorcycles in CBD Malioboro, Yogyakarta was calculated by multiplying the travel time with the value of time based on GRDP is IDR14,526.42 per hour. The travel time cost (TTC) in free-flow conditions is IDR485 per trip while the actual cost is IDR1,907 per trip.

Externality Cost: Pollution Cost

The marginal health-cost (MHC) approach is used to calculate the pollution cost per motorcycle. This approach was the result of a World Bank study in Jakarta in 1990. MHC is value expressed in US cents per litre and cents/pass-kilometer [14]. In this study, we used MHC in cents per litre, then converted

into IDR per litre using an exchange rate of 1 US\$ = IDR10,500. The pollution cost for motorcycles was determined using Eq. (3).

$$\text{Pollution cost (PC)} = \text{Marginal Health-cost (MHC)} \times \text{Consumption of fuel (CF)} \quad (3)$$

In which PC is pollution cost (IDR/km), MHC is marginal health-cost of motorcycle (IDR/litre) and CF is the fuel consumption (litre/km).

The relationship between fuel consumption and the speed of the motorcycle is based on the result of the SITRAMP study by [31] and measurements in the field is formulated in the quadratic function of Eq. (4).

$$y = -0.008V^2 + 0.7991V + 9.6933 \quad \text{with } r^2 = 0.8299 \quad (4)$$

In which y is fuel consumption (km/litre) and V is speed of motorcycle (km/h). The coefficient determination (r^2) value 0.8299, indicated that there was a strong correlation between motorcycle speed and fuel consumption. Fuel consumption using Eq. (4), was 17.37 km/litre in actual conditions with a speed 10.77 km/h and 29.20 km/litre in free-flow conditions with a speed 42.42 km/h. Speed and fuel consumption are the main factors in determining pollution cost. The pollution cost of motorcycle in free-flow conditions was IDR 80 and IDR135 in actual conditions. The pollution cost of motorcycles in Malioboro along 1.414 km in actual conditions at 10.77 km/h is IDR 191 and in free-flow conditions at 42.42 km/h is IDR 114.

Generalized cost

The generalized cost of motorcycles consists of vehicle operating cost, travel time cost and externality cost. From the results above, the generalized cost of motorcycles in actual conditions is IDR2767/trip and generalized cost in free-flow conditions is IDR1098/trip. The generalized cost of motorcycles in actual conditions is more expensive (152 %) than in free-flow conditions. The value of travel time cost in actual conditions is 69 % of the generalized cost but in free-flow conditions is only 44 %. The generalized cost of the motorcycle in CBD Malioboro is shown in Table 1.

Table 1 Generalized cost of motorcycle in CBD Malioboro.

Type of condition	VOC (IDR/trip)	Pollution cost (IDR/trip)	TTC (IDR/trip)	Generalized cost (IDR/trip)
Free-flow speed	499	114	485	1,098
Actual cost	669	191	1,907	2,767

Congestion cost

The approach to estimate congestion cost in this study is similar to the approach of Dodgson and Lane [34] in their study on the costs of road congestion in Great Britain. Congestion costs are the difference between the level of costs in actual and the level of costs in free-flow conditions [34]. The amount of congestion cost of motorcycles is the difference between the generalized cost in actual conditions at 10.77 km/h and a travel time of 7 min 52.5 s, and the generalized cost in free-flow conditions at 42.42 km/h and a travel time of 2 min. From above, the generalized cost of motorcycles in actual conditions is IDR2,767 per trip, and the generalized cost in free-flow conditions is IDR1,098 per trip, thus the congestion cost of motorcycles in CBD Malioboro, Yogyakarta is IDR1,669 per trip.

[illegible]

Walailak J Sci & Tech 2018; 15(1)




Figure 4 Auto speeds from simulation results using EMME-2 in CBD Malioboro, Yogyakarta.

Implementation of congestion pricing for motorcycles users at Malioboro Street and Ahmad Yani Street in Yogyakarta resulted in a change in vehicle speed of 0.72 to 8.11 % (Table 2). The speed in some roads increased like at Pangeran Diponegoro Street (W-E), Pangeran Mangkubumi Street, Malioboro Street, Ahmad Yani Street, Mataram Street (S-N) and Mayor Suryotomo Street (S-N), while in Jenderal Sudirman Street, Pangeran Diponegoro Street (E-W), Ahmad Dahlan Street, Pangeran Senopati Street and Mayor Suryotomo Street (N-S) the speed decreased. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street in the north-south direction at 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %). These results are similar with the research of [35] which examined the implementation of Electronic Road Pricing (ERP) in Paris, ERP increased the vehicle speed from 44.80 to 45.40 km/h. Based on the results of the simulation of application of congestion pricing for motorcycles users in Malioboro, there was an improvement in the road network performance. Application of congestion pricing increased the vehicle speed and decreased the generalized cost. These results are similar to the study of [36] that examined the application of congestion charging in central London that can increase the average speed of vehicle by ± 4 km/h. Within the Charging Zone (CZ), the Wilcoxon [12] has shown that the difference in speed between pre and post London's Congestion Charging Scheme (CCS) periods has increased on average of 2.1 km/h and that these changes are significant at the $p = 0.05$ level [36]. This result is in line with the findings of Percoco [7], the road pricing scheme in Milan has had limited impact in terms of congestion and environmental quality because of the behavioral response of road users. In fact, we have found [32] the policy did not produce a reduction in the number of vehicles entering the city center, while it did lead to an increase in the number of motorbikes and, in part, LPG, bi-fuel and hybrid cars [7]. The effect of congestion pricing of motorcycles users on vehicle speed in 16 links can be seen in Table 2.

Table 2 Effect of congestion pricing of motorcycles users on vehicle speed.

No.	Node Origin- Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %
16.	37 - 419	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %

Note: W is west, E is east, S is south, and N is north.

The vehicle speed on Malioboro Street in existing conditions without pricing is 27.85 km/h. In these conditions, the vehicle operating cost of motorcycles is IDR311.53 per trip, travel time cost is IDR421.97 per trip, pollution cost is IDR73.42 per trip and therefore the generalized cost without congestion pricing is IDR806.92 per trip. Based on the simulation by using EMME-2, vehicle speed on Malioboro Street with congestion pricing is 30.11 km/h. Under these conditions, the vehicle operating cost of motorcycles is IDR305.41 per trip, travel time cost is IDR390.30 per trip, pollution cost is IDR71.32 per trip and therefore the generalized cost with pricing is IDR753.40 per trip. The generalized cost in Malioboro Street will decrease to IDR53.51 per trip (6.63 %). Vehicle speed on Ahmad Yani Street under existing conditions without pricing is 31.09 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR226.59 per trip, travel time cost is IDR282.68 per trip, pollution cost is IDR52.73 per trip and therefore the generalized cost without pricing is IDR562 per trip. Based on the results of the simulation, vehicle speed on Ahmad Yani Street with congestion pricing would be 32.34 km/h. Under these conditions, the vehicle operating cost of a motorcycle is IDR224.44 per trip, travel time cost is IDR271.76 per trip, pollution cost is IDR52.03 per trip and therefore the generalized cost with pricing is IDR527.66 per trip. The generalized cost in Ahmad Yani Street will decrease to IDR34.33 per trip (6.11 %). The effect of congestion pricing of motorcycles users on generalized cost in 16 links can be seen in **Table 3**.

Table 3 Effect of congestion pricing of motorcycles users on generalized cost.

No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %

Note: W is west, E is east, S is south, and N is north.

These results are in line with the findings of May and Milne [19] and Sugiyanto [37] that congestion pricing will yield reductions in generalized cost. The generalized cost in Malioboro Street, Ahmad Yani Street, Pangeran Mangkubuni Street, Pangeran Diponegoro Street, Bhayangkara Street, Pangeran Senopati Street, Mataram Street and Mayor Suryotomo Street will decrease, while the generalized cost in Jenderal Soedirman Street and Ahmad Dahlan Street will increase. The highest increase in generalized cost occurred in Malioboro Street at IDR53.51 per trip (6.63 %) while the largest decrease occurs in Jenderal Soedirman Street in the east-west direction at IDR37.54 per trip (3.92 %). Under these conditions, there is a change of route from the commuter to the city of Yogyakarta.

Conclusions

The estimation of congestion cost for motorcycles users in CBD Malioboro, Yogyakarta and the effect of a congestion pricing scheme on the generalized cost and speed of motorcycles to the city of Yogyakarta is presented in this paper. From the analysis and results, it can be concluded that:

1. The generalized cost at CBD Malioboro, Yogyakarta for motorcycles in free-flow conditions is IDR1,098 per trip and in actual conditions is IDR2,767 per trip, giving a congestion pricing for motorcycles to the city of Yogyakarta of IDR1,669 per trip.
2. Based on the simulation by using EMME-2, the effect of the application of congestion pricing will increase vehicle speed by 0.72 to 8.11 %. The highest increase of vehicle speed occurred in Malioboro Street at 2.26 km/h (8.11 %) while the largest decrease occurred in Mayor Suryotomo Street at north-south direction 1.07 km/h (2.64 %) and in Bhayangkara Street at 0.88 km/h (2.78 %).
3. The effect of the congestion pricing scheme on the generalized cost for motorcycles will decrease to IDR53.51 per trip (6.63 %) in Malioboro Street and IDR34.33 per trip (6.11 %) in Ahmad Yani Street.

20

Acknowledgements

23

This research was carried out by the financial support of Ministry of Education and Culture, Republic of Indonesia through Research Grant: Doctorate Development Program (*Beasiswa Unggulan Program Pengembangan Doktor or P2D*) in the fiscal year 2012.

References

- [1] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Civil Eng. Dimension* 2010; **12**, 92-7.
- [2] A Broaddus, T Litman and G Menon. *Transportation Demand Management, Training Document, gtz Transport Policy Advisory Services*. Eschborn, Germany, 2009, p. 1-111.
- [3] JD Ortuzar and LG Willumsen. *Modeling Transport*. John Wiley and Sons, England, 2001, p. 1-75.
- [4] PC Stubbs, WJ Tyson and MQ Dalvi. *Transport Economics*. George Allen and Unwin, London, 1980.
- [5] ET Verhoef. Second-best congestion pricing in general networks, Heuristic algorithms for finding second-best optimal toll levels and toll points. *Transport. Res. Part B* 2002; **36**, 707-29.
- [6] JF Tsai, CP Chu and SR Hu. Road pricing for congestion and accident externalities for mixed traffic of motorcycles and automobiles. *Transport. Res. Part A* 2015; **71**, 153-66.
- [7] M Percoco. The effect of road pricing on traffic composition: Evidence from a natural experiment in Milan, Italy. *Transport Pol.* 2014; **31**, 55-60.
- [8] G Sugiyanto. The effect of application of congestion cost for private passenger cars users as a through traffic in Yogyakarta, Indonesia. *ASEAN Eng. J.* 2011; **1**, 84-96.
- [9] G Boudalon. La Mobilite en Zone Urbaine: Apprendre l'economie de transport, document diffusion restreinte, direction de l'environnement. In: Proceeding of the European Conference of Ministers of Transport. Paris, 1991, p. 10-7.
- [10] E Quinet. The social costs of transport: Evaluation and links with internalization policies, In internalizing the social costs of transport. In: Proceeding of the European Conference of Ministers of Transport. Paris, 1994, p. 31-75.
- [11] JD Harford. Congestion, pollution and benefit to cost ratios of US public transit system. *Transport. Res. Part D* 2006; **11**, 45-58.
- [12] S Dikun. Transportation in new global era: Linking Asia through better transportation. In: Proceeding of the 4th Eastern Asia Society for Transportation Studies. Fukuoka, Japan, 2003.
- [13] DM Newbery. *Fair Payment from Road-Users: A Review of the Evidence on Social and Environment Costs*. The Automobile Association, Basingstoke, 1998.
- [14] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Estimation of congestion cost of motorcycles users in Malioboro, Yogyakarta. *Int. J. Civil Environ. Eng.* 2011; **11**, 56-63.
- [15] A de Palma, R Lindsey and E Niskanen. Policy insights from the urban road pricing case studies. *Transport Pol.* 2006; **13**, 149-61.
- [16] G Santos and J Bhakar. The impact of London congestion charging scheme on the generalized cost of car commuters to the city of London from a value of time savings perspective. *Transport Pol.* 2006; **13**, 22-33.
- [17] H Armelius and L Hultkrantz. The Politico-economic link between public transport and congestion cost: an ex-ante study of the Stockholm trial-cost road. *Transport Pol.* 2006; **13**, 162-72.
- [18] G Sugiyanto, S Malkhamah, A Munawar and H Sutomo. Modeling the effect of congestion pricing on mode choice in Yogyakarta, Indonesia. *Int. J. Eng. Tech.* 2011; **11**, 109-16.
- [19] AD May and DS Milne. Effects of alternative road pricing systems on network performance. *Transport. Res. Part A* 2000; **34**, 407-36.
- [20] G Menon and S Guttikunda. Electronic road pricing: Experience & lessons from Singapore. *SIM Air Work. Pap. Series* 2010; **33**, 1-15.
- [21] S Agarwal and KM Koo. Impact of electronic road pricing (ERP) changes on transport modal choice. *Reg. Sci. Urban Econ.* 2016; **60**, 1-11.

- [22] J Eliasson, L Hultkrantz, L Nerhagen and LS Rosqvist. The Stockholm congestion-charging trial 2006: Overview of effects. *Transport. Res. Part A* 2009; **43**, 240-50.
- [23] C O'Fallon, C Sullivan and D Hensher. Constraints affecting mode choices by morning car commuters. *Transport Pol.* 2004; **11**, 17-29.
- [24] S Hu and W Saleh. Impacts of congestion charging on shopping trips in Edinburgh. *Transport Pol.* 2005; **12**, 443-50.
- [25] JK Button. *Transport Economics*. 2nd ed. Cambridge University Press, United Kingdom, 1993.
- [26] M Belhaj and E Fridle. *External Costs in the Transport Sector: A Literature Review*. Available at: <http://www.cpm.chalmers.se/document/reports/08/CPM%20trsp%20lit%20review2.3%20.pdf>, accessed December 2010.
- [27] RA Derlin and RQ Grafton. *Economic Right and Environmental Wrongs*. Edward Elgar, Cheltenham, 1998.
- [28] S Grant-Muller and J Laird. *Costs of Congestion: Literature Based Review of Methodologies and Analytical Approaches*. Final Report, Scottish Executive Social Research, London, 2006, p. 35-44.
- [29] PB Goodwin. *The Economic Cost of Road Traffic Congestion*. Rail Freight Group, Transport Studies Unit, University College London, London, 2004, p. 1-14.
- [30] Directorate General of Highways, Directorate of Urban Road Development. *Indonesian Highway Capacity Manual (IHCM) 1997*. Sweroad in Association with PT. Bina Karya (Persero), Jakarta, 1997, p. 1-99.
- [31] JICA and National Development Planning Agency (BAPPENAS). *The Study on Integrated Transportation Master Plan (SITRAMP) for the Jabodetabek Phase 2*. Final Report, Technical Report. PCI and ALMEC Corporation, Jakarta, Republic of Indonesia, 2004, p. 36-55.
- [32] DU Asri and B Hidayat. Current transportation issues in Jakarta and ITS impacts on environment. In: *Proceeding of the 5th Eastern Asia Society for Transportation Studies*. Fukuoka, Japan, 2005, p. 1792-8.
- [33] Central Bureau of Statistics of Yogyakarta City. *Gross Regional Domestic Product of Yogyakarta City by Industrial Origin 2011-2015*. Central Bureau of Statistics, Yogyakarta, 2016, p. 1-80.
- [34] J Dodgson and B Lane. *The Costs of Road Congestion in Great Britain: A NERA Briefing Paper*. National Economic Research Associates, London, 1997, p. 1-18.
- [35] AD Palma and R Lindsey. Modeling and evaluation of congestion pricing in Paris. *Transport Pol.* 2006; **13**, 115-26.
- [36] SD Beevers and DC Carslaw. The impact of congestion charging on vehicle speed and its implications for assessing vehicle emissions. *J. Atmos. Environ.* 2005; **39**, 6875-84.
- [37] G Sugiyanto. Impact of congestion pricing scheme on the generalized cost and speed of motorcycle (case study in Yogyakarta, Indonesia). *J. Eng. Appl. Sci.* 2016; **11**, 1740-6.

Effect Congestion Pricing in Malioboro, Yogyakarta

ORIGINALITY REPORT

20%

SIMILARITY INDEX

16%

INTERNET SOURCES

10%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

1

wjst.wu.ac.th

Internet Source

3%

2

daneshyari.com

Internet Source

3%

3

www.etcproceedings.org

Internet Source

2%

4

Submitted to Asian Institute of Technology

Student Paper

1%

5

Agarwal, Sumit, and Kang Mo Koo. "Impact of electronic road pricing (ERP) changes on transport modal choice", Regional Science and Urban Economics, 2016.

Publication

1%

6

Submitted to City University

Student Paper

1%

7

www.cleanairinstitute.org

Internet Source

1%

8

Submitted to Curtin International College

Student Paper

1%

9	newmobilityagenda.blogspot.com Internet Source	1 %
10	www.thejakartapost.com Internet Source	1 %
11	ced.petra.ac.id Internet Source	1 %
12	Sean D. Beevers, David C. Carslaw. "The impact of congestion charging on vehicle speed and its implications for assessing vehicle emissions", Atmospheric Environment, 2005 Publication	<1 %
13	dlisv03.media.osaka-cu.ac.jp Internet Source	<1 %
14	Submitted to Universiti Teknologi Malaysia Student Paper	<1 %
15	haria rapardede.wordpress.com Internet Source	<1 %
16	ijens.org Internet Source	<1 %
17	era.library.ualberta.ca Internet Source	<1 %
18	www.chemweb.com Internet Source	<1 %

nparc.cisti-icist.nrc-cnrc.gc.ca

19

Internet Source

<1 %

20

Sugiyanto, Gito, Purwanto Bektu Santosa, Aris Wibowo, and Mina Yumei Santi. "Analysis of Hub-and-spoke Airport Networks in Java Island, Based on Cargo Volume and Freight Ratio", Procedia Engineering, 2015.

Publication

<1 %

21

www.infra.kth.se

Internet Source

<1 %

22

Submitted to University of Leeds

Student Paper

<1 %

23

ejournal.undip.ac.id

Internet Source

<1 %

24

Submitted to University of Lancaster

Student Paper

<1 %

25

May, A.. "Effects of alternative road pricing systems on network performance",
Transportation Research Part A, 200008

Publication

<1 %

26

Tseng, Po-Hsing, Dung-Ying Lin, and Steven Chien. "Investigating the impact of highway electronic toll collection to the external cost: A case study in Taiwan", Technological Forecasting and Social Change, 2013.

Publication

<1 %

27	Percoco, Marco. "The impact of road pricing on housing prices: Preliminary evidence from Milan", Transportation Research Part A Policy and Practice, 2014. Publication	<1 %
28	doclib.uhasselt.be Internet Source	<1 %
29	depositonce.tu-berlin.de Internet Source	<1 %
30	www.webmeets.com Internet Source	<1 %
31	www.cairn-int.info Internet Source	<1 %
32	Santos, G.. "Part I: Externalities and economic policies in road transport", Research in Transportation Economics, 2010 Publication	<1 %
33	repository.tudelft.nl Internet Source	<1 %
34	www.transport.govt.nz Internet Source	<1 %
35	Guzman, Luis A., Daniel de la Hoz, and Andrés Monzón. "Optimization of Transport Measures to Reduce GHG and Pollutant Emissions Through a LUTI Modeling Approach",	<1 %

International Journal of Sustainable Transportation, 2015.

Publication

36

Submitted to iGroup

Student Paper

<1%

Exclude quotes On

Exclude matches Off


Exclude bibliography On

**Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada ASEAN Engineering Journal Part C
Vol. 1 No. 3, November 2011 dan Walailak Journal of Science and Technology-Thailand**

No.	Parameter	ASEAN Engineering Journal Part C Vol. 1 No. 3, November 2011, pp. 84-96. ISSN: 2229-127X	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: <i>The Estimation of Congestion Cost for Private Passenger Car and Its Effect as a Through Traffic in Malioboro, Yogyakarta, Indonesia</i>	Judul: <i>The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle</i>
2.	Jenis kendaraan yang ditinjau (obyek penelitian)	Pengguna Mobil pribadi (Private Passenger Car) sebagai arus menerus (through traffic) di Malioboro	Pengguna Sepeda motor (Motorcycle)
3.	Estimasi nilai biaya kemacetan (congestion cost)	$CC_{ij}^m = C_{ij}^m MSC - C_{ij}^m MPC$ dimana MSC adalah <i>Marginal Social Cost</i> dan MPC adalah <i>Marginal Private Cost</i>	$CC = GC_{actual\ condition} - GC_{free-flow\ speed}$ Dimana GC adalah generalized cost
4.	Metode pendekatan analisis	Stated Preference Technique dengan menggunakan lima parameter yaitu: <i>travel cost, congestion cost, headway, travel time, dan walking time</i>	Software pemodelan transportasi <i>Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds and auto times.</i>
5.	Pendekatan analisis	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi. Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m) + EC (dist._{ij}^m)$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Mobil Pribadi berdasarkan Model BOK menurut LAPI ITB 1996. - Biaya polusi mobil pribadi dianalisis berdasarkan <i>Marginal Health Cost</i> dengan model konsumsi bahan bakar berdasarkan Model LAPI ITB 1996. - Biaya waktu perjalanan dianalisis berdasarkan hasil survey wawancara dengan pengguna mobil pribadi dan diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta pada bulan September 2010 sebesar Rp 11.447,52/jam.	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP) . Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m) + EC (dist._{ij}^m)$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Sepeda Motor terdiri dari 5 komponen biaya dengan hubungan antara konsumsi bahan bakar dan kecepatan berdasarkan Studi SITRAMP 2004. - Biaya polusi sepeda motor dianalisis berdasarkan <i>Marginal Health Cost</i> dengan model konsumsi bahan bakar berdasarkan Model Studi SITRAMP 2004. - Biaya waktu perjalanan dianalisis berdasarkan nilai waktu pengguna sepeda motor di Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam. Pendekatannya berdasarkan nilai Gross Regional Domestic Product (GRDP) penduduk Kota Yogyakarta

No.	Parameter	ASEAN Engineering Journal Part C Vol. 1 No. 3, November 2011, pp. 84-96. ISSN: 2229-127X	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
6.	Data kecepatan kendaraan	Kecepatan mobil pribadi diambil berdasarkan data waktu tempuh kendaraan. Hasil analisis nilai kecepatan mobil pribadi: a. Kondisi <i>marginal private cost</i> yaitu saat kondisi arus bebas : 40 km/jam b. Kondisi <i>marginal social cost</i> saat terjadi kemacetan di lapangan: 9,98 km/jam.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di lapangan dengan menggunakan alat <i>Speed Gun</i>. Hasil analisis nilai kecepatan sepeda motor: a. Kondisi <i>free-flow speed</i> : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
7.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan kendaraan	Hubungan antara konsumsi bahan bakar dan kecepatan mobil pribadi mengacu pada hasil Penelitian Gito Sugiyanto, dkk (2009).	Hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)
8.	Nilai waktu pengguna kendaraan	Berdasarkan hasil survey wawancara dengan pengguna mobil pribadi dan diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta pada bulan September 2010 sebesar Rp 11.447,52/jam.	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam.
9.	Biaya eksternalitas berupa biaya polusi	Hasil analisis biaya polusi: a. Kondisi <i>marginal private cost</i> yaitu saat kondisi arus bebas : Rp 209,12/km. b. Kondisi <i>marginal social cost</i> saat terjadi kemacetan di lapangan: Rp 384,45/km.	Biaya polusi dirumuskan sebagai: $Pollution\ cost\ (PC) = Marginal\ Health-cost\ (MHC) \times Consumption\ of\ fuel\ (CF)$ Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer. Hasil analisis biaya polusi: a. Kondisi <i>free-flow speed</i> : Rp 80,00/km b. Kondisi aktual di lapangan saat terjadi kemacetan : Rp 135,00/km.
10.	Besaran biaya <i>generalized cost</i>	<i>Generalized cost</i> pada <i>marginal social cost</i> saat terjadi kemacetan di lapangan sebesar Rp 5.513,77/trip. <i>Generalized cost</i> pada Kondisi <i>marginal private cost</i> yaitu saat kondisi arus bebas sebesar Rp 2.598,77/trip.	<i>Generalized cost</i> pada kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK sebesar Rp 669/trip, BWP Rp 1.907/trip dan BP sebesar Rp 191/trip). <i>Generalized cost</i> pada kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK sebesar Rp 499/trip, BWP Rp 485/trip dan BP sebesar Rp 114/trip).

No.	Parameter	ASEAN Engineering Journal Part C Vol. 1 No. 3, November 2011, pp. 84-96. ISSN: 2229-127X	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
11.	Besaran biaya kemacetan (<i>congestion cost</i>)	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Mobil pribadi sebagai arus-menerus (<i>through traffic</i>) di Kawasan Malioboro, Yogyakarta adalah Rp 2.915,00 per trip.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip.
12.	Jumlah lokasi ruas jalan (<i>link</i>) yang dianalisis	2 (dua) ruas jalan, yaitu Jalan Malioboro dan Jalan Ahmad Yani.	16 (enam belas) ruas jalan (<i>link</i>)
13.	Model pemilihan moda	$U_{PC}-U_{BT}=21,13522-0.00476X_1-0.00435X_2-0,37541X_3-2,52003X_4-2,24683X_5$ with $r^2 = 0,97855$	Tidak dianalisis.
14.	Dampak penerapan <i>Congestion Pricing</i>	Dampak penerapan <i>congestion cost</i> diestimasi berdasarkan model pemilihan moda antara mobil pribadi sebagai arus menerus di Kawasan Malioboro, Yogyakarta dengan bus TransJogja. Terdapat 89,099% yang akan menggunakan mobil pribadi dan 10,901% yang akan memilih Bus TransJogja.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilbre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini.




No.	Parameter	ASEAN Engineering Journal Part C Vol. 1 No. 3, November 2011, pp. 84-96. ISSN: 2229-127X	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106																																																																																																																																
15.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2 terhadap kecepatan sepeda motor adalah sebagai berikut: <table><tr><th rowspan="2">No.</th><th rowspan="2">Node Origin-Destination</th><th rowspan="2">Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (%)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><td>(1)</td><td>(2)</td><td>(3)</td><td>(4)</td><td>(5)</td><td>(6) = (5) - (4)</td><td>(7) = (6)/(4)</td></tr><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)				Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																													
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																													
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																													
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																													
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																													
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																													
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																													
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																													
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																													
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																													
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																													
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																													
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																													
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																													
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																													
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																													
16.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i>	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2 terhadap <i>generalized cost</i> sepeda motor adalah sebagai berikut: <table><tr><th rowspan="2">No.</th><th rowspan="2">Name of link and direction movement</th><th rowspan="2">Length of link (km)</th><th colspan="2">Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><td>(1)</td><td>(2)</td><td>(3)</td><td>(4)</td><td>(5)</td><td>(6) = (5) - (4)</td><td>(7) = (6)/(4)</td></tr><tr><td>1.</td><td>Malioboro Street (N-S)</td><td>0.809</td><td>806.92</td><td>753.40</td><td>-53.51</td><td>-6.63 %</td></tr><tr><td>2.</td><td>Ahmad Yani Street (N-S)</td><td>0.605</td><td>562.00</td><td>527.66</td><td>-34.33</td><td>-6.11 %</td></tr><tr><td>3.</td><td>Jenderal Soedirman Street (W-E)</td><td>1.274</td><td>957.39</td><td>992.42</td><td>35.03</td><td>3.66 %</td></tr><tr><td>4.</td><td>Jenderal Soedirman Street (E-W)</td><td>1.274</td><td>958.86</td><td>996.40</td><td>37.54</td><td>3.92 %</td></tr><tr><td>5.</td><td>Pangeran Mangkubumi Street</td><td>0.814</td><td>689.20</td><td>662.01</td><td>-27.18</td><td>-3.94 %</td></tr><tr><td>6.</td><td>Pangeran Diponegoro Street (W-E)</td><td>0.686</td><td>517.59</td><td>498.18</td><td>-19.41</td><td>-3.75 %</td></tr><tr><td>7.</td><td>Pangeran Diponegoro Street (E-W)</td><td>0.686</td><td>517.38</td><td>502.78</td><td>-14.60</td><td>-2.82 %</td></tr><tr><td>8.</td><td>Ahmad Dahlan Street (E-W)</td><td>1.022</td><td>768.64</td><td>777.40</td><td>8.76</td><td>1.14 %</td></tr><tr><td>9.</td><td>Ahmad Dahlan Street (W-E)</td><td>1.022</td><td>765.77</td><td>772.09</td><td>6.32</td><td>0.83 %</td></tr><tr><td>10.</td><td>Bhayangkara Street</td><td>0.574</td><td>527.42</td><td>515.55</td><td>-11.87</td><td>-2.25 %</td></tr><tr><td>11.</td><td>Pangeran Senopati Street (W-E)</td><td>0.715</td><td>555.34</td><td>545.16</td><td>-10.17</td><td>-1.83 %</td></tr><tr><td>12.</td><td>Pangeran Senopati Street (E-W)</td><td>0.715</td><td>554.60</td><td>543.35</td><td>-11.25</td><td>-2.03 %</td></tr><tr><td>13.</td><td>Mataram Street (S-N)</td><td>0.564</td><td>533.83</td><td>508.98</td><td>-24.84</td><td>-4.65 %</td></tr><tr><td>14.</td><td>Mataram Street (N-S)</td><td>0.564</td><td>533.37</td><td>520.34</td><td>-13.03</td><td>-2.44 %</td></tr><tr><td>15.</td><td>Mayor Suryotomo Street (N-S)</td><td>0.750</td><td>595.86</td><td>589.36</td><td>-6.50</td><td>-1.09 %</td></tr><tr><td>16.</td><td>Mayor Suryotomo Street (S-N)</td><td>0.750</td><td>596.57</td><td>579.16</td><td>-17.40</td><td>-2.92 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %	2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %	3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %	4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %	5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %	6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %	7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %	8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %	9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %	10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %	11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %	12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %	13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %	14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %	15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %	16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %
No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)				Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %																																																																																																																													
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %																																																																																																																													
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %																																																																																																																													
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %																																																																																																																													
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %																																																																																																																													
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %																																																																																																																													
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %																																																																																																																													
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %																																																																																																																													
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %																																																																																																																													
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %																																																																																																																													
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %																																																																																																																													
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %																																																																																																																													
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %																																																																																																																													
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %																																																																																																																													
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %																																																																																																																													
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %																																																																																																																													

Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada *Journal of Engineering and Applied Sciences* (JEAS)-Medwell dan *Walailak Journal of Science and Technology-Thailand*

No.	Parameter	<i>Journal of Engineering and Applied Sciences</i> (JEAS) Vol. 11 Issue 8, 2016 pp. 1740-1746	<i>Walailak Journal of Science and Technology</i> (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: The Impact of Congestion Pricing Scheme on the Generalized Cost and Speed of Motorcycle to the City of Yogyakarta, Indonesia	Judul: The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle
2.	Pendekatan analisis	Komponen biaya transportasi: 2 (dua) buah yaitu Biaya Operasional Kendaraan (BOK) dan Biaya Waktu Perjalanan (BWP). Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m)$	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP) . Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m) + EC (dist._{ij}^m)$ Ada tambahan satu parameter biaya transportasi yaitu Externality Cost (EC) .
3.	Data kecepatan sepeda motor	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan. Hasil analisis nilai kecepatan kendaraan: a. Kondisi kecepatan arus bebas : 45,5 km/jam b. Kondisi aktual di lapangan: 12,50 km/jam.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di lapangan dengan menggunakan alat Speed Gun . Hasil analisis nilai kecepatan kendaraan: a. Kondisi free-flow speed : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
4.	Komponen <i>generalized cost</i>	<i>Generalized cost</i> terdiri dari 2 (dua) komponen biaya yaitu: 1. Biaya operasi kendaraan (BOK) atau <i>vehicle operating cost</i> (VOC). 2. Biaya waktu perjalanan (BWP) atau <i>travel time cost</i> (TTC)	<i>Generalized cost</i> terdiri dari tiga komponen biaya yaitu: 1. Biaya operasi kendaraan (BOK) atau <i>vehicle operating cost</i> (VOC). 2. Biaya waktu perjalanan (BWP) atau <i>travel time cost</i> (TTC) 3. Biaya eksternalitas (externality cost) berupa biaya polusi (pollution cost).
5.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor	Tidak dianalisis.	Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)

No.	Parameter	<i>Journal of Engineering and Applied Sciences (JEAS)</i> Vol. 11 Issue 8, 2016 pp. 1740-1746 (Jurnal No. 6)	<i>Walailak Journal of Science and Technology (WJST)</i> Vol. 15 No. 1 January 2018 pp. 95-106
6.	Nilai waktu pengguna sepeda motor	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Desember 2009 sebesar Rp 3.367,55/jam (Sugiyanto, 2011).	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam .
7.	Biaya eksternalitas berupa biaya polusi	Tidak dianalisis.	Biaya polusi dirumuskan sebagai: $\text{Pollution cost (PC)} = \text{Marginal Health-cost (MHC)} \times \text{Consumption of fuel (CF)}$ Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer.
8.	Besaran biaya <i>generalized cost</i>	<i>Generalized cost</i> pada kondisi aktual sebesar Rp 1.746/trip (terdiri dari BOK sebesar Rp 738/trip dan BWP Rp 1008/trip). <i>Generalized cost</i> pada kondisi kecepatan arus bebas sebesar Rp 860/trip (terdiri dari BOK sebesar Rp 582 dan BWP Rp 278 per trip)	<i>Generalized cost</i> pada kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK sebesar Rp 669/trip, BWP Rp 1.907/trip dan BP sebesar Rp 191/trip). <i>Generalized cost</i> pada kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK sebesar Rp 499/trip, BWP Rp 485/trip dan BP sebesar Rp 114/trip).
9.	Besaran biaya kemacetan (<i>congestion cost</i>)	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Yogyakarta adalah Rp 886 per trip.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip.
10.	Jumlah lokasi ruas jalan (<i>link</i>) yang dianalisis	12 (dua belas) ruas jalan.	16 (enam belas) ruas jalan (<i>link</i>)
11.	Dampak penerapan <i>Congestion Pricing</i>	Dampak penerapan <i>congestion pricing</i> diestimasi berdasarkan perubahan kecepatan di setiap ruas jalan.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini.

																																																																																																																																	
12.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Kecepatan di ruas jalan Malioboro bertambah 1,76 km/jam.	Efek penerapan <i>congestion pricing</i> pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2: <table><tr><th>No.</th><th>Node Origin-Destination</th><th>Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th>Difference in vehicle speed (km/h)</th><th>Difference in vehicle speed (%)</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>Without pricing</th><th>With pricing</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																											
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																											
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																											
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																											
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																											
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																											
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																											
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																											
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																											
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																											
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																											
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																											
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																											
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																											
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																											
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																											
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																											
13.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i> sepeda motor	Berdasarkan hasil analisis kecepatan, biaya operasional kendaraan, dan waktu tempuh maka diestimasi biaya transportasi di ruas jalan Malioboro turun sebesar Rp 36 per trip .	<table><tr><th>No.</th><th>Name of link and direction movement</th><th>Length of link (km)</th><th colspan="2">Generalized cost (IDR/trip)</th><th>Δ Generalized cost (IDR/trip)</th><th>Δ Generalized cost (IDR/trip)</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>Without pricing</th><th>With pricing</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr><tr><td>1.</td><td>Malioboro Street (N-S)</td><td>0.809</td><td>806.92</td><td>753.40</td><td>-53.51</td><td>-6.63 %</td></tr><tr><td>2.</td><td>Ahmad Yani Street (N-S)</td><td>0.605</td><td>562.00</td><td>527.66</td><td>-34.33</td><td>-6.11 %</td></tr><tr><td>3.</td><td>Jenderal Soedirman Street (W-E)</td><td>1.274</td><td>957.39</td><td>992.42</td><td>35.03</td><td>3.66 %</td></tr><tr><td>4.</td><td>Jenderal Soedirman Street (E-W)</td><td>1.274</td><td>958.86</td><td>996.40</td><td>37.54</td><td>3.92 %</td></tr><tr><td>5.</td><td>Pangeran Mangkubumi Street</td><td>0.814</td><td>689.20</td><td>662.01</td><td>-27.18</td><td>-3.94 %</td></tr><tr><td>6.</td><td>Pangeran Diponegoro Street (W-E)</td><td>0.686</td><td>517.59</td><td>498.18</td><td>-19.41</td><td>-3.75 %</td></tr><tr><td>7.</td><td>Pangeran Diponegoro Street (E-W)</td><td>0.686</td><td>517.38</td><td>502.78</td><td>-14.60</td><td>-2.82 %</td></tr><tr><td>8.</td><td>Ahmad Dahlan Street (E-W)</td><td>1.022</td><td>768.64</td><td>777.40</td><td>8.76</td><td>1.14 %</td></tr><tr><td>9.</td><td>Ahmad Dahlan Street (W-E)</td><td>1.022</td><td>765.77</td><td>772.09</td><td>6.32</td><td>0.83 %</td></tr><tr><td>10.</td><td>Bhayangkara Street</td><td>0.574</td><td>527.42</td><td>515.55</td><td>-11.87</td><td>-2.25 %</td></tr><tr><td>11.</td><td>Pangeran Senopati Street (W-E)</td><td>0.715</td><td>555.34</td><td>545.16</td><td>-10.17</td><td>-1.83 %</td></tr><tr><td>12.</td><td>Pangeran Senopati Street (E-W)</td><td>0.715</td><td>554.60</td><td>543.35</td><td>-11.25</td><td>-2.03 %</td></tr><tr><td>13.</td><td>Mataram Street (S-N)</td><td>0.564</td><td>533.83</td><td>508.98</td><td>-24.84</td><td>-4.65 %</td></tr><tr><td>14.</td><td>Mataram Street (N-S)</td><td>0.564</td><td>533.37</td><td>520.34</td><td>-13.03</td><td>-2.44 %</td></tr><tr><td>15.</td><td>Mayor Suryotomo Street (N-S)</td><td>0.750</td><td>595.86</td><td>589.36</td><td>-6.50</td><td>-1.09 %</td></tr><tr><td>16.</td><td>Mayor Suryotomo Street (S-N)</td><td>0.750</td><td>596.57</td><td>579.16</td><td>-17.40</td><td>-2.92 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)	(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)	1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %	2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %	3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %	4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %	5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %	6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %	7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %	8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %	9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %	10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %	11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %	12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %	13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %	14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %	15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %	16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %
No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)																																																																																																																											
(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																											
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %																																																																																																																											
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %																																																																																																																											
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %																																																																																																																											
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %																																																																																																																											
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %																																																																																																																											
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %																																																																																																																											
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %																																																																																																																											
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %																																																																																																																											
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %																																																																																																																											
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %																																																																																																																											
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %																																																																																																																											
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %																																																																																																																											
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %																																																																																																																											
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %																																																																																																																											
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %																																																																																																																											
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %																																																																																																																											

**Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada Jurnal Transportasi FSTPT Vol. 11 No. 2, Agustus 2011, Hal. 87-94 dan
Walailak Journal of Science and Technology-Thailand**

No.	Parameter	Jurnal Transportasi FSTPT Vol. 11 No. 2, Agustus 2011, Hal. 87-94	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: Pengembangan Model Biaya Kemacetan bagi Pengguna Mobil Pribadi di Daerah Pusat Perkotaan	Judul: The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle
2.	Jenis kendaraan yang ditinjau (obyek penelitian)	Pengguna Mobil pribadi (<i>Private Passenger Car</i>) dengan jenis kendaraan acuan Toyota Avanza	Pengguna Sepeda motor (<i>Motorcycle</i>)
3.	Metode pendekatan analisis	Analisis Biaya Operasional Kendaraan, Biaya Waktu Perjalanan, Biaya polusi	Software pemodelan transportasi <i>Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds and auto times.</i>
4.	Pendekatan analisis	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi. Besarnya <i>generalized cost</i> dirumuskan sebagai: $BU_{ij}^m = (\text{Nilai waktu} \times \text{waktu tempuh}) + (\text{BOK} \times \text{jarak}) + \text{Biaya polusi}$ Perbedaannya adalah metode analisisnya: 1. Metode analisis BOK Mobil Pribadi berdasarkan Model BOK menurut LAPI ITB 1996 dengan jenis kendaraan acuan Toyota Avanza. 2. Biaya polusi mobil pribadi dianalisis berdasarkan <i>Marginal Health Cost</i> dengan jenis bahan bakar bensin dan solar serta model konsumsi bahan bakar berdasarkan Model LAPI ITB 1996. 3. Biaya waktu perjalanan dianalisis berdasarkan pendekatan studi <i>Indonesian Highway Capacity Manual</i> (IHCM) untuk pengguna mobil pribadi dan diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta sebesar Rp 11.447,52/jam.	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP). Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = \text{VOT} (\text{time}_{ij}^m) + \text{VOC} (\text{dist.}_{ij}^m) + \text{EC} (\text{dist.}_{ij}^m)$ Perbedaannya adalah metode analisisnya: 1. Metode analisis BOK Sepeda Motor terdiri dari 5 komponen biaya dengan hubungan antara konsumsi bahan bakar dan kecepatan berdasarkan Studi SITRAMP 2004. 2. Biaya polusi sepeda motor dianalisis berdasarkan <i>Marginal Health Cost</i> dengan model konsumsi bahan bakar berdasarkan Model Studi SITRAMP 2004. 3. Biaya waktu perjalanan dianalisis berdasarkan nilai waktu pengguna sepeda motor di Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam. Pendekatannya berdasarkan nilai Gross Regional Domestic Product (GRDP) penduduk Kota Yogyakarta.
5.	Data kecepatan kendaraan	Kecepatan mobil pribadi diambil berdasarkan data waktu tempuh kendaraan.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di


Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada Jurnal Dinamika Teknik Sipil Jurusan Teknik Sipil Fakultas Teknik UMS Surakarta dan *Walailak Journal of Science and Technology-Thailand*

No.	Parameter	Jurnal Dinamika Teknik Sipil Jurusan Teknik Sipil Fakultas Teknik UMS Surakarta Vol. 11, No.1, Januari 2011, Hal. 81-86	<i>Walailak Journal of Science and Technology (WJST)</i> Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: Model Biaya Kemacetan bagi Pengguna Mobil Pribadi di Kawasan Malioboro, Yogyakarta	Judul: The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle
2.	Jenis kendaraan yang ditinjau (obyek penelitian)	Pengguna Mobil pribadi (<i>Private Passenger Car</i>)	Pengguna Sepeda motor (<i>Motorcycle</i>)
3.	Estimasi nilai biaya kemacetan (<i>congestion cost</i>)	$CC_{ij}^m = C_{ij}^m MSC - C_{ij}^m MPC$ dimana CC adalah <i>Congestion Cost</i> , MSC adalah <i>Marginal Social Cost</i> dan MPC adalah <i>Marginal Private Cost</i>	$CC = GC_{actual\ condition} - GC_{free-flow\ speed}$ Dimana GC adalah <i>generalized cost</i>
4.	Pendekatan analisis	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi. Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT * (time_{ij}^m) + VOC * (dist._{ij}^m) + \text{MHC} * (dist._{ij}^m)$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Mobil Pribadi berdasarkan Model BOK menurut LAPI ITB 1996 dengan jenis kendaraan acuan Toyota Avanza. - Biaya polusi mobil pribadi dianalisis berdasarkan <i>Marginal Health Cost</i> dengan jenis bahan bakar bensin dan solar serta model konsumsi bahan bakar berdasarkan Model LAPI ITB 1996. - Biaya waktu perjalanan dianalisis berdasarkan pendekatan studi <i>Indonesian Highway Capacity Manual</i> (IHCM) untuk pengguna mobil pribadi dan diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta tahun 2008 sebesar Rp 10.137,51/jam.	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP). Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (time_{ij}^m) + VOC (dist._{ij}^m) + \text{EC} (dist._{ij}^m)$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Sepeda Motor terdiri dari 5 komponen biaya dengan hubungan antara konsumsi bahan bakar dan kecepatan berdasarkan Studi SITRAMP 2004. - Biaya polusi sepeda motor dianalisis berdasarkan <i>Marginal Health Cost</i> dengan model konsumsi bahan bakar berdasarkan Model Studi SITRAMP 2004. - Biaya waktu perjalanan dianalisis berdasarkan nilai waktu pengguna sepeda motor di Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam. Pendekatannya berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta.

Perbedaan Publikasi Karya Ilmiah Dr. Gito Sugiyanto, S.T., M.T. pada Jurnal Transportasi FSTPT Vol. 9 No. 2, Desember 2009, Hal. 97-106 dan Walailak Journal of Science and Technology-Thailand


No.	Parameter	Jurnal Transportasi FSTPT Vol. 9 No. 2, Desember 2009, Hal. 97-106	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
1.	Judul artikel ilmiah	Judul: Model Pemilihan Moda antara Mobil Pribadi dan Bus TransJogja akibat Penerapan Biaya Kemacetan	Judul: The Effect of Congestion Pricing Scheme on the Generalized Cost and Speed of a Motorcycle
2.	Jenis kendaraan yang ditinjau (obyek penelitian)	Pengguna Mobil pribadi tujuan Malioboro dan bus TransJogja	Pengguna Sepeda motor (Motorcycle)
3.	Metode pendekatan analisis	a. <i>Stated Preference Technique</i> dengan menggunakan lima parameter yaitu: <i>travel cost</i> , <i>congestion cost</i> , <i>parking cost</i> , <i>travel time</i> , dan <i>walking time</i> . b. Logit binomial selisih.	Software pemodelan transportasi <i>Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds and auto times.</i>
4.	Estimasi nilai biaya kemacetan (<i>congestion cost</i>)	$CC_{ij}^m = C_{ij}^m MSC - C_{ij}^m MPC$ dimana CC adalah <i>Congestion Cost</i> , MSC adalah <i>Marginal Social Cost</i> , dan MPC adalah <i>Marginal Private Cost</i> .	$CC = GC_{actual\ condition} - GC_{free-flow\ speed}$ Dimana GC adalah generalized cost
5.	Pendekatan analisis	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP), dan Biaya Eksternalitas berupa biaya polusi. Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC = \text{Nilai waktu} \times (\text{waktu}) + BOK \times (\text{jarak}_{ij}^m) + BP \times (\text{jarak}).$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Mobil Pribadi berdasarkan Model BOK menurut LAPI ITB 1996 untuk Golongan Kendaraan 1, yaitu mobil penumpang di jalan perkotaan. BOK Bus TransJogja dianalisis berdasarkan Peraturan Menteri Perhubungan RI. - Biaya polusi mobil pribadi dianalisis Studi La One (2002) dan dikalikan faktor pertumbuhan 4,04%. - Biaya waktu perjalanan dianalisis berdasarkan Metode Tingkat Kesejahteraan (Welfare Maximation) hasil studi <i>Directorate General of Highways tahun 1995</i>.	Komponen biaya transportasi: 3 (tiga) buah yaitu Biaya Operasional Kendaraan (BOK), Biaya Waktu Perjalanan (BWP) dan Biaya Polusi (BP) . Besarnya <i>generalized cost</i> dirumuskan sebagai: $GC_{ij}^m = VOT (\text{time}_{ij}^m) + VOC (\text{dist.}_{ij}^m) + EC (\text{dist.}_{ij}^m)$ Perbedaannya adalah metode analisisnya: - Metode analisis BOK Sepeda Motor terdiri dari 5 komponen biaya dengan hubungan antara konsumsi bahan bakar dan kecepatan berdasarkan Studi SITRAMP 2004. - Biaya polusi sepeda motor dianalisis berdasarkan <i>Marginal Health Cost</i> dengan model konsumsi bahan bakar berdasarkan Model Studi SITRAMP 2004. - Biaya waktu perjalanan dianalisis berdasarkan nilai waktu pengguna sepeda motor di Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam. Pendekatannya berdasarkan nilai Gross Regional Domestic Product (GRDP) penduduk Kota Yogyakarta.


No.	Parameter	Jurnal Transportasi FSTPT Vol. 9 No. 2, Desember 2009, Hal. 97-106	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
6.	Data kecepatan kendaraan	Kecepatan mobil pribadi diambil berdasarkan data waktu tempuh kendaraan. Hasil analisis nilai kecepatan mobil pribadi: a. Kondisi <i>marginal private cost</i> yaitu saat kondisi yang diperkirakan (<i>perceived cost</i>) sebesar 30 km/jam b. Kondisi <i>marginal social cost</i> saat kondisi <i>actual cost</i> sebesar 8 km/jam.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di lapangan dengan menggunakan alat <i>Speed Gun</i>. Hasil analisis nilai kecepatan kendaraan: a. Kondisi <i>free-flow speed</i> : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
7.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor	Tidak dianalisis.	Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)
8.	Nilai waktu pengguna sepeda motor	Berdasarkan Metode Tingkat Kesejahteraan (<i>Welfare Maximation</i>) hasil studi <i>Directorate General of Highways</i> tahun 1995 dan PDRB Kota Yogyakarta pada tahun 2008, diperoleh nilai waktu untuk pengguna mobil pribadi Rp 10.137,51 per jam dan untuk Bus TransJogja sebesar Rp 26.593,86 per jam.	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam.
9.	Biaya eksternalitas berupa biaya polusi	Hasil analisis biaya polusi di Kawasan Malioboro bagi pengguna mobil pribadi: a. Kondisi <i>actual cost</i> Rp 638,15 per trip. b. Kondisi <i>perceived cost</i> Rp 328,31 per trip. Hasil analisis biaya polusi di Kawasan Malioboro bagi pengguna bus TransJogja: a. Kondisi <i>actual cost</i> Rp 1.598,20 per trip. b. Kondisi <i>perceived cost</i> Rp 822,21 per trip.	Biaya polusi dirumuskan sebagai: <i>Pollution cost (PC) = Marginal Health-cost (MHC) x Consumption of fuel (CF)</i> Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer. Hasil analisis biaya polusi: a. Kondisi <i>free-flow speed</i> : Rp 80,00/km. b. Kondisi aktual di lapangan saat terjadi kemacetan : Rp 135,00/km.
10.	Besaran <i>generalized cost</i>	<i>Generalized cost</i> Mobil pada kondisi <i>actual cost</i> = Rp 8.206,92 per trip. <i>Generalized cost</i> Mobil pada kondisi <i>perceived cost</i> = Rp 3.486,67 per trip. GC Bus TransJogja kondisi actual Rp 15.067,47 dan kondisi perceived Rp 8.159,14.	<i>Generalized cost</i> pada kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK sebesar Rp 669/trip, BWP Rp 1.907/trip dan BP sebesar Rp 191/trip). <i>Generalized cost</i> pada kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK sebesar Rp 499/trip, BWP Rp 485/trip dan BP sebesar Rp 114/trip).

No.	Parameter	Jurnal Transportasi FSTPT Vol. 9 No. 2, Desember 2009, Hal. 97-106	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
11.	Besaran biaya kemacetan (<i>congestion cost</i>)	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Mobil Pribadi di Kawasan Malioboro, Yogyakarta adalah Rp 4.720,25 per trip.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip.
12.	Jumlah lokasi ruas jalan (<i>link</i>) yang dianalisis	1 (satu) ruas jalan, yaitu Jalan Malioboro.	16 (enam belas) ruas jalan (<i>link</i>)
13.	Model pemilihan moda berdasarkan logit binomial selisih	Probabilitas pemilihan mobil pribadi: $P_{MP} = \frac{\exp^{U_{MP}}}{\exp^{U_{MP}} + \exp^{U_{BT}}} = \frac{\exp^{(U_{MP} - U_{BT})}}{1 + \exp^{(U_{MP} - U_{BT})}}$ Probabilitas pemilihan bus TransJogja: $P_{BT} = 1 - P_{MP} = \frac{1}{1 + \exp^{(U_{MP} - U_{BT})}}$ Model selisih utilitas pemilihan moda: $U_{MP} - U_{BT} = 149,3258 - 0,00989 X_1 - 0,01868 X_2 - 0,00810 X_3 - 7,87838 X_4 - 4,50409 X_5$ (7,50612) (-5,1540) (-8,0196) (-2,71178) (-4,1047) (-1,76001) (5) Nilai $r^2 = 0,94892$. Dengan X1: biaya perjalanan, X2: biaya kemacetan, X3: biaya parkir, X4: waktu tempuh, X5: waktu berjalan kaki ke halte bus TransJogja.	Tidak dianalisis.
14.	Dampak penerapan <i>Congestion Pricing</i>	Dampak penerapan <i>congestion pricing</i> diestimasi berdasarkan perubahan kecepatan di setiap ruas jalan.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini.  The screenshot shows the EMME-2 software interface. The main window displays a network diagram with nodes and links. The title bar indicates 'Emme2W 2.4 - Copyright (C) INRO Consultants Inc. 1998'. The menu bar includes 'File', 'Edit', 'Options', 'Show', and 'Help'. The main window has a tab labeled 'AUTO SPEEDS (KM/H)'. The diagram shows a network of nodes and links, with some links highlighted in red. The status bar at the bottom shows 'EMME2 PROJECT: Simulasi Gita Malioboro 2018' and 'PERSARAN 2: Simulasi Penerapan Biaya Kemacetan'.

No.	Parameter	Jurnal Transportasi FSTPT Vol. 9 No. 2, Desember 2009, Hal. 97-106	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106																																																																																																																																
15.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> bagi pengguna sepeda motor pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2: <table><tr><th rowspan="2">No.</th><th rowspan="2">Node Origin-Destination</th><th rowspan="2">Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (%)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>(4)</th><th>(5)</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)				Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																													
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																													
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																													
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																													
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																													
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																													
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																													
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																													
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																													
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																													
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																													
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																													
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																													
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																													
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																													
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																													
16.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i>	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> bagi pengguna sepeda motor pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2: <table><tr><th rowspan="2">No.</th><th rowspan="2">Name of link and direction movement</th><th rowspan="2">Length of link (km)</th><th colspan="2">Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>(4)</th><th>(5)</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr><tr><td>1.</td><td>Malioboro Street (N-S)</td><td>0.809</td><td>806.92</td><td>753.40</td><td>-53.51</td><td>-6.63 %</td></tr><tr><td>2.</td><td>Ahmad Yani Street (N-S)</td><td>0.605</td><td>562.00</td><td>527.66</td><td>-34.33</td><td>-6.11 %</td></tr><tr><td>3.</td><td>Jenderal Soedirman Street (W-E)</td><td>1.274</td><td>957.39</td><td>992.42</td><td>35.03</td><td>3.66 %</td></tr><tr><td>4.</td><td>Jenderal Soedirman Street (E-W)</td><td>1.274</td><td>958.86</td><td>996.40</td><td>37.54</td><td>3.92 %</td></tr><tr><td>5.</td><td>Pangeran Mangkubumi Street</td><td>0.814</td><td>689.20</td><td>662.01</td><td>-27.18</td><td>-3.94 %</td></tr><tr><td>6.</td><td>Pangeran Diponegoro Street (W-E)</td><td>0.686</td><td>517.59</td><td>498.18</td><td>-19.41</td><td>-3.75 %</td></tr><tr><td>7.</td><td>Pangeran Diponegoro Street (E-W)</td><td>0.686</td><td>517.38</td><td>502.78</td><td>-14.60</td><td>-2.82 %</td></tr><tr><td>8.</td><td>Ahmad Dahlan Street (E-W)</td><td>1.022</td><td>768.64</td><td>777.40</td><td>8.76</td><td>1.14 %</td></tr><tr><td>9.</td><td>Ahmad Dahlan Street (W-E)</td><td>1.022</td><td>765.77</td><td>772.09</td><td>6.32</td><td>0.83 %</td></tr><tr><td>10.</td><td>Bhayangkara Street</td><td>0.574</td><td>527.42</td><td>515.55</td><td>-11.87</td><td>-2.25 %</td></tr><tr><td>11.</td><td>Pangeran Senopati Street (W-E)</td><td>0.715</td><td>555.34</td><td>545.16</td><td>-10.17</td><td>-1.83 %</td></tr><tr><td>12.</td><td>Pangeran Senopati Street (E-W)</td><td>0.715</td><td>554.60</td><td>543.35</td><td>-11.25</td><td>-2.03 %</td></tr><tr><td>13.</td><td>Mataram Street (S-N)</td><td>0.564</td><td>533.83</td><td>508.98</td><td>-24.84</td><td>-4.65 %</td></tr><tr><td>14.</td><td>Mataram Street (N-S)</td><td>0.564</td><td>533.37</td><td>520.34</td><td>-13.03</td><td>-2.44 %</td></tr><tr><td>15.</td><td>Mayor Suryotomo Street (N-S)</td><td>0.750</td><td>595.86</td><td>589.36</td><td>-6.50</td><td>-1.09 %</td></tr><tr><td>16.</td><td>Mayor Suryotomo Street (S-N)</td><td>0.750</td><td>596.57</td><td>579.16</td><td>-17.40</td><td>-2.92 %</td></tr></table> Note: W is west, E is east, S is south, and N is north.	No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %	2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %	3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %	4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %	5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %	6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %	7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %	8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %	9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %	10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %	11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %	12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %	13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %	14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %	15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %	16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %
No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)				Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %																																																																																																																													
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %																																																																																																																													
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %																																																																																																																													
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %																																																																																																																													
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %																																																																																																																													
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %																																																																																																																													
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %																																																																																																																													
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %																																																																																																																													
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %																																																																																																																													
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %																																																																																																																													
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %																																																																																																																													
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %																																																																																																																													
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %																																																																																																																													
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %																																																																																																																													
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %																																																																																																																													
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %																																																																																																																													

No.	Parameter	Jurnal Dinamika Teknik Sipil Jurusan Teknik Sipil Fakultas Teknik UMS Surakarta Vol. 11, No.1, Januari 2011, Hal. 81-86	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
5.	Data kecepatan kendaraan	Kecepatan mobil pribadi diambil berdasarkan data waktu tempuh kendaraan. Hasil analisis nilai kecepatan mobil pribadi: a. Kondisi <i>marginal private cost</i> yaitu saat kondisi yang diperkirakan (<i>perceived cost</i>) sebesar 30 km/jam b. Kondisi <i>marginal social cost</i> saat kondisi <i>actual cost</i> sebesar 8 km/jam.	Kecepatan sepeda motor diambil berdasarkan data waktu tempuh kendaraan dan survei kecepatan di lapangan dengan menggunakan alat Speed Gun. Hasil analisis nilai kecepatan sepeda motor: a. Kondisi <i>free-flow speed</i> : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
6.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan kendaraan	Hubungan antara konsumsi bahan bakar dan kecepatan mobil pribadi adalah sebagai berikut: a. Untuk kecepatan 8 km/jam, konsumsi BBM 0,201 liter/km. b. Untuk kecepatan 30 km/jam, konsumsi BBM 0,127 liter/km. Besarnya <i>Marginal Health Cost</i> adalah: a. Untuk kondisi <i>actual cost</i> , MHC sebesar Rp 401,68/km. b. Untuk kondisi <i>perceived cost</i> , MHC sebesar Rp 254,24/km.	Hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)
7.	Nilai waktu pengguna kendaraan	Biaya waktu perjalanan dianalisis berdasarkan pendekatan studi <i>Indonesian Highway Capacity Manual</i> (IHCM) untuk pengguna mobil pribadi, diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta tahun 2008 Rp 10.137,51/jam.	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam.
8.	Biaya polusi	Hasil analisis biaya polusi di Kawasan Malioboro bagi pengguna mobil pribadi: a. Kondisi <i>actual cost</i> Rp 622,53 per trip. b. Kondisi <i>perceived cost</i> Rp 394,02 per trip.	Biaya polusi dirumuskan sebagai: $Pollution\ cost\ (PC) = Marginal\ Health-cost\ (MHC) \times Consumption\ of\ fuel\ (CF)$ Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer. Hasil analisis biaya polusi: a. Kondisi <i>free-flow speed</i> : Rp 80,00/km. b. Kondisi aktual di lapangan saat terjadi kemacetan : Rp 135,00/km.
9.	Besaran biaya <i>generalized cost</i>	<i>Generalized cost</i> pada kondisi <i>actual cost</i> = Rp 5.986 per trip. <i>Generalized cost</i> pada kondisi <i>perceived cost</i> = Rp 2.707,50 per trip	<i>Generalized cost</i> kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK Rp 669/trip, BWP Rp 1.907/trip dan BP Rp 191/trip). <i>Generalized cost</i> kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK Rp 499/trip, BWP Rp 485/trip dan BP Rp 114/trip).



No.	Parameter	Jurnal Dinamika Teknik Sipil Jurusan Teknik Sipil Fakultas Teknik UMS Surakarta Vol. 11, No.1, Januari 2011, Hal. 81-86	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
10.	Besaran biaya kemacetan (<i>congestion cost</i>)	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna mobil pribadi di Kawasan Malioboro, Yogyakarta adalah Rp 3.278,50 per trip.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip.
11.	Jumlah lokasi ruas jalan (<i>link</i>) yang dianalisis	5 (lima) ruas jalan, yaitu jalan Malioboro, jalan Ahmad Yani, jalan Pangeran Senopati, Jalan Mayor Suryotomo, dan jalan Mataram, Yogyakarta.	16 (enam belas) ruas jalan (link)
12.	Model biaya kemacetan	Merupakan fungsi power dengan rumus $y = 67,416X^{-1,475809}$, dimana X adalah kecepatan kendaraan (km/jam) Variasi kecepatan aktual dianalisis dari 5 km/jam sampai dengan 25 km/jam.  Gambar 3. Hubungan antara kecepatan kendaraan kondisi sebenarnya dan biaya kemacetan	Tidak dianalisis.
13.	Estimasi dampak penerapan <i>Congestion Pricing</i>	Terdapat 14,42% pengguna mobil pribadi yang akan beralih ke bus Transjogja. Nilai V/C ratio jalan akan turun antara 7,80% sd 14,26%.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini.

																																																																																																																																	
14.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> bagi pengguna sepeda motor pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2: <table><thead><tr><th>No.</th><th>Node Origin-Destination</th><th>Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th>Difference in vehicle speed (km/h)</th><th>Difference in vehicle speed (%)</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>Without pricing</th><th>With pricing</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr></thead><tbody><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></tbody></table> Note: W is west, E is east, S is south, and N is north.	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
(1)	(2)	(3)	Without pricing	With pricing	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																											
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																											
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																											
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																											
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																											
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																											
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																											
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																											
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																											
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																											
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																											
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																											
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																											
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																											
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																											
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																											
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																											
15.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i>	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> bagi pengguna sepeda motor pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2:																																																																																																																														

No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)
			Without pricing	With pricing		
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %

Note: W is west, E is east, S is south, and N is north.

		Hasil analisis waktu tempuh dan kecepatan mobil pribadi: a. Kondisi saat arus bebas diperoleh waktu tempuh: 2 menit 07 detik sehingga kecepatannya 40 km/jam b. Kondisi saat terjadi kemacetan di lapangan diperoleh waktu tempuh: 8 menit 30 detik sehingga kecepatannya 9,98 km/jam.	lapangan dengan menggunakan alat <i>Speed Gun</i>. Hasil analisis nilai kecepatan sepeda motor: a. Kondisi <i>free-flow speed</i> : 42,42 km/jam b. Kondisi aktual saat terjadi kemacetan : 10,77 km/jam.
6.	Persamaan hubungan antara konsumsi bahan bakar dan kecepatan kendaraan	Hubungan antara konsumsi bahan bakar dan kecepatan mobil pribadi adalah sebagai berikut: a. Untuk kecepatan 5 km/jam, konsumsi BBM 0,214 liter/km. b. Untuk kecepatan 9,98 km/jam, konsumsi BBM 0,192 liter/km. c. Untuk kecepatan 20 km/jam, konsumsi BBM 0,155 liter/km. d. Untuk kecepatan 30 km/jam, konsumsi BBM 0,127 liter/km. e. Untuk kecepatan 40 km/jam, konsumsi BBM 0,105 liter/km.	Hubungan antara konsumsi bahan bakar dan kecepatan sepeda motor Dirumuskan sebagai: $y = -0.008V^2 + 0.7991V + 9.6933$ dengan $r^2 = 0.8299$ Dimana y adalah konsumsi bahan bakar (km/liter) dan V adalah kecepatan sepeda motor (km/jam)
7.	Nilai waktu pengguna kendaraan	Biaya waktu perjalanan dianalisis berdasarkan pendekatan studi <i>Indonesian Highway Capacity Manual</i> (IHCM) untuk pengguna mobil pribadi dan diperoleh nilai waktu pengguna mobil pribadi di Kota Yogyakarta sebesar Rp 11.447,52/jam.	Berdasarkan nilai <i>Gross Regional Domestic Product</i> (GRDP) penduduk Kota Yogyakarta pada bulan Oktober 2012 sebesar Rp 14.526,42/jam.
8.	Biaya eksternalitas berupa biaya polusi	Hasil analisis biaya polusi di Kawasan Malioboro bagi pengguna mobil pribadi: a. Kondisi kecepatan arus bebas : Rp 295,70. b. Kondisi yang sebenarnya: Rp 543,61.	Biaya polusi dirumuskan sebagai: <i>Pollution cost (PC) = Marginal Health-cost (MHC) x Consumption of fuel (CF)</i> Pendekatan yang digunakan menggunakan hasil studi World Bank dimana MHC dalam US cents per liter dan cents/pass-kilometer. Hasil analisis biaya polusi: a. Kondisi <i>free-flow speed</i> : Rp 80,00/km. b. Kondisi aktual di lapangan saat terjadi kemacetan : Rp 135,00/km.
9.	Besaran biaya umum	Biaya umum pada kondisi yang sebenarnya sebesar Rp 5.513,77/trip. Biaya umum pada kondisi kecepatan arus bebas sebesar Rp 2.598,77/trip.	<i>Generalized cost</i> pada kondisi aktual (terjadi kemacetan) sebesar Rp 2.767/trip (terdiri dari BOK sebesar Rp 669/trip, BWP Rp 1.907/trip dan BP sebesar Rp 191/trip). <i>Generalized cost</i> pada kondisi <i>free-flow speed</i> sebesar Rp 1.098/trip (terdiri dari BOK sebesar Rp 499/trip, BWP Rp 485/trip dan BP sebesar Rp 114/trip).

No.	Parameter	Jurnal Transportasi FSTPT Vol. 11 No. 2, Agustus 2011, Hal. 87-94	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106
10.	Besaran biaya kemacetan (congestion cost)	Tidak dianalisis.	Biaya kemacetan (<i>congestion cost</i>) bagi pengguna Sepeda Motor di Kawasan CBD Malioboro, Yogyakarta adalah Rp 1.669 per trip .
11.	Model biaya kemacetan	Merupakan fungsi eksponensial dengan rumus $y = 7,746e^{-0,09x}$ Variasi kecepatan aktual dianalisis dari 5 km/jam sampai dengan 30 km/jam.  Gambar 3 Hubungan Antara Kecepatan Kendaraan Kondisi Aktual dan Biaya Kemacetan	Tidak dianalisis.
12.	Jumlah lokasi ruas jalan (link) yang dianalisis	Jalan Malioboro	16 (enam belas) ruas jalan (link)
13.	Dampak penerapan Congestion Pricing	Tidak dianalisis.	Simulasi dilakukan dengan menggunakan software pemodelan transportasi Equilibre Multimodal, Multimodal Equilibrium-2 (EMME-2) software: auto speeds, auto times. Seperti ditunjukkan pada Gambar di bawah ini. 

No.	Parameter	Jurnal Transportasi FSTPT Vol. 11 No. 2, Agustus 2011, Hal. 87-94	Walailak Journal of Science and Technology (WJST) Vol. 15 No. 1 January 2018 pp. 95-106																																																																																																																																
14.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap kecepatan kendaraan.	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> bagi pengguna sepeda motor pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2: <table><thead><tr><th rowspan="2">No.</th><th rowspan="2">Node Origin-Destination</th><th rowspan="2">Name of link and direction of movement</th><th colspan="2">Vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (km/h)</th><th rowspan="2">Difference in vehicle speed (%)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>(4)</th><th>(5)</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr></thead><tbody><tr><td>1.</td><td>3 - 4</td><td>Pangeran Diponegoro Street (W-E)</td><td>44.85</td><td>45.29</td><td>0.44</td><td>0.98 %</td></tr><tr><td>2.</td><td>4 - 3</td><td>Pangeran Diponegoro Street (E-W)</td><td>44.89</td><td>44.43</td><td>-0.46</td><td>-1.02 %</td></tr><tr><td>3.</td><td>6 - 8</td><td>Jenderal Soedirman Street (W-E)</td><td>45.24</td><td>44.51</td><td>-0.73</td><td>-1.61 %</td></tr><tr><td>4.</td><td>8 - 6</td><td>Jenderal Soedirman Street (E-W)</td><td>45.09</td><td>44.13</td><td>-0.96</td><td>-2.13 %</td></tr><tr><td>5.</td><td>6 - 23</td><td>Pangeran Mangkubumi Street</td><td>36.16</td><td>37.53</td><td>1.37</td><td>3.79 %</td></tr><tr><td>6.</td><td>24 - 25</td><td>Malioboro Street</td><td>27.85</td><td>30.11</td><td>2.26</td><td>8.11 %</td></tr><tr><td>7.</td><td>25 - 26</td><td>Ahmad Yani Street</td><td>31.09</td><td>32.34</td><td>1.25</td><td>4.02 %</td></tr><tr><td>8.</td><td>26 - 22</td><td>Ahmad Dahlan Street (E-W)</td><td>45.16</td><td>44.30</td><td>-0.86</td><td>-1.90 %</td></tr><tr><td>9.</td><td>22 - 26</td><td>Ahmad Dahlan Street (W-E)</td><td>45.53</td><td>44.95</td><td>-0.58</td><td>-1.27 %</td></tr><tr><td>10.</td><td>22 - 21</td><td>Bhayangkara Street</td><td>31.63</td><td>30.75</td><td>-0.88</td><td>-2.78 %</td></tr><tr><td>11.</td><td>26 - 37</td><td>Pangeran Senopati Street (W-E)</td><td>42.27</td><td>41.37</td><td>-0.90</td><td>-2.13 %</td></tr><tr><td>12.</td><td>37 - 26</td><td>Pangeran Senopati Street (E-W)</td><td>42.38</td><td>41.63</td><td>-0.75</td><td>-1.77 %</td></tr><tr><td>13.</td><td>36 - 35</td><td>Mataram Street (S-N)</td><td>30.19</td><td>30.48</td><td>0.29</td><td>0.96 %</td></tr><tr><td>14.</td><td>35 - 36</td><td>Mataram Street (N-S)</td><td>30.23</td><td>29.47</td><td>-0.76</td><td>-2.51 %</td></tr><tr><td>15.</td><td>36 - 37</td><td>Mayor Suryotomo Street (N-S)</td><td>40.48</td><td>39.41</td><td>-1.07</td><td>-2.64 %</td></tr><tr><td>16.</td><td>37 - 36</td><td>Mayor Suryotomo Street (S-N)</td><td>40.39</td><td>40.68</td><td>0.29</td><td>0.72 %</td></tr></tbody></table> Note: W is west, E is east, S is south, and N is north.	No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)		Difference in vehicle speed (km/h)	Difference in vehicle speed (%)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %	2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %	3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %	4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %	5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %	6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %	7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %	8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %	9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %	10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %	11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %	12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %	13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %	14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %	15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %	16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %
No.	Node Origin-Destination	Name of link and direction of movement	Vehicle speed (km/h)				Difference in vehicle speed (km/h)	Difference in vehicle speed (%)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	3 - 4	Pangeran Diponegoro Street (W-E)	44.85	45.29	0.44	0.98 %																																																																																																																													
2.	4 - 3	Pangeran Diponegoro Street (E-W)	44.89	44.43	-0.46	-1.02 %																																																																																																																													
3.	6 - 8	Jenderal Soedirman Street (W-E)	45.24	44.51	-0.73	-1.61 %																																																																																																																													
4.	8 - 6	Jenderal Soedirman Street (E-W)	45.09	44.13	-0.96	-2.13 %																																																																																																																													
5.	6 - 23	Pangeran Mangkubumi Street	36.16	37.53	1.37	3.79 %																																																																																																																													
6.	24 - 25	Malioboro Street	27.85	30.11	2.26	8.11 %																																																																																																																													
7.	25 - 26	Ahmad Yani Street	31.09	32.34	1.25	4.02 %																																																																																																																													
8.	26 - 22	Ahmad Dahlan Street (E-W)	45.16	44.30	-0.86	-1.90 %																																																																																																																													
9.	22 - 26	Ahmad Dahlan Street (W-E)	45.53	44.95	-0.58	-1.27 %																																																																																																																													
10.	22 - 21	Bhayangkara Street	31.63	30.75	-0.88	-2.78 %																																																																																																																													
11.	26 - 37	Pangeran Senopati Street (W-E)	42.27	41.37	-0.90	-2.13 %																																																																																																																													
12.	37 - 26	Pangeran Senopati Street (E-W)	42.38	41.63	-0.75	-1.77 %																																																																																																																													
13.	36 - 35	Mataram Street (S-N)	30.19	30.48	0.29	0.96 %																																																																																																																													
14.	35 - 36	Mataram Street (N-S)	30.23	29.47	-0.76	-2.51 %																																																																																																																													
15.	36 - 37	Mayor Suryotomo Street (N-S)	40.48	39.41	-1.07	-2.64 %																																																																																																																													
16.	37 - 36	Mayor Suryotomo Street (S-N)	40.39	40.68	0.29	0.72 %																																																																																																																													
15.	Hasil analisis dampak penerapan <i>congestion pricing</i> terhadap <i>generalized cost</i> sepeda motor	Tidak dianalisis.	Efek penerapan <i>congestion pricing</i> pada 16 (enam belas) <i>link</i> berdasarkan hasil simulasi EMME-2 terhadap <i>generalized cost</i> sepeda motor adalah sebagai berikut: <table><thead><tr><th rowspan="2">No.</th><th rowspan="2">Name of link and direction movement</th><th rowspan="2">Length of link (km)</th><th colspan="2">Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th><th rowspan="2">Δ Generalized cost (IDR/trip)</th></tr><tr><th>Without pricing</th><th>With pricing</th></tr><tr><th>(1)</th><th>(2)</th><th>(3)</th><th>(4)</th><th>(5)</th><th>(6) = (5) - (4)</th><th>(7) = (6)/(4)</th></tr></thead><tbody><tr><td>1.</td><td>Malioboro Street (N-S)</td><td>0.809</td><td>806.92</td><td>753.40</td><td>-53.51</td><td>-6.63 %</td></tr><tr><td>2.</td><td>Ahmad Yani Street (N-S)</td><td>0.605</td><td>562.00</td><td>527.66</td><td>-34.33</td><td>-6.11 %</td></tr><tr><td>3.</td><td>Jenderal Soedirman Street (W-E)</td><td>1.274</td><td>957.39</td><td>992.42</td><td>35.03</td><td>3.66 %</td></tr><tr><td>4.</td><td>Jenderal Soedirman Street (E-W)</td><td>1.274</td><td>958.86</td><td>996.40</td><td>37.54</td><td>3.92 %</td></tr><tr><td>5.</td><td>Pangeran Mangkubumi Street</td><td>0.814</td><td>689.20</td><td>662.01</td><td>-27.18</td><td>-3.94 %</td></tr><tr><td>6.</td><td>Pangeran Diponegoro Street (W-E)</td><td>0.686</td><td>517.59</td><td>498.18</td><td>-19.41</td><td>-3.75 %</td></tr><tr><td>7.</td><td>Pangeran Diponegoro Street (E-W)</td><td>0.686</td><td>517.38</td><td>502.78</td><td>-14.60</td><td>-2.82 %</td></tr><tr><td>8.</td><td>Ahmad Dahlan Street (E-W)</td><td>1.022</td><td>768.64</td><td>777.40</td><td>8.76</td><td>1.14 %</td></tr><tr><td>9.</td><td>Ahmad Dahlan Street (W-E)</td><td>1.022</td><td>765.77</td><td>772.09</td><td>6.32</td><td>0.83 %</td></tr><tr><td>10.</td><td>Bhayangkara Street</td><td>0.574</td><td>527.42</td><td>515.55</td><td>-11.87</td><td>-2.25 %</td></tr><tr><td>11.</td><td>Pangeran Senopati Street (W-E)</td><td>0.715</td><td>555.34</td><td>545.16</td><td>-10.17</td><td>-1.83 %</td></tr><tr><td>12.</td><td>Pangeran Senopati Street (E-W)</td><td>0.715</td><td>554.60</td><td>543.35</td><td>-11.25</td><td>-2.03 %</td></tr><tr><td>13.</td><td>Mataram Street (S-N)</td><td>0.564</td><td>533.83</td><td>508.98</td><td>-24.84</td><td>-4.65 %</td></tr><tr><td>14.</td><td>Mataram Street (N-S)</td><td>0.564</td><td>533.37</td><td>520.34</td><td>-13.03</td><td>-2.44 %</td></tr><tr><td>15.</td><td>Mayor Suryotomo Street (N-S)</td><td>0.750</td><td>595.86</td><td>589.36</td><td>-6.50</td><td>-1.09 %</td></tr><tr><td>16.</td><td>Mayor Suryotomo Street (S-N)</td><td>0.750</td><td>596.57</td><td>579.16</td><td>-17.40</td><td>-2.92 %</td></tr></tbody></table> Note: W is west, E is east, S is south, and N is north.	No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)		Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)	Without pricing	With pricing	(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)	1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %	2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %	3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %	4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %	5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %	6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %	7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %	8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %	9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %	10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %	11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %	12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %	13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %	14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %	15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %	16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %
No.	Name of link and direction movement	Length of link (km)	Generalized cost (IDR/trip)				Δ Generalized cost (IDR/trip)	Δ Generalized cost (IDR/trip)																																																																																																																											
			Without pricing	With pricing																																																																																																																															
(1)	(2)	(3)	(4)	(5)	(6) = (5) - (4)	(7) = (6)/(4)																																																																																																																													
1.	Malioboro Street (N-S)	0.809	806.92	753.40	-53.51	-6.63 %																																																																																																																													
2.	Ahmad Yani Street (N-S)	0.605	562.00	527.66	-34.33	-6.11 %																																																																																																																													
3.	Jenderal Soedirman Street (W-E)	1.274	957.39	992.42	35.03	3.66 %																																																																																																																													
4.	Jenderal Soedirman Street (E-W)	1.274	958.86	996.40	37.54	3.92 %																																																																																																																													
5.	Pangeran Mangkubumi Street	0.814	689.20	662.01	-27.18	-3.94 %																																																																																																																													
6.	Pangeran Diponegoro Street (W-E)	0.686	517.59	498.18	-19.41	-3.75 %																																																																																																																													
7.	Pangeran Diponegoro Street (E-W)	0.686	517.38	502.78	-14.60	-2.82 %																																																																																																																													
8.	Ahmad Dahlan Street (E-W)	1.022	768.64	777.40	8.76	1.14 %																																																																																																																													
9.	Ahmad Dahlan Street (W-E)	1.022	765.77	772.09	6.32	0.83 %																																																																																																																													
10.	Bhayangkara Street	0.574	527.42	515.55	-11.87	-2.25 %																																																																																																																													
11.	Pangeran Senopati Street (W-E)	0.715	555.34	545.16	-10.17	-1.83 %																																																																																																																													
12.	Pangeran Senopati Street (E-W)	0.715	554.60	543.35	-11.25	-2.03 %																																																																																																																													
13.	Mataram Street (S-N)	0.564	533.83	508.98	-24.84	-4.65 %																																																																																																																													
14.	Mataram Street (N-S)	0.564	533.37	520.34	-13.03	-2.44 %																																																																																																																													
15.	Mayor Suryotomo Street (N-S)	0.750	595.86	589.36	-6.50	-1.09 %																																																																																																																													
16.	Mayor Suryotomo Street (S-N)	0.750	596.57	579.16	-17.40	-2.92 %																																																																																																																													